
Machine Tool Blue Book

NUARY, 1929

TWENTY-FOURTH YEAR

THREADS

or rapid production plus accuracy, either internal or external, we offer this machine



In 3¼" to 9" diameter collet capacity

Ask for Circular No. 36


The Lees Bradner Company Cleveland, Ohio

UBLISHED AT 508 So. DEARBORN ST. CHICAG

3 big

for MONOTROL Performance

SMOOTH POWERFUL EASY TO CONTROL



MONOTROL Geared Head Lathes are "setting the pace" in many shops for speed with accuracy on production as well as all around dependability.

TIMKEN Bearings—Sykes Herringbone Gean, continuous type—and the exclusive MONOTROL (one spindle control) are contributing factors that make Monotrol Geared Head Lathes an investment that soon pays for itself.

New Bulletins describing and illustrating MONOTROL Latbes gladly sent upon reonest. Write soday.



The Sidney Machine Tool Co. SIDNEY, OHIO

Machine Tool Blue Book

Controlled Circulation 25,000 Monthly

IANUARY, 1929

TWENTY-FOURTH YEAR

Simplified Practice

The BLUE BOOK is the leading exponent of simplified practice as applied to advertising, combining a broader service with lower costs.

By means of its 25,000 carefully controlled circulation, it covers the responsible buyers from coast to coast more thoroughly than is possible in any other way.

By specializing on advertising only in compact form, which is highly appreciated by those who buy, its cost to the advertiser is greatly reduced.

Manufacturers of machine tools and shop equipment are invited to investigate simplified practice as applied to advertising.

Full information will be furnished upon request.


Hitchcock Publishing Co.

508 S. Dearborn St., Chicago, Ill.

GEORGE O. MCKIBBEN, PRESIDENT

WM. R. WALLIS, VICE-PRESIDENT JOHN D. VAN KAMPEN, SECY-TREAS, OWEN B. MILLER, EASTERN REPRESENTATIVE

AMERICAN Maxi-Speed Sensitive RADIALS



The Range of a Radial—— The Speed of a Sensitive Drill

The Maxi Speed was specifically designed to handle small holes in such work as crankcases, cylinder blocks, transmission cases, switchboards—all work that is too large to fit under a standard sensitive drill, and too small to be handled efficiently by a geared radial. Made in two models for either belt or motor drive.

Write for descriptive folder

The American Tool Works Company

Cincinnati, Ohio, U.S.A.

LATHES

RADIALS

SHAPERS

An Efficient Upright Drill



Simplified To Suit Your Work

The DIRECT DRIVE Upright

A Standard Machine Built in 21" and 24" sizes

Buy Only the Features You Need

If your work requires speed and feed changes, they are provided. But for high production on one specific job, this machine is stripped of all general purpose complications, which are often paid for and never used.

May We Send Descriptive Literature?

The Cincinnati Bickford Tool Co.

3

BAKER KEYSEATERS



Built in Five Sizes

Designed
for
Miscellaneous
Keyseating
and
Slotting

No. 0 KEYSEATER Capacity 1" Wide-9" Maximum Stroke

Exclusive advantages in securing Accuracy and High Production are:

- 1. Draw Stroke Drive.
- 2. Upper Support for Cutter Bar.
- 3. Tilting Table (for Taper Keyseats).
- 4. Simplicity In Operation.

Write for Catalogue

BAKER BROTHERS, INC., Toledo, Ohio

Builders of Boring, Drilling, Tapping, Keyseating and Slotting Equipment.

Don't let dull Tools "eat up" your Profits



You can sharpen all types of cutters and reamers quickly and accurately with Brown & Sharpe grinding equipment. The No. 2 Cutter Grinding and the No. 3 Universal Cutter and Reamer Grinding Machines are accurate, sturdily built, and easily set up and operated.


Let our representative go over your requirements with you. Or, write to Dept. HB for complete specifications.

Brown & Sharpe Mfg. Co.

Providence, R. I., U. S. A.

The Monarch Ball Bearing Helical Geared Head Lathe

Silent-Smooth-Powerful



Three and one-half teeth of the oil-hardened helical gears are always in mesh.

There is a noiseless, smooth, constant transmission of power, with higher spindle speeds than are possible through any system of spur gearing.


The result is greater production.

Write for complete description of Monarch Helical Geared Head Lathes from 14 to 30 in., with 5 ft. to 30 ft. beds. The folder describes many other modern features, including unusual case of operation.

The Monarch Machine Tool Co.

Sidney, Ohio, U.S.A.

Cincinnati Lathes



have the motors mounted three ways—either on the head, attached to the rear of cabinet leg or inside of leg as shown in cut. As all of these drives are a self contained unit the lathe with the motor may be removed as a whole any time in the future.

At least 98-1/2% of the power from the motor is delivered to the work being machined. It is the power delivered to the tool that counts.

Specify Cincinnati Lathes and be sure of the quantity also quality of work you produce.

Sizes !6" to 32" either Cone Type or Geared Head belt or motor drive. It costs nothing to get our proposition for comparison.

Specialists Over 20 Years

The Cincinnati Lathe & Tool Co.
Oakley, Cincinnati, Ohio

The Conway Disc Clutch



A—Appearance—Accurate Adjustment

C-Capacity -Centripetal Action

E - Enclosure - Easy Engagement.

H-Hardened forged levers.

steel contact.

I __Instant release.

G-Gradual pickup.

H—Helped not hindered by centrifugal force, in idling.


The Conway Clutch Co.

West 6th Street.

Cincinnati, Ohio

"Incorporate dependability in your product"

BRADFORD "UNIMATIC"



A BOVE Three-Way Machine drills three 5/16", two 33/44" and one 5/16" holes horizontally, and one 7/16" hole at 40 degree angle, simultaneously, in shock absorber body at the rate of 100 pieces per hour.

RADFORD "Unimatics" are made up with any number of spindles for drilling or tapping, or in combination for any particular job.


Send Us Your Blue Prints or Samples for Production Estimates

The Bradford Machine Tool Co. 657-671 Evans Street, Cincinnati, Ohio

Precision Lathe Builders Since 1840

The DALTON COMBINATION

A Complete Machine Shop
In One Machine



Performs practically all machining operations with speed and accuracy. With a Dalton Combination, you're equipped for all lathe operations, for milling, drilling and tapping.

Occupies one-fifth the space of separate machines and costs considerably less.

Write for bulletin and prices.

Dalton Tool and Machine Corp'n

8 West 40th St., New York, N. Y.

Manufacturers of

"SMALL LATHES FOR BIG JOBS"



16"x6' New Design Weight 1900 lbs. \$525.00

18"x8' New Design Weight 2100 lbs.

\$585.00

3-step cone, double back gear, quick change gear, graduated compound rest, steady rest, lead screw and feed rod, tool post, centers, countershaft and wrenches, ready to run.

A lathe in the INEXPENSIVE class, for your shop equal to, in all respects, lathes of much higher price, having all their features:

> Alignment and Precision Speed in Production Ease of Operation Ability on all Work Low cost of Upkeep INEXPENSIVE COST to YOU

Made in 16° and 18° swing from 6' to 18' length of bed. Either 3-step cone belt drive or All Geared 9-Speed Drive Head for 2 H. P. Motor.

Write us for full information and PRICES

The Rahn - Larmon Co. 2943 Spring Grove Ave., CINCINNATI, OHIO




THE CLEVELAND OPENSIDE PLANER not only inthe operator's energy and saves countless steps as **all levers are reached from one position.** It has fewer parts than any other openside creases production through the speed and accuracy of its cutting, but also helps to greatly reduce the costs of operation. It conserves planer made—this means greater rigidity—more accurate cut-ting—fewer shut down—longer life. Write for Illustrated Folder.

7 The Cleveland Planer Company Established 1900

3148 Superior Ave., Over 1100 Installations

Cleveland, Ohio

Send for Descriptive Folder





11" Gold Seal Heavy Duty Precision Tool Room Lathe

Built for heavy cuts and fast work, yet aligned with an accuracy of ,0005°. Craduations are provided at previous factories are provided at propint. The hole through the spindle is 17½6° diameter, and the lathet takes collets up to ½6°. All bearings are oversize. Made in motor, and single pulley behavive models.

The Small Lathe you have been looking for

Powered far beyond its apparent size, generously proportioned and equipped with a completeness unequalited in its field, the I1* Gold Seal Heavy Duty Precision Tool Room Lathe offers the manwfacturer a long needed addition to his lathe equipment.

The time saving convenience, precision and versatility of this machine will reduce the cost of producing a wide range of parts—much work can be handled with it that formerly had to be done upon a larger machine,

All details sent upon request

THE SEBASTIAN LATHE COMPANY 313 Culvert Street, Cincinnati, Ohio NEW YORK ADDRESS: Room 372, 50 Church St.

SEBASTIAN LATHES







Duplex

This is a hand feed horizontal drill particularly adapted to light work, requiring the drilling of two holes in line with each other from opposite sides of the piece. This machine is very simple in design but rigid in construction and the price is reasonable.

We are Manufacturers of

Standard Adj. Multiple. Fixed Center Multiple Single Purpose Auto. Hi-Duty Single Spindle Horizontal Duplex

lultiple. Drill Heads
ultiple Universal Joints
Auto. Quick Change Holders
spindle Rotary Tables
Fixtures
Drilllers-Tappers

The National Automatic Tool Co.

Richmond, Indiana

Oesterlein Revolutionizes Milling Methods



The Oesterlein Tilted Offset Miller marks a new era in super-production methods. The revolutionary design of this machine has made possible its phenomenal multiple production, resulting in tremendously increased output, lower cost, smaller equipment investment, greatly reduced labor cost and big saving in floor space.

"Offset" Accomplishments

Straddle - milling pair of flats on end of pin for conveyor chain at rate of 3000

per hour. Five times previous production.

Straddle-milling part for shock absorber, 740 per hour. Former maximum was 140 pieces per hour.

Production is limited only by the speed of the operator in removing and inserting pieces. Automatic clamping and unclamping saves many hours of production time. For small parts automatic ejection may be provided.

Write for bulletin O M

The Oesterlein Machine Company Cincinnati, Ohio, U. S. A.

OFSTERLEIN MILLING GRINDING DRILLING E Q U I P M E N T



A Single Spindle Footburt Sipp Sensitive Drill

Made in three sizes of single and multiple spindle models

More holes with this machine

Why? Because you can change speeds in two seconds or belts in ten seconds—because the automatic idlers keep the belt pulling to capacity at all times—because the full ball bearing equipment and accurate machining gives a smooth, fast cut.

Write for No. 650 Folders

The Foote-Burt Company, Cleveland, O.

FOOTBURT

mm

Threading at 3000 R. P. M.

These rods are being threaded with a No. 8-32 thread 5-16" long, at an average production of 1400 pieces per hour on our Standard High Speed Tapping Machine.



How about your threaded work?

Leland-Gifford Company, - Worcester, Mass., U.S.A.


BRANCHES

AGENTS

BOSTON CHICAGO CLEVELAND DETROIT NEW YORK PITTSBURGH ROCHESTER Hendrie & Bolthoff F. E. Satterlee Company Herberts-Moore Machinery Co., F. F. Barber Machinery Co. Denver Minneapolis an Francisco Toronto


LELAND-GIFFORD

We Build a
Complete Line
of Brass Lathes
and
Hand Screw Machines



Write for Prices and Catalog

The Dreses Machine Tool Co.



Defiance No. 5-A Horizontal Boring, Milling, Drilling and Tapping Machine

Defiance machines are made to meet every requirement of machine tool users. Their abundance of power and ease of manipulation insures speedy and accurate production in both single and manufacturing operations.

Speed, power and precision are obtained by simplified design and unusual accessibility, which are only two of the many features which add to their dependability under continued hard usage and their ability to do MORE and BETTER work.

Write for the descriptive folder, or for the complete Catalog of "The Defiance Line" of Cylinder Boring Machines, Heavy Service Drilling Machines. Rail Drills, Horizontal and Vertical Multiple Drilling Machines, Multiple Tapping Machines and Valve Grinding Machines.

The Defiance Machine Works Defiance, Ohio

Designers and Builders of Precision-Production Machine Tools and Special Woodworking Machinery



SPEED 12,000 R. P. M.

No Vibration No Heating

> Ask for full Information

Our Avey

BALL BEARING DRILLING MACHINE

is specially designed for very light drilling where speed is the essential rather than power.


Eliminates Twist Drill Breakage

because the drill cuts so fast that feed pressure does not break it.

The Avey Drilling Machine Co.

What You've Been Looking For

A vise with jaws that assume the shape of the piece gripped



Berjo

Machine and Bench Vises


Berjo vises have multiple compensating jaws which hold **regular** or **irregular** shaped parts positively and securely. The principle

is simple. A practical mechanical arrangement back of the jaws allows them to follow the contour of the work. Two main jaws, one fixed, one movable, hold the segmented compensating jaws. Berjo vises are suitable for all classes of work, but particularly adaptable to the tool room and the shop where a number of variously shaped pieces are going through.

Manufactured by the makers of Avey Drilling Equipment.

The Avey Drilling Machine Co.

Designed for High Speed Work



Total height, 41°. Vertical adjustment of head, 7½°. Diameter of spindle, 9°. Travel of spindle, 3½°. Maximum distance of bottom of chuck to base table, 10°½, Sine of base table, 9°.

Speed of spindle, 3,400-5,600-10,000, Largest size of drill, 5/16°. Distance from column to center of sp. 7½°. Size of sp. pulley, 1½°-2½-3°x1½° face. Bench space, 15°x20°. Net weight, 180 pounds. Crated weight, 220 pounds.

Complete Information gladly furnished

Canedy-Otto Manufacturing Company

Main Offices and Factory-Chicago Heights, Illinois

New York Branch 407 Broome St. Complete stock curried at branches San Francisco Branch 955 Folsom St.

The Improved Canedy-Otto No. 29



The Improved Canedy-Otto Sensitive Bench Drill comes complete with toggle switch, cord, socket, 11/2" endless leather belt, and chuck. The motor is adjusted on a sliding base that maintains the proper tension on the belt at all times. and cuts lost motion and vibration to the minimum. Now equipped with a 3-step cone pulley which gives three spindle speeds of 720, 1430 and 3000 R. P. M. Complete information, with close price, upon request.

Manufacturing Company

Main Offices and Factory-Chicago Heights, Illinois New York Branch 407 Broome St. Complete stock carried at branches

San Francisco Branch 955 Folsom St.

Frew Automatic Tapper

[Patented.]

PAST tapping operations, accurate work, simplicity of operation and ease of adjustment are easily obtainable with FREW Automatic Tappers. The perfect spindle alignment provided by extra long bearings carried in Timken Roller Bearings, and the smooth automatic operation, enable you to maintain accurate and constant rapid production at a remarkably low tapping cost. Multiple spindle heads can be attached, or three tapper heads can be mounted on a special base. Foot lever attachment may be secured.

Maximum Production— Minimum Tap Breakage

The long bronze bearings eliminate crooked tapping and tap breakage, and permit tap to withdraw from hole without stripping the last thread. The FREW will meet your most rigid requirements on standard long run jobs—its adjustments are so simple that even the short runs will pay.

No. 1 Capacity to ½"

Outstanding Features:

Permanent spindle alignment—Elimination of "cocked" spindle—Wide belt surfaces— Simplicity of operation—Easy adjustment—Fewer parts.

Write for Complete Information

The Frew Machine Co.

Philadelphia, Pa.

Drilling-Tapping

If your job was driving tacks, would you drive them with a sledge hammer?

Why are you performing light drilling and tapping, stud and nut setting operations with machines not especially designed for such work?

Investigate the possibilities of The Hammond line of Sensitive Radial, Automatic and Semi-Automatic Drilling and Tapping Machines, as a means to increase production and cut costs in 1929.

Send us a sample or blue print of the job that costs too much.

The Hammond Manufacturing Co. 7808 Kinsman Road, Cleveland, Ohio

CHAMPIONS-



Champion Expanding Mandrels

One Set of 12 will fill by thousandths any inside diameter from \(^1\/_2\)" to 6\(^1\/_2\)"

And any expansion within that range is guaranteed

Its EASY to figure out for yourself the great savings possible by the use of CHAMPION Expanding Mandrels. For instance, our No. 10 Mandrel, capacity 23th to 3th, takes the place of 16 solid mandrels graduated by 16ths—and costs less than one-fifth as much! That's the difference in first cost only—think of the time saved in locating the particular sized arbor you wish, and knowing that it will not have to be machined, hardened and ground while the lathe stands idle. There are many more advantages fully described in our catalog, a copy of which is yours for the asking.

Send for CATALOG

It's full of economy devices—96 par including Emery Wheel Dressers, T

THE WESTERN TOOL of Springfield

- In Every Way!

"Built to One Standard—The Best"

Champion Tool Holders

High Speed Tool Steel is brittle; the more bearing, the less breakage, The under support gives 40 to 70% more bearing for the cutter than any other tool holder. The CHAMPION Holder saves the tool.

CHAMPION

Tool Holders are made of drop-forged steel, thoroughly case-har -- ened, and are equipped with an unbreakable "Mac-it" set screw.

THE protruding "under-support" of CHAMPION Tool Holders and Tools with its 40 to 70% increase of bearing surface allows a corresponding increase in cutter economy. It also absorbs the heat from the cutter and allows a heavier cut, with less breakage. Complete information in regard to the following tools will be found in our catalog:

Turning Tools—Boring Tools—Planer Tools
Grooving Tools—Drill Holders
Cutting-Off Tools—Threading Tools

escribing the entire CHAMPION LINE ands, Vises, Shop Furniture, etc., etc.

It's

MANUFACTURING CO. hio, U. S. A.

"SUPERIOR" Hand Milling Machine



No. 1

WAS DESIGNED to meet the demand for a high grade well built machine to cover a great variety of work within the range of a hand miller.

CONSTRUCTION and WORKMAN-SHIP is of the very best possible. The head and knee are mounted on narrow ways accurately fitted with adjustable taper gibs which insures rigidity and long life together with perfect alignment and ease of operation. Friction countershaft is built into the machine so they can be run directly from line shaft or from motor:

In a Class by Itself

THE SUPERIOR is not competitive with other Hand Millers which are now on the market, but is in a class by itself, as is proven by the large number already in use, and the many repeat orders coming from shops having used them for years.

Write for Illustrated Folder Today

We are also Designers and Manufacturers of Special Machinery, Tools, Dies, etc., as well as of Experimental and Model Work.

Superior Machine & Engineering Co.
1920 Ferry Park, Meh. Meh.

STANDARD

Grinding, Polishing and Buffing Machines



3-5-7½-10 and 15 H. P. G. E. 40° Motor. S. K. F. Ball Bearings.



Made in 3 and 5 H. P. G. E. 40° Motor. S. K. F. Ball Bearings.



HEAVY DUTY GRINDER

G. E. 40° Motor and Push Button Control. Four S. K. F. Ball Bearings. Nickel Steel Armature Shaft. Made in 5, 7½ and 10 H. P. sizes.

Angle Plate Grinders, Electric Drills, Grinding, Polishing and Buffing Machines in various types and sizes.

Established 1912


Write for Late Catalog

The Standard Electrical Tool Co. 1938 W. 8th St., Cincinnati, Ohio

HARDINGE

Cataract Better Work

Speed Accuracy Adaptability



Many years of practical experience and designing has brought forth a miller which fulfills the demands of our day-speed, accuracy and adaptability.

Our Cataract Bench Miller has a wide range of feeds. It has independent steel indexes graduated to read to thousandths of an inch, and is equally well adapted for the lighter tool-room, mixed or production work.

Complete data and interesting price gladly sent on request

Hardinge Brothers Inc.

Grand Rapids No. 11/2 Universal Grinder



Newly designed to meet the demand for a high grade machine of medium capacity at a moderate price. It has the sterling qualities that are built into all Grand Rapids Grinders, including exceptional ease of handling—and it sharpens tools right.

Our "Universal Cutter and Tool Grinder" folder, which is yours for the asking, pictures this modern machine in the following grinding operations:—face mill, form cutter, angle cutter, surface, gear cutter, reamer, end mill, spiral and plain milling cutter, internal and cylindrical. It also illustrates Grand Rapids No. 2 Universal Cutter, Tool and Drill Grinder, and Nos. 3, 4 and 5 Universal Cutter and Tool Grinders.

Don't fail to write for folder; it's interesting

Gallmeyer & Livingston Co.

342 Straight Ave., S. W., Grand Rapids, Mich.

Universal Cutter, Reamer

Surface Grinder

Cutters from the smallest up to 14* diameter have been economically ground on this machine.

Quick set up for all cutters and reamers. Hardened and ground spindle supported all the way out to wheel. Table has quick travel from two positions. Illustration does not show the attachments accompanying the machine.

Special Circular Sent on Request

Mr. User of GARVIN power milling machines of all types including dividing heads all attachments, also GARVIN screw machines and grinders: if you are looking for new machines or attachments or repairs on above, call on us and we will take care of your requirements promptly. We have succeeded the Garvin Machine Co. in the manufacture of the above lines.

Manufacturers Of

Double end horizontal drills, milling machines and attachments, milling machine vises, dividing heads, index centers, single and multiple spindle, hand screw machines, cutter grinders, screw slotters, hand lathes, collet chucks, oval chucks, rotary tables, hex square milling fixtures, air devices, oil pumps.

WRITE FOR CATALOG

JOHN B. STEVENS INC.

25 Cleveland Place,

New York City

Illinois Plain and Surface Grinder

No. 10

This machine has been designed to meet the popular demand for those wanting a general purpose grinder. One

> end is arranged for surface grinding and the other end for tool or plain grinding.

Special Features

Base: Box type construction, with liberal bearing space for knee, insuring accuracy.

Knee: Supported by elevating screw having ball thrust bearing, Hand wheel graduated in thousandths, long bearing on column.

Spindle: Made of High Carbon Steel, heat treated, runs in 4 Timken tapered roller bearings, adjustment collars

to each bearing. Bronze bearings furnished, if deaired.

with tight and loose pulley and belt shifting device.

Lubrication: Alemite system for spindle and countershaft.

Write for Complete Specifications and Prices

Illinois Machine & Mfg. Co. LaSalle, Illinois

Without a Pedrick

Portable Milling Machine

You Often Pay Its Price In Delay On One Job



To appreciate its value just add the savings you could effect in a year by taking this handy, ever-ready tool to the job instead of bringing the job to the tool, then subtract the price. Result—net earning power.

You need this Pedrick Miller to do those big jobs that your standard machines cannot handle.

Catalogue explains all its various operations a comprehensive book of reference and key to manifoid savings. Your copy is waiting anali we send it now?

Pedrick Tool & Machine Co.

Headquarters for Portable Machine Tools Boring Bars, Crank Pin Turners, Pipe Benders, etc.

3644 N. Lawrence St.,

Philadelphia, Pa.

PEERLESS

SURFACING MACHINES

for

Grinding and Finishing
Flat Work




Larger Machines in Both Horizontal and Vertical Styles

SEND FOR FOLDER

PEERLESS SURFACING MACHINE CO., Inc.

EXCELSIOR


Circular Angle Bending Machine No. 14



Mfgrs. of Shearing and Punching Machines, Automatic Polishing and Buffing Machines.

Excelsior Tool & Machine Co.
East St. Louis, Illinois

BELOIT



Combined Power Punch and Shear

Built in seven sizes. Nos. 51, 52, 53, 54, 55, 55½ and 56 Direct connected motor or belt drive

THE best all-around punch and shear in a combined machine of moderate cost. Really three machines in one, for it combines the single end punch with the alligator shear for flat bars, and the round cutters for round bars—and all for the price of one single end machine!

HEAVY, substantial, amply back geared to require the minimum amount of power, compact, easy to operate. Can be equipped with angle shearing attachment, angle notching and coping attachments if desired.

Write Today for Catalog and Prices

Hendley & Whittemore Co.

PUNCHES—SHEARS—BENDING ROLLS

Taylor & Fenn Belt Driven

No. 12 Spring Press



UNIFORM BLOW SPRING PRESSES

Are made in three sizes, with either single or double action

Our No. 12 Belt Driven Spring Press, illustrated above, has a stroke of 3½ inches. The foot treadle operates a safety clutch attached to the flywheel, which automatically stops the machnie after each stroke regardless of whether the treadle is released or held down by the operator. The clutch can be adjusted for a continuous stroke if desired.

Descriptive circular gladly sent upon request

The Taylor & Fenn Co. Hartford, Conn., U. S. A.



SMALL in SIZE and PRICE BIG in ECONOMY and ACCURACY



"The Handiest Tool in the Shop"

> 7 in. Shaper Stroke

3½ in. Slotter Stroke

The RHODES Shaper and Slotter


ERE is a real machine tool, built for the rapid and accurate machining of work within its capacity. Nothing better for tools, dies, models, etc., and for shaping and slotting all kinds of light work. Has all the essential features of the large shapers, plus a greater facility in operation.

Ask your dealer or write for CATALOG H22

The Rhodes Mfg. Company 984 Park Road, Hartford, Conn.

SHAPERS-RHODES-SLOTTERS

Spare Your Automatics!



Do Your
Threading
Faster—
Better—
and at
Less Cost
on the
Single
Purpose


RICKERT-SHAFER Automatic Threading Machine

T'S A WASTE OF MONEY to use your high-priced automatics for threading purposes when you can use R-S Second Operation Machines instead. Simple—low priced—versatile—they increase production and decrease costs.

THE R-S THREADING MACHINE is the only automatic threader which meets the exacting demands of accuracy among automobile manufacturers. Handles practically every job of threading, from the simplest to the most complicated. Combination tools can be supplied so that chamfering, reaming, facing, etc., can be done simultaneously with the threading, and with but one chucking.

Write for the Descriptive Folder and Prices

RICKERT-SHAFER CO., Erie, Pa.




Showing Magazine Feed of the Reynolds Automatic

Reynolds Automatic Screw Driving Machine with Magazine Feed

WOOD screws, machine screws, short screws, long screws, screws with short bodies and large heads, hex head or square head bolts—almost anything that will fit in the magazine can be driven with the REYNOLDS. And it will drive them so well that, in many instances, the sizes and quantities can be reduced. Simple to operate—and will reduce your screw-driving costs from 65 to 85%! Pays for itself in a few months.

Tell us the dimensions overall of your work, the length and gauge of screws used, and we'll send facts and figures showing how the REYNOLDS will save YOU money.

The Reynolds Machine Company Dept. H. H., Massillon, Ohio



We offer the No. 2 Metal Cutting Saw Sharpener as a universal saw tooth grinder for shops and plants where the expense of installing an automatic unit is not warranted. It is so simple in operation and set up that with an average operator we have found it faster than an automatic machine.

It handles coarse and fine pitch metal cutting saws, inserted tooth and solid milling saws alternate bevel and straight teeth with equal efficiency. Its range with or without index is from 6° to 40° dia. Furnished with or without motor drive.

Huther Bros. Saw Mfg. Co., Inc. Rochester, N. Y., U. S. A.

You'd hate to go back to Oil Lamps



Write for Complete Details

LaPorte Machine & Tool Co., Inc. LaPorte, Indiana

OUR MACHINES SALVAGI YOUR HARD TEMPERED METAL CUTTING Band Saws Hack Sa SCREW SLOTTING SAWS

Write for Catalog

THE WARDWELL MFG. CO.

Makers of automatic machines for sharpening—Hack Saws, Hard Tempered Band Saws, Milling, Slitting and Screw Slotting Saws and all Woodworking Saws.

Manufacturers of the largest line of Saw Filers made in U.S.A.

108 Hamilton Ave.,

Cleveland, Ohio

Improved to the Minute

For Sawing Solid Bars, Beams, Channels, Angles, Tees, Etc. For Accurate Die Work, Tool Room Work, and All Kinds of Shop Sawing, Use the MARVEL METAL BAND SAW No. 8

It cuts off square and true, and will also cut on an angle right or left without swinging the bar around the shop.

CAPACITY up to and 18 INCHES

Write us today. Put one of these machines to work in your shop.


NEW adjustable blade pressure that indicates feed pressure on blade in POUNDS.

Blade frame can be tilted to right or left for cutting on an angle.



Write today for special circular— And list of satisfied users

ARMSTRONG-BLUM MFG. Co. 341 N. Francisco Ave., CHICAGO, ILL.



The ROCKWELL Hardness Tester

Sweden has adopted this American made tester for the majority of hardness tests.

All Swedish steel mills are equipped with Rockwells and Swedish shops use scores of Rockwell Testers.

Nothing but marked superiority and adaptability could account for this.

WILSON-MAEULEN (

735 East 143rd Street,

New York

Type RF-M4 Machine



(Strand)

Capacity-1/4H.P.

For

Rotary Filing Grinding And Polishing

10,000 R.P.M. Attachment Furnished Extra when Required. See Illustration.

Attachments

CILLO V

N. A. STRAND & CO.

Manufacturers
5001 No. Lincoln Street
CHICAGO




PATENT APPLIED FOR



NEED for constant reduction in finishing has widened the field of ball burnishing unbelievably. Twenty years ago ABBOTT ball burnishing barrels were accepted as the ideal means of finishing small work such as buttons, buckles, etc. To-day improved ABBOTT barrels are producing results on stampings, spun and threaded work, castings and forgings—on safety pins and safety razors.

Let us submit a burnishing analysis on your work. Send samples.

The Abbott Ball Company 1043 New Britain Ave., Hartford, Conn.



Completely Assembled, Semi-steel; or steel shoe, semi-steel punch holder.


Immediate delivery from stock at 20-50% saving in cost; a set for every need. Over 4000 makers of stampings use them.

Send for new edition of catalog


Danly Machine Specialties, Inc. 2116 So. 52nd Avenue, Chicago, Ill. Long Island City N. Y. Detroit

Mich.

TAYLOR-WINFIELD WELDERS



KRW Hydraulic and Sensitive ARBOR PRESS



THE latest improved combination KRW Hydraulic and Sessitive Arbor Press includes many improvements not found in any other press, at any price.

35 TONS CAPACITY

Hydraulic pressure easily operated by one hand controls movement of ram to one-thousandth of an inch movement. Automatic air vent and pinion brake holds ram at any height when not in use.

SENSITIVE

Press Attachment incorporates every feature of a 3-ton bench press, plus adjustable table.

> Sold direct at Reduced Price

\$11500 F.O.B. Factory

COMPLETE with all Attachments as shown

More Than 3000 In Use, Thruout the World.

Made by

K. R. WILSON, 10-14 Lock St., BUFFALO, N.Y., U.S.A.

THE BULL DOG



½" Drill

UNIVERSAL

only \$48.00

Before you buy a drill—look at this record!

FREE trial for one week!

Try this Bull Dog Drill for one week —abuse it, knock it around, test it any way you wish—if it doesn't take all the punishment you can give it, return it and get your money back!

Get One Now!

Here's a real heavy duty drill that offers you the greatest money saving opportunity. The combined balance and sturdy construction of this drill permits a cutting rate up to 1% inches per minute! Recent tests at the New York University laboratory give it the highest and safest class rating of the Electric Power Club. In a performance test this Bull Dog drove a drill through five inches of ordinary soft stone in seven minutes, without overheating. Two outstanding features are its light weight and its slow speed of only 160 r. p. m. under full load. The seven new innovations embodied in its design, make it the last word in drill perfection.

Absolutely guaranteed for one year!

For sale everywhere or send your order to-

National Electric Products Co. Dept. H. 148 Baxter St., New York, N. Y.

Economy Production

On Small Parts Of All Shapes



A momentary pressure on the knee control under the bench, and the Stecher Automatic does the rest, leaving both of the operator's hands free to handle the work. It clamps the piece, feeds the drill thru it, and ejects it without a hitch.

The number of holes that can be drilled in a given time is limited only by the capacity of the drill; the feed and speed of which are easily adjustable to the work in hand.

By merely pulling down the hand lever the Stecher will change from an automatic production tool with a power feed, to a high speed, hand feed, sensitive drill press.

> Send us a sample of your small parts to be drilled, and we will show you real economy

The Chas. Stecher Co., CHICAGO, ILLINOIS







VOLUME PUMPS MACHINE TOOL AND GENERAL PURPOSE PUMP

MOTOR DRIVEN UNITS

No machines stopped to unclog pump.

All the chips you can get into it pass through works. It's the trouble proof pump. without harm.

FULFLO has longest life because its only pumping part does not wear.

FULFLO delivers coolant in volumes which promote efficiency in cutting tools.

The full, copious flow from the Fulflo is needed to make the best tool, with the best coolant, most effective, FULFLO does not clog, therefore it always

MANUFACTURED BY FULFLO SPECIALTIES CO.,

BLANCHESTER, OHIO

GUSHER PUMPS



Withstand the Constant Wear and Tear of TIME

USHER PUMPS are built to outlast the machines they serve. To accomplish this the makers have eliminated all packing nuts, foot and relief valves, and the necessity for priming as well. The deteriorating effects of friction are banished through the use of ball bearings, and the ball bearings are protected against the effects of the lubricant by the obtaining of perfect hydrostatic balance.

Model T-L-O

Equipped with ¼ h. p. motor, has ¾ inlet and is set vertically outside of pan. Delivers 18 gal. 3' high: 13 gal. 6'; 10 gal. 9': 8 gal. 12'; 3 gal. 20'.

Model T-L is identical in capacity and equipment save that it is immensed in the reservoir and is able to pump over 20° high through ½° discharge with 10° lb. pressure. Ideal for deep hole drilling or boring.

Dirt-Grit-Chips-

These ancient enemies of all lubricating systems, in spite of their menacing threats, are powerless to effect the sturdy GUSHER Pumps. For they are all constructed in such a way that foreign substances pass through without injuring the mechanism in the least.

Gusher Lubricant Pumps

are made in many styles and sizes, of all desirable capacities, with individual motor or belt drive. Can be furnished, if desired, to set outside reservoir and connect by piping.

Write for complete Catalog of "GUSHER PUMPS" with facilities from 12 to 75 gallons per minute.

The Ruthman Machinery Co. 528-534 E. Front St., Cincinnati, Ohio

Rapid Keyseating—

In Quantity or in Small Lots

Davis No. 1 Cuts 1/16⁸ to 1⁸ Keyways



Cutting Keywar in Cone Pulley

THE DAVIS

has the speed for economical production of standard parts.

THE DAVIS

can be
set up
quickly
in the
general
shop for
all sizes
of keyways
within its
capacity.

The Davis is simply constructed, is difficult to get out of order, and is easy to adjust and operate. It is a rapid and economical producer of accurate keyways under all conditions.

Write for folder, which describes it fully, with a table of cutting time that tells its own story.

Davis Keyseater Company

2551/2 Mill St., Rochester, N. Y., U.S. A.

DURABILITY SIMPLICITY SPEED ACCURACY

Feature the Universal

CATLIN KEYSEATER

For these reasons the Catlin Keyseater is found in U. S. Government Shops, Automobile Plants, Machine Shops, Navy Yards, Factories, and many Foreign Countries.


The Catlin Keyseater is accurate to the 1000th of an inch, has half the moving parts of any other keyseater, constructed rigidly and ruggedly, built for continuous production, and is exceptionally easy to operate.

Illustration shows our Catlin No. I Keyseater which has a stroke adjustable to 13 inches and cuts keyseats from 1/sth to 1½ inches. We have keyseaters for all sizes and capacities.

Write for descriptive folder Today!

Chattanooga Machinery Company
2401 Bennett Ave.. Chattanooga, Tenn.

Perfect Alignment



Four Post Screw Press

than two men can do on any other type of machine. Sensitive and rigid in operation, it has power to shear in any die within its capacity.

80 tons pressure table 20"x36"

Also three smaller sizes



Surface Grinder

Silent efficiency is the action of this powerful and rigid surface grinder—equipped with graduated feeds and all the latest attachments.

Price and details on inquiry

JARECKI MACHINE AND TOOL CO.

Department A

GRAND RAPIDS, MICHIGAN



\$1.00 Saved Per Day Means \$300. Per Year

Follow The Tool Economy of Over 6000 Unishear Users

Unishear Cuts Your Cutting Cost in Half

THE MIGHTY MIDGET



Price: \$75.00, 110 volt.

A MIDGET in size—a GIANT in power. Built with the precision of a watch and the ruggedness of a Pile Driver. Easier to handle than a pair of snips.


The UNISHEAR Line

Includes many other models in heavier machines for cutting sheets up to 1/4 boiler plate, all built on the famous Unishear principle.

Complete Catalog sent on request.

The UNISHEAR CO., Inc. Main Office & Factory, New York, N. Y., 270 Lalayette St.

DRIVING VIM SETTING Electric Bench Machine



A Time and Money Saver

FOR PRODUCTION WORK use the VIM Electric Bench Machine for screw driving and nut setting. It will speed up your work—no effort is required to operate it, slight pressure on the foot pedal is all that is required. Can be set up ready for operation in 15 minutes. Many users have more than doubled their production. Five or six machines can be used on 12 foot bench. The investment will pay for itself in one month.

PUT YOUR PROPOSITION up to us. We have many models to suit nearly all requirements—including our

PORTABLE FLEXIBLE SHAFT VIM TOOL.


Write for Catalogue and Prices

VIM TOOL COMPANY
149 Broadway, New York City

Automatic Reversible

ROLL FEED

For Any Punch Press



A universal, flexible feed, for automatically feeding Metal, Paper, Leather, Brake Lining, or any stock from coils—from wire to 8" widths and lengths of 0" to 36" at each stroke of the press at rated catalog speed or faster.

This feed mounts on either right or left side of the Bolster Plate, either as a Push or Pull feed. May also be mounted in tandem, one on the right and one on the left as a Push-Pull feed for paper or light stock.

The drive is by chain from a sprocket on the crank shaft, using any sprocket ratio desired.

PRICE \$195.00 F. O. B. Chicago

Wittek Manufacturing Co.

2532 So. Kedzie Ave.,

Chicago, Ill.

Genesee Hollow Mills



Seven Sizes Cover Work from 1/8" to 2"

Only seven sizes of Genesee Adjustable Hollow Mills are needed to cover the entire range from 1/2" to 2"—compared to the hundreds of solid tools necessary to do the same work. Think of the saving in costs, which is but one of the advantages Genesee Hollow Mills have to offer you.

They are speedy, cutting up to 15° a minute in steel. Accurate too, machining all sizes within their capacity to 1000ths of an inch. They cannot change their size nor clog with chips as do solid tools.

Made in six styles, from the heavy roughing Style "B" to the accurate finishing Style "F". Also made in Style "N" for all Brown & Sharpe automatics and in special styles and sizes to your order.

Write Today for Complete Information

Genesee Manufacturing Co., Inc. 141 North Water Street, Rochester, N. Y.

Manufacturers of Genesee Rapid Production Tools

Fat. 1901

SHELDON MACHINE VISES



The swivel vise is the plain vise with the addition of a circular base graduated in degrees. It can be removed from the circular base and used as a plain vise if desired.

Specifications and Prices

No.	Width	Depth Jaws	Jaws Open	Plain Vise		Swivel Vise	
				Weight	Price	Weight	Price
3 4 6 8	31/4 41/4 61/4 81/4	136° 156° 2° 21⁄2°	21/4" 31/4" 41/4" 61/2"	15 lbs. 30 lbs. 70 lbs. 160 lbs.	\$16.00 \$20.00 \$30,00 \$45.00	25 lbs. 45 lbs. 90 lbs. 225 lbs.	\$20.00 \$24.00 \$40.00 \$60.00

SHELDON DRILL PRESS VISE



No.	Width of Jaws	Depth of Jaws	Jaws Open	w eight	rnce
D-4	41/4*	11/2"	4*	15 lbs.	\$12.00
D-6	61/2*	13/4*	6"	35 lbs.	\$18.00
D-9	61/2"	13/4 13/4 23/4	9*	70 lbs.	\$24.00

SHELDON MACHINE CO. 3251 Cottage Grove Ave., CHICAGO, ILLINOIS

FORGED STEEL

Hand Power Punches & Shears

Complete Catalog on Request



A Lifetime of Service Precision Built Large selection of sizes in Single or Combination Machines





JULIUS BLUM & CO.
532-540 W. 22nd St., New York

Scratch Awl & Drift Pin No. 16. Roller Bearing Punch

Drop Forged - Alloy Steel-Hardened

No. 5. Jr. Punch



Capacity ¼* thru 16 gage Weight 2½ lbs.

No. O. Solid Set



Made from High Grade Tool Steel

No. 50 Angle Iron Mitre Notcher and No. 51 Angle Iron Bender



Capacity will shear Mitre in 2"x2"x14" Angle Iron.

Weight of Mitre Notcher 55 lbs. Weight of Mitre Notcher Bender 43 lbs Operator works in front of machine.

Can be furnished with or without work table

Capacity % thru %

Hollow Punch Set



Self Centering Locating Spring Point. Made in 3 sizes.

No. 6 Slitting Shear



Roller Bearing
%s* Thicknes, Throatless
Drop Forged

Write for Catalog on Entire Line

WHITNEY METAL TOOL CO.

95 Forbes St., Rockford, Ill.

For Railroads and Machine Shops




Built Strong to Stand Rough Usage

A motion study test will show that a man with a "FAVORITE" Wrench will turn far more nuts in a given time than a man with an ordinary open wrench.

Write for full particulars

Greene, Tweed & Co.

Sole Manufacturers
109 Duane St., New York






Mark Your Tools

With the ETCHOGRAPH, the original electric marker, and the only one having six stages of heat. Iron, steel or steelite can be marked in one-fifth the time required for other methods. Simple to operate—plug in at the nearest light socket and write as with a pencil. No acids, no fuss, no elaborate preparations necessary.

Write for details, stating power available

William Brewster Company
50 Church St., New York



Luma Combination Electric Etching and Demagnetizing Instrument

Easy to use as a lead pencil

A time and labor saving tool that functions equally well permanently marking expensive high speed steel tools and demagnetizing large or small ones.

Always instantly ready without fuss or muss

Operation symbols plainly and permanently marked on tools saves time and spoiled work and speeds production.

Luma Electric Equipment Co.

P. O. Box No. 132 Main Office,

Dept. H.

TOLEDO, OHIO

Satisfaction Guaranteed

If you are not fully satisfied with any tool bought from us, RETURN IT within ten days and full credit will be given.

The Improved E-Z Set Boring Tool

Made in 3 Sizes

Compact, Simple in construction. Positive in adjustment, Lasts indefinitely. The Shank, being a separate unit, is instantly adaptable to any machine.

Send for Circular

The Maxwell Products Company

Ottawa & Indiana Ave., Cleveland, Ohio

E-Z THREAD DIAL

Thread cutting on engine l athes made easy, and at ower cost. Made in four sizes. Can be easily attached to all size lathes. A reliable device that will aid the operator in the work of cutting threads. With it threads can be cut close up to shoulders as easily as the ordinary thread



Eliminates stopping or reversing the lathe.

The many repeat orders received prove it is satisfactory after trial,

Can be shipped within two days after receipt of order.

Sent on thirty days' trial. Send for latest folder today.

JAMES M. COLVEN, 20 Wolffe Street, Yonkers, N. Y.

STANDARDIZED

LATHE TURRETS



8 Styles
12 Sizes

For any make or size of Lathe old or new.

STYLE "B"
Hexagon head, for round shank
tools and bolted on fixtures

Ask for Circular No. 18

FAY & SCOTT

DEXTER, MAINE

SHAPERS

12", 14", 16", 20", 25" Gear Box single pulley or motor drive also 16", 20", 25" B. G. bet shifter. 32" B. G. all geared single pulley or motor drive, all sizes crank type.



The Smith & Mills Co., Cincinnati, O., U.S.A.



Die Making Machines

save an average of 50%

Dies, templets, experimental parts, gages and the like can be sawed, filed and lapped on the Oliver of Adrian Die Making Machine much easier, more ascurately and in a fraction of the time ordinarily required for handwork.

We also manufacture a line of

Point Thinners.

Drillpointers.

Cutter Grinders



Send

Bulletins

Oliver Instrument Company, ADRIAN. MICH.

RIGHT-

QUALITY - PRICE - SERVICE



Hollow Bored Forgings - Steel Shafts

If you use Lathe Spindles, Piston Rods, Clutch Shafts, Rams, etc., in your products—


If you want them to stand up in service-

If you want them as you need them-SPECIFY "AMERICAN"

Send Blueprints for Trial Order or Quotation

American Hollow Boring Co.

9" A.V. Carroll Geared Head Lathe



A 9ⁿ Geared Head Lathe for manufacturing plants, tool rooms, industrial plants, schools, service stations, homes and jobbing shops.

We invite comparison. All steel gears, three changes in head and gear box. 1/4 H. P. motor direct connected. Cuts threads 5 to 40 right or left hand.

Circulars on request

A. V. Carroll Machine Tool Co. Norwood, Cincinnati, Ohio

The NEW HAMILTON



are unsurpassed for strength and accuracy. Most convenient heavy duty quick change gear lathes for production and tool room use. Single and double back gear with cone drive. Geared head with belt and motor drive.

Sizes 16'-18'-20'-22' and 24' Send for new catalogue bulletin

The Hamilton Tool Co., Hamilton, Ohio

DO YOU KNOW

about this NEW C. & J. LATHE?



LET US SHOW how it meets MODERN needs

Carroll & Jamieson Machine Tool Co. Batavia, Ohio

GEARS All Kinds—Small



The most accurate made and prices reasonable. We carry a complete line of gears in stock for immediate shipment. Can also quote on special gears of all kinds. Send us your inquiries.

Write for Catalogue No. 70

CHICAGO STOCK GEAR WORKS
105 South Jefferson Street, Chicago, Ill.

MIKRON



AUTOMATIC SMALL PRECISION Gear Hobbers Gear Cutters Pinion Hobbers Thread Millers Hob Grinders

Catalogs On Request

Triplex Machine Tool Corp.
50 Church St., New York City

MG

ALL TYPES: Spurs, Internals, Bevels, Mitres, Helicals, Spirals, Worms, Worm Gears, Sprockets, Ratchets.

ANY MATERIAL: Steel, Cast Iron, Brass, Bronze, Aluminum, Fibre, Bakelite, Rawhide,

Made in Small and Medium Sizes, all of One Quality-the very best. We also carry a full line of Stock Gears for immediate delivery. Write us.

MASSACHUSETTS GEAR & TOOL CO. 36 Nashua St., Woburn, Mass.

eed Reducers

For every possible requirement for stepping down motor speeds. there's an IXL reducer that exactly fits your needs.

Spur—Worm — Herringbone

Reductions from 2 to 1 up to 50,000 to 1.

Send for 660 page catalog "Gear Problems."



IXL Spur Reducer

& MACHINE CO

229N. Curtis St., Chicago



Type BU-2

Standardized Speed Reducers

For immediate delivery

Send for Catalog giving complete specifications and prices on complete series of Boston Speed Reducers.

Boston Gear Works Sales Co.

Norfolk Downs, Mass.

Boston, New York, Philadelphia, Cleveland, Chicago Service Stations in Principal Cities

BOSTON GEARS

Fulton STEEL BODY Universal

Scroll



Chucks

AT THE PRICE OF A CAST IRON CHUCK

A one-piece body of solid cast steel. Impossible to break or split. Unconditionally guaranteed.

Send us your trial order without obligation on your part.

All Sizes Always in Stock

UNITED HARDWARE & TOOL CORP., 50-52 Howard Street, NEW YORK

76

The Carroll Friction Clutch



Adjusted by simply turning friction finger nut which automatically adjusts both fingers with the same tension, it is impossible to adjust them wrong and so simple any workman can make the adjustment.

Its simplicity, its powerful leverage, the ease and certainty of proper adjustment, its 100% contact with consequent reduction of wear and lengthened service, all combine to make the Carroll Clutch at once the most economical and efficient.

Write for prices and dimensions for your particular needs

L. W. Carroll Manufacturing Co. 2046 Ross Ave., Norwood, Cincinnati, Ohio

Edgemont Type B Friction Clutch

The Type B Friction Clutch is well adapted for line-shaft, countershaft and many other drives. It will give good service and is simple and easy to operate. Made in pulleys, extended sleeves and cut-off couplings.

Write us now about your clutch needs



Expand-

Edgemont Machine Co., Inc., DAYTON ONIO

BURKE

Efficient Light Tapping



This Burke Tapping Machine is a mighty handy and profitable tool. Not only does it handle a wide range of tapping work, but also reaming, lapping, burring, counter sinking, assembling and many other important operations.

It is automatic and turns out the work as fast as it can be fed. Tap breakage is held to a minimum and a stripped thread is practically unknown.


Write for details of this and other Burke products

The Burke Machine Tool Co.

297 East 16th Street,

CONNEAUT, OHIO

Lambert Horizontal Boring and Milling Machine



Full Details, Specifications, Price, etc., on Request

Lambert Machine & Engineering Co.

East 55th St. at Euclid Ave., CLEVELAND, OHIO

"PROCUNIER"



Bench Tappers

Tap blind holes just as easily as through holes with the "Procunier" Safety Friction Device and "Double-Jaw" Tap Holder.

Catalogue 102-B gives complete details of PROCUNIER Tapping Devices, Quick Change Chucks and Stud Setting Tools

Procunier Safety Chuck Co. 14 So. Clinton St., CHICAGO, ILL.

No. 1 ALTO High Speed Tapping Machine



The ALTO No. 1 is a simple but compact Tapping Machine. Entirely self-contained, it operates from any handy light socket. It will tap forward at the rate of 1450 r.p. m., and reverses three times as fast—at the rate of 5000 r.p. m. Has a capacity of 1/6 in brass and 1/6 in steel. The low price enables it to pay for itself. We also make other sizes of Tapping Machines.

Write for descriptive matter and price

The Alto Mfg. Co., 1647-51 Wolfram St.

Good Grinders



BELTED and DIRECT MOTOR DRIVEN

Ask for New Catalog on Ball and Roller Bearing Grinders and Polishing Lathes.

Hill-Curtis Co.

1614 DOUGLAS AVE., KALAMAZOO, MICH.



VICTORY POLISHER

Timken or Ball-Bearing

\$75

For Single Tight Pulley Machine

\$95.00 For Tight and Loose Pulley Machine America's Greatest Value

Spindle 1¼" between flanges and 50" overall



Send for Catalog H

Abolish Expensive Hand Finishing

with a



Simplex-A Abrasive Band Grinder

This Grinder accelerates production and cuts costs. Hand emerying or filing operations are antiquated in comparison. The use of this new modern machine assures straight grain finishes with sharp edges. Details of this and other styles and sizes on request.

WALLS SALES CORP., 96 Warren Street NEW YORK

Thompson Universal Grinder

Gives a performance that never varies in accuracy. No matter what diversity of grinding processes your shop requires, every one of them may be completed on the Improved

Thompson. Self-contained, motor driven, it gives the most efficient and rapid production.

These machines are now equipped with the new auxiliary coanse cross feed for surface grinding.

Capacity 12"x36"

The Thompson Grinder Co.

1534 West Main St., SPRINGFIELD, OHIO







Racine Shear Cut Production Saw-Positive screw feed, cutting time never varies. Blade life is trebled.

Consider These New Standards

The Racine Shear Cut Saw has established new metal cutting standards.

By employing an exclusive new principle of positive, progressive screw feed these advantages are secured: Cutting time in all metals is reduced at least half—constant production at the increased rate is assured—blade life is trebles.

This revolutionary machine enables your production department to set and maintain exact schedules in the cutting department. Write.

Racine Tool & Machine Co. 1429 Junction Ave., Racine, Wis.

RACINE

HIGH-SPEED
METAL CUTTING MACHINES

-PEERLESS-UNIVERSAL SHAPING SAW



Different Principles Greater Efficiency

Give The Most Of Speed
Accuracy
Blade Economy
SIZES:

6"x6"--9"x9"--13"x13" PEERLESS HIGH SPEED HACK-SAWS 6"x6" 9"x9" 13"x16"

Sturdy--Efficient--Reliable Peerless Machine Co. 1218 Sixteenth St. Racine, Wisconsin

Write for Details



VICTOR High Speed Steel Hack Saw Blades

The low cost of Victor High Speed Steel Blades is easily determined by the greater

number of cuttings of each blade. This blade so completely answers every possible cutting requirement, that it exceeds the makers' highest expectations.

For power work Victor High Speed Steel Blades will give you cutting efficiency and lasting qualities that has not been experienced in any other blade.

VICTOR SAW WORKS, Inc., Middletown, N. Y.

Winterhoff Driven Portable Tools



The No. 3 has been designed to meet a demand for a medium priced machine that would furnish a true flat grinding surface, and would stand up under any usage. Its studiness, accuracy and handiness are unsurpassed. Write today concerning Winterhoff Portable Tools.

Winterhoff Tool & Machine Co., ELKHART, IND., U.S.A.


Sensitiveness and Precision

are the leading characteristics of

The A. M. Sensitive Drilling Machine

A self-contained, mobile bench unit of vertical type that can be used for a variety of operations coming within its capacity. Its prime purpose in drilling from .010² to sizes that can be handled on the ordinary drippress. Also adaptable for reaming, chamfering, counter-boring, burnshing, chamakeening and some clauses of end milling. Economies effected by its use seldom fall under 25% and often production is doubted. Three sizes, unconditionally and permanently guaranteed against any defect.

Write for Booklet "C"



ADOLPH MUEHLMATT

434-436 Elm St., Cincinnati, Ohio

WODACK General TOOL



Substantial Dependable Economical Polishes Drills Buffs Grinds

A general utility tool without equal, G-E Universal motor, d. c. or a. c., 110 or 220 volt. Oversize trigger switch insures greater dependability and longer life. Timken roller and ball bearings provide wear resistance. The WODACK Quick Change Stand shown at right holds drill vertically for drilling and horizontally for grinding. buffing, etc. Changed instanlly.

Write for Bulletin and Low Price

Wodack Electric Tool Corp.

4629 W. Huron St., Chicago, Ill.



AMASTRONE CHICAGO, U.S.I

Threading Tool





Right Hand Turning Tool

ARMSTRONG Tool Holders

They Save-

High Speed Steel, 90% Grinding, 70% Forging, 100%

Over 100 tools for Lathe, Planer, Shaper, Slotter, etc., etc.

Get the free Catalog




Armstrong Bros. Tool Co.

"The Tool Holder People"

308 N. Francisco Ave., Chicago, U. S. A.

The Whirlwind Buffer and Grinder

Will cut the cost on any unhandy grinding or polishing job



Send for our latest bulletin

Stow Flexible Shaft Co., 3454 Ludlow St., Philadelphia, Pa.

USE "D. & W." DEMAGNETIZERS!



Of unique construction, they are simple, dependable

A rigid continuous
"U" shaped core,
made of the highest
grade laminated
electrical steel, is




stationary coils, thru which alternating current is passed. Construction is similar for d. c. machine, and in addition containing a small converter.

Have you any special problems in connection with the use of Magnetic Chucks? We will gladly investigate and report on same, or design a special chuck for your particular needs. Write us today.

J. & H. Electric Co., Providence, R. I.

The KELLERFLEX "BK"

"The Machine of 100 Uses"



 $\frac{1}{4} - \frac{1}{3} - \frac{1}{2}$ H. P. Speeds up to 10,500




COMPLETE LINE OF ACCESSORIES

Rotary Files— Emery Wheels—Sanding Drums— Wire Brushes, Etc.

Keller Mech. Engineering Corp., 58A Washington St., Brooklyn, N.Y.

Mall "Jack of All Trades"

and





Cleaning
Scraping
Filing
Sanding
Polishing
Grinding
Sawing
Finishing

Mall design and attachments adapt this machine to nearly every type of industry for eliminating hand labor.

Write for Catalog

Mall Tool Company, 7730 So. Chicago Ave., Chicago, Illinois

27

The Spirit Of the Times



is reflected in the speed and stamina of Rockford High Duty Punch Presses.

They are built to produce and maintain Hi-Production—and they do it.

Wide range of sizes and types.

Write today for new catalog

Rockford Iron Works



T. H. L. Punches

Insure Continuous and Profitable Production

Because they are made of the right quality of tool steel.

Because they are hardened with every care.



Because all our experience of 35 years is centered in making them accurate, rugged and dependable.

Large stock of regular sizes Special sizes quickly made

T. H. Lewthwaite Machine Co. 311 East 47th St., (Est. 1890) New York City

Template and Gauge Making Costs —

Reduced To One-Tenth

Get a Handnib! Make your templates and gauges, and cut metal into various shapes in one-tenth the time required by older methods.

The Handnib can handle stock up to 1/4° in thickness—it can cut out practically any design which you might desire.

Simply set it up in a Vise and it is ready for work.

Price, \$32.50

We also manufacture the National Vise Shear a very high grade portable alitting shear. It fits in any Vise. Complete with 5/16* sod cutter.

Price, \$27.50



Write for a Folder

National Machine Tool Co. 1536B Clark St., :: Racine, Wis.

Lourie Hydraulic



Type WK

Presses

for Every Purpose

High Speed and Heavy Duty

Write for Bulletin 40



Type AY

Lourie Manufacturing Co

565 Washington Blvd.,

Chicago

Combined Automatic Pointing and Threading Machines




For Bolts and Cap Screws Capacity—3/16"x1" Diameter 1" to 6" Long

Write for Full

THE ECONOMY ENGINEERING

Automatic Shaving Machines



Shaves top and underneath head of Cap Screws
Capacity 1/4"x3/4" Diameter
3/4" to 51/2" Long

Information

11

COMPANY, - Willoughby, Ohio

This Drill Increased Production and Wages—and Saved

TRADE MARK

\$476.23

A prominent valve manufacturer found, after a thorough trial of CLE-FORGE High Speed Drills, that the drills had accomplished three things for him: Per Year

- 1. They increased hole production per hole and per drill;
- They reduced drill, machine and labor cost by 17%;
- And, permitted the drill press operator to earn 141/2% more money.

CLE-FORGE High Speed Drills effected in this plant a net saving of \$476.23 per year. This saving amounted to about five times the original cost of the drills used!

Full details of this interesting performance are contained in an eight page typewritten survey which makes interesting reading. We shall be glad to send you this survey upon request. Simply ask for Survey No. 58.

The CLEVELAND

TWIST DRILL COMPANY CLEVELAND NEW YORK-CHICAGO-LONDON AND FRANCISCO



NVRM*A-H* VFFMANN

PRECISION Ball and Roller Bearings, built to meet the exacting requirements of those with whom dependable bearing performance is the one conclusive measure of bearing value.

Catalogs 904, 905, and 917

Norma-Hoffmann Bearings Corp'n. Stamford, Conn., U. S. A.

PRECISION BEARINGS



Before any Gut

LeBlond Grinders=
Sharp Cutters

Sharp Cutters=

Maximum Production

Maximum Production=

Profits

The Universal Cutter Grinder that Meets the Demands of the Modern Tool Room.

THE R. K. LeBLOND MACHINE TOOL CO. CINCINNATI, OHIO


ction rofits

95

CÓ.

BATH Universal Grinders

SELF CONTAINED



10"x25"

12"x36"

also

Plain Cylindrical, Valve Seat and Tappet Grinders

Fitchburg Grinding Machine Corp.

Fitchburg, Mass., U.S.A.

96

NEW ROGERS Segment Grinding Wheel

CHUCK


To facilitate faster grinding we announce a new grinding wheel chuck. The outstand-ing feature is the simplicity of construction, the chuck being so constructed that it can be used on face or sur-face grinders of any make. Adjustments for changing segments are very simple.

The chuck is now made in 3 sizes, 12°, 14°, and !8°.

We also make a complete line of light face and knife grinders up to 13' capacity.

SAMUEL C. ROGERS & CO.

211 Dutton Ave., Buffalo, N. Y.



14' Rogers Chuck

Accuracy—Speed—Efficiency "HOPKINS" 3-Jaw Chuck



"HOPKINS" original design, selected materials and the Dust-Proof feature guarantee continuous production at lowest costs.

Greater gripping power, lessened vibration and increased centering precision are guaranteed in each "HOPKINS" Chuck.

"HOPKINS" Two and Three Jaw Chucks are made in the following diameters: 8", 10", 12" and 140-all carried in stock.

Write for Bulletin-No. 3-28

TOMKINS-JOHNSON CO.

600-610 Mechanic St.,

Jackson, Mich.



Quick-As-Wink Industrial Hose Couplings

These bronze couplings swivel freely but NEVER LEAK and can't be put out of commission. Just push together Quick-As-Wink, that's all! Can not become disconnected accidentally. Guaranteed for one year. Made in sizes from 1/8* to 4*, Get descriptive bulletin and prices.

C. B. HUNT & SON - - - SALEM, OHIO

Don't Call a Gang of Men



away from their work to do the lifting and lugging of heavy pieces, when one man and a

Canton Portable Crane and Truck

can do it more quickly, more efficiently and with greater safety. The Canton is made in six sizes to hoist, truck and place any load up to 6,000 lbs. weight. Can be equipped now with the safety friction brake.

It will pay you to investigate Write today for Booklet E-8

Canton Foundry & Machine Co.

New York Office: 101 West 31st Street



Atlas Arbor Presses

For All Forcing Operations

Illustration shows our No. 55 Power Drive Press, which is adaptable for fast production work and capable of supplying ten tons pressure.

Write for our Bulletinshowing 30 different sizes

Atlas Press Co.

Department B, Kalamazoo, Michigan

Fall River Screw Press



Here is a new screw press which is large enough and strong enough to take care of every job that comes into the average shop. It is built of high grade steel throughout, with special attention given to those parts subject to the hardest strain. 42 inches wide and table is 8 inches. Capable of exerting over 65 tons pressure.

Write for further information

Fall River Grinding & Machine Co. JESSE ST., FALL RIVER, MASS.

Repay Cost 5 Times a Year



Efficiency EXPERTS say that

TOWSLEY TRUCKS

repay their cost every two to three months. Every style for every need.

Write us for details of the BIG truck profits today!

John T. Towsley Mfg. Co., Cincinnati, Ohio, U. S. A.

PIONEER TRUCK CASTERS



are constructed to carry the HEAVIEST loads with the least possible effort.

Made STRONG and STURDY they will render you a long and

satisfactory service.

A caster for every industrial purpose.

Will you invest 2f for illustrated catalog and complete details?

Write today—you'll be glad you did.

Pioneer Caster & Mfg. Co. ELKHART, INDIANA

100

Getting Light on the Subject



MODEL 1928

is Easy with an AUTEX Extension Reel

It goes wherever you want or need it. Saves time and eyes, speeds up work and quickly pays for itself. Indispensable during the winter months.


ORDER NOW!

Approved by the Underwriters

Now Equipped with Rubber Covered Cord

Write for descriptive circular

The Cincinnati Specialty Mfg. Co., Inc. 1903 Powers St., Cincinnati, Ohio



Keyseat Shafting

With the Burr Portable Keyseater



Cuts perfect key-ways up to 12" long, in shafts up to 5" in diameter. Saves expense of dismantling shafting and tearing down equipment. Made in seven hand or sizes. driven. Over 10,000 in

Order One Today and Save Money!

JOHN T. BURR & SON

422 Kent Ave., Brooklyn, N. Y.

Pick and Shovel

Hammer and Chisel

Are Past History

Look At This Modern

Keyseater

Send for Catalog O

National Machine Tool Co.

2268 Spring Grove Ave.,

Cincinnati, O.



Noiseless, Fast Riveting with a GRANT

Speed-One rivet per second.

Uniformity-Each rivet is finished to the exact degree of tightness or looseness you

Finish-Heads perfectly formed, unmuti-

GRANT ROTARY

So well adapted to difficult work that no corner is too inaccessible for it to place a rivet. Yet it is so simple in operation that a boy or girl can handle it efficiently.

Send samples of your work fe iveting and cost estimate

The Grant Mfg. & Machine Co. C. E. Station. Bridgeport, Conn.

Vanderbeek Universal Joints



practical refine-ments of 25 years experience in manufacturing Universal Joints. All parts are generous sized, fully protected against dirt, and are practically self-oiling. Exceptionally strong, they transmit full power up to 70°.

Vanderbeek Joints are in daily use on thousands of

Write today for our Descriptive Catalog.

American Tool Works, Inc. Hartford, Conn., U. S. A.





When a Tap Breaks —That's Enough

Your loss will stop there if you have a handy WALTON TAP EXTRACTOR in your shop.

Simply insert the flutes of this timesaving tool into the broken tap, twist the end, and the tap slides out. A WALTON obviates delays and operates so simply that an apprentice can handle it.

Made in three and four-flute styles.

Let us send it to you for a sixty-day trial

The Walton Company 302 Pearl St., Hartford, Conn.

Counterbore Cutters and Holders



All Bicknell-Thomas Counterbore, Core Drill and Flue Sheet Cutters are forged and twiated while hot, increasing original strength and density of our High Speed Steel, resulting in tools unexcelled for cutting efficiency with increased number of cuts per grind. Decided advantages of the Cutters are the shearing cut-powerful drive—less re-sharpening.

Write for Illustrated Catalog

BICKNELL-THOMAS CO.,

Greenfield, Mass.

Reisinger Quick Adjustable Hollow-Mills

Have a graduated adjusting dial — interlocking and moving blades either way to cut smaller or larger diameters.



A clamping device operated by a lever a single move of which locks or releases all blades simultaneously.

Blades are H. S. Steel

Specifications and Prices, F. O. B. Rochester, N. Y.

Obecisiones					
No.	Cutting Capacity	Price Complete	Ext. Blades Set of Four	Diam. of Std. Shanks	Larger and taper shanks furnished as small addition. Specify diameter of shank — otherwise Std. shank will be furnished.
2	%12 to %16 %16 to %1 %10 1	\$14 00 21.00 31 50	\$3 00 3.80 5.00	36 1 1/4 1 3/4 2 1/2	
4	1" to 11/2	47.75	6.60	21/2	
-			-	000	

Reisinger Machine Tool Corp., ROCHESTER, N. Y.

End Mill Economy



Make Straight Shank End Mills equal to Solid Taper Shank "SCULLY-JONES" CUTTER CHUCKS make this possible; they "CENTER BY THE SHANK" and "DRIVE BY THE SQUARE".

All sizes of CHUCKS and END MILLS in stock. "Try the combination and be convinced."

Write for copy of our Small Tool Catalog No. 36 which completely lists and describes these tools as well as all other "SCULLY-JONES" Production Tools.

Scully-Jones & Company

1901 S. Rockwell St.,

Chicago, Ill.

Nicholson Expanding Mandrels



THEY are usually known among mechanics as lathe mandrels, but they work equally as well on millers or grinders. They also will take a job with a square hole as well as a round one.

Write Us for Further Information

W. H. Nicholson & Co.

117 Oregon St.,

Wilkes-Barre, Pa.



GAIRING

MULTIPLE - OPERATION

CUTTERS

SOLID

INSERTED BLADE

Our business is the planning and production of end cutting tools upon which we have concentrated our thoughts and efforts for many years.

efforts for many years.

Our Technical dept. devotes its time exclusively to planning and designing tools to suit your requirements.

to suit your requirements.
Send us your Blue Prints or parts to be machined, we will design and suggest tools to produce holes most economically.

No obligation, merely a willingness to be helpful. Tool Catalog and Engineering Reference mailed on request.

THE GAIRING TOOL COMPANY

1635-37 W. Lafayette Blvd.,

DETROIT, MICH.

Representatives In Principal Cities

Safety - Speed - Strength



(PATENT PENDING)

GREENE QUICKACTING VISE

No. 3-3' \$6.00

No. 4-4'

No. 6-6'

Instant adjustment—positive grip obtained by use of Special Screw and Open Nut, the threads of which are oppositely undercut—no sticking—no binding—no stripping of threads. Unbreakable ateel back bone for slide. Portable—suitable for bench or machine.

Write for our Special Introductory Offer

Central Distributing Co.

946 Harper Ave.,

Detroit, Mich.

Mail Orders Solicited-Agents Wanted

IF YOU TAP HOLES-



Why not have the feel of the tap right at your finger tips? A tap is a delicate tool. The Ettco Tapping Attachment taps delicately—with increased speed—That's the answer.

The Ettco Tapping Attachment

is simple—nothing to adjust—if the tap sticks or hits bottom the Ettco slips—the same action coming out. No clash of a positive clutch—just the smooth action of the patented leather lined cone clutch.

Sensitive-speedy-satisfactory.

No. 1—Tapping Attachment ½ " in steel, ½ " in C. I. \$35.00 No. 2—Tapping Attachment ½ " in steel, ½ " in C. I. 50.00 No. 3—Tapping Attachment ½ " in steel, ½" in C. I. 80.00

Eastern Tube & Tool Co., Inc., BROOKLYN, N.Y.



Arnold Hardness Tester

A Portable Machine of Rugged Construction for Reliable and Speedy Testing over a Wide Range of Work

Without complicated or delicate mechanism, it is always ready for instant use.

Upkeep costs negligible. The ball is the only part subject to wear, and it can be changed in a fraction of a minute at a cost of less than one cent.

Measures hardness of raw materials in the stock room as well as finished parts, in the hands of the ordinary workman. Furnished with anvils for rounds, flats, irregular shapes and curved work.

> Worth more to you than its moderate cost Write for more complete information

H. H. ARNOLD CO., Inc., Rockland, Mass.



TEDERAL Dial Indicator

MODEL "50"

JEWEL BEARING MOVEMENT
The Federal "Fifty" Dial Indicator is
graduated to read in half thousandths
(.0005") the full range being .3" or
ten complete revolutions of the hand.
Equipped with bezel clamp, allowing
dial to be securely locked in any
position desired, Details may be
altered to suit your requirements.

Write for complete details of this and other FEDERAL models

Federal Products Corporation PROVIDENCE, R. I.

Western Branch: 7338 Woodward Ave., Detroit, Mich.

Anderson Ever Ready

Exceedingly Sensitive



Easy to Manipulate



Made in six sizes to balance anything that revolves from a crank shaft to a 24,000 lb, turbine rotar. They require no special leveling, no adjustment, and no centers.

Equipped with glass-hard spindles, chilled steel discs, and especially sensitive ball bearings, to give accurate, long time service.

"Swing"	201	40*	60°	72*	96ª	72*
Greatest distance bet. standards Capacity in lbs. Approx. shipping weight Code	20° 1000 45	30° 2000 90 Bid	30* 2000 150 Bis	66° 5000 350 Bib	88* 10000 650	20° 24000

Anderson Bros. Mfg. Co.

1915 Kishwaukee St., Rockford, Ill.

Any Length Job Straightened



The Acme of Convenience In Shop Factory Toolroom Garage

By straightening any length rough or finished work — truing sprung tools, and testing came, crankshafts, etc., the Springfeld makes itself invaluable in shop, factory, toolroom or garage. Its arrangement is the acme of consenience. It can be placed on bench, or beside lathe—saving many steps and waste handlings.

Write for folder illustrating many of its uses

The Springfield Machine Tool Company
633 West Southern Avenue, SPRINGFIELD, OHIO

We also manufacture Engine Lathes and Shapers

The Most POWERFUL Vise Made Hartford Milling Vise



Jaw width	51
Jaw depth	1141
Maximum	opening31/21
Weight	40 lbs.

Also made in the swiveljaw type with hard or soft jaws, maximum opening 21/4°.

The "Hartford" is designed to give the utmost in service. A lower cam-faced handle gives required quick opening and return—while a top eccentric lever-handle furnishes temendous binding power. You can rely on "Hartford" to survive the hardest usage. Its steel parts are drop forged, hardened and ground—its base is made of special iron.

Send for descriptive catalog illustrating its usefulness

We also Build Machinery on a Contract Basis and Design and Develop Special Automatic Machinery—Gears Cut to Order.

Hartford Special Machinery Co., 285 Homestead Ave., HARTFORD, CONN.

Hi-Speed Drills

One of the latest developmenta in advanced drill equipment is the "Buffalo" 12-inch Hi-Speed Drill, tested at 12,000 R. P. M.

An unusual feature is the selfadjusting rack and pinion. Four spindle speeds, 3,600 to 10,000 are easily obtained by means of a lever and rapid acting screw. Fully equipped with 8 sets S K F ball bearings.

Bulletins sent on request

Buffalo Forge Co.

161 Mortimer St., Buffalo, N. Y.
In Canada: Canadian Blower &
Forze Co., Ltd. Kitchener, Ont.

S Bufalo

Pulley or

Motor Drive



Multiple Drilling

On Your 1-Spindle Drilling Machine

> The U. S. Multiple Drill Head converts any single spindle drill into a multiple drill press with two to six adjustable spindles that will drill any pattern while utilizing the same speeds and feeds required for drilling one hole at a time.

Send your problems to our drill-head experts. If necessary, they can design special heads with fixed or adjustable spindles to fit your needs.

The United States Drill Head Co., CINCINNATI, O.

Michigan Agents—National Sales Engineering Corp., Detroit, Mich.

The U. S. is Accurate Simple, Rugged

This completely motorized, 14° sensitive floor drill can be relied on to give accurate, sturdy service drilling holes ½° and smaller.

Price with motor, \$11

Or with Counter- \$70

Made of quality materials according to the best mechanical practise. The spindle is provided with a ball thrust bearing, and is counterbalanced by weight inside column. There is a vertical adjustment to head, and tables are adjustable to any type of work.

Let us send you full mechanical details

The U.S. Machine Tool Co. 1952 W. 6th St., Cincinnati, Ohio



SIGOURNEY Sensitive Drills

All Parts Interchangeable!

Made with 1 to 4 spindles. Self-aligning ball bearings.

Extremely sensitive, accurate and durable, they are quality drills for those who buy tools for what they do.

The picture shows our No. 0 2-spindle ball bearing Bench Drill--a splendid tool.




Booklets on both Plain and Ball Bearing Drills

THE SIGOURNEY TOOL CO., HARTFORD, CONN.

Gem Drill Press Vise

With Automatic, Quick-Acting, Powerful Grip



Holds Irregular Pieces Firmly

The jaws are made of steel, hardened and ground, with horizontal and vertical "V" grooves. The independent swivel jaw holds taper and irregular work with a bull-dog grip. Its quick action, powerful grip and adaptability make it the most efficient vise on the market. Made in three sizes. Write today for folder, picturing its use in drilling and milling operations.

J. E. Martin Tool & Die Works, 528 W. State St. Springfield, O.



For Your Small RIVETING

The Linley Rotary

RIVET SPINNER

- Covers a wide field of riveting.
 - ¶ Simple in design but-
 - Rigid and powerful.
 - Q Guaranteed to give satisfaction.

Get the full details before buying a riveter

WE ALSO MANUFACTURE

EQUIPMENT FOR ROTARY RIVET SPINNING MACHINES

SEND FOR DESCRIPTIVE FOLDER

Linley Brothers Co., Bridgeport, Coas.

Steel Spacing Washers

Made of a good grade of Cold Rolled Strip Steel, also known as Shim Steel



Stock sizes for arbors of following diameters: %, ½, %, ¾, ¼, 1, 1½, 1¼, 1¼, 1¼, 1½, 1½, 1½, 1¾, 1½, 2, 2¼, 2½, 3, 3½ and 4 in. and larger.

Stock thicknesses: .002, .003, .004, .005, .006, .007, .008, .010, .012, .015, .020, .025, .032, .047, .063, .093 and .125 inch.

Other thicknesses up to 3.000* made to order, with keyways if so ordered.

Ask us to send samples; you'll like them

Stamping Company 3443 West Fort St.,

Detroit, Mich.



Lobee Pumps



For Circulating Lubricants, Etc. Easy To Attach.

Made For 3/8", 1/2", 1", 11/4" Standard Pipe Connections

Write for Booklet "H"

Lobee Pump & Machinery Co.

128 Dearborn St.,

BUFFALO, N. Y.



Tolhurst Chip Wringers reclaim 6 to 15 gallons per load and handle three to four loads per hour. Basket sizes 20" to 48".

TOLHURST MACHINE WORKS, Inc., Troy, N. Y.

Style G

Style G

Style C Style A




Style D Style D



UCKER

Oil Hole Covers



A Type for Every Service Send for Catalogue No. 12

Opened Style E







W. W. & C. F. TUCKER, INC., 612 Capitol Ave. Hartford, Conn. FOREIGN AGENTS: Fenwick Freres & Co., Paris. France Alfred Herbert, Ltd., Yokohama, Japan

Make Your Own Test at Our Expense

FREE TRIAL BRIDGEBILT STOOL

Let us send you one of these Bridgebilt stools, express charges prepaid. Try it out under actual working conditions for 30 days, with privilege of returning it to us, express collect. Just pin your business card to this ad and mark the

height stool you desire.

Mark inches 18 20 22 24 26 28 30



The Chicago Wire Chair Co. 616 No. LaSalle St., Chicago, Ill.

□FREE CATALOG

If you prefer not to send for a stool, check here and we will mail you our illustrated description of Bridgebilt Industrial Seating.

> A thorough coverage is necessary to maximum advertising results. This is a truism.

> For the greatest coverage of the richest markets for machine tools and shop equipment, concentrate your advertising in

> HITCHCOCK'S MACHINE TOOL BLUE BOOK

The More They Have—the More They Want



Re-Orders prove the worth of "The Handiest Rack"


Here's how one company ordered and re-ordered.

Nothing like them for storing pipe, shafting, bar stock, etc. Or for servicing machines. Keeps stock neatly piled and sorted. Saves time, space and steps.

Shipped on trial if you wish

Wm. S. Yohe Supply Co. 503 Mahoning Road, N. E., Canton, Ohio

Twentieth Century Balancing Tool



The most practical, sensitive and inexpensive device manufactured for balancing pulleys, cones, armatures, fly wheels, polishing wheels, etc.

Will set anywhere and is easily portable. In sizes

up to 24,000 pounds capacity.

Ask for the Bulletin

Sundstrand Machine Tool Co. Rockford, III.



SHUR-GRIP

Solder Iron Handle



Patented April 24, 1922--No. 1,453.082

Outlasts a Dozen Ordinary Handles

You know you are safe if you use the HYRO Shur-Grip Soldering Iron Handle. It can't slip—it cuts a thread on the stem as it is screwed on, and once on stays on—you have to unscrew it to get if off. Saves time and labor—prevents accidents—comfortable to use. A trial order will convince you.



Showing inside construction of the SHUR-GRIP. The heat escapes through the hole

in the direction indicated by arrows.

MADE IN THREE SIZES:

No. 7 for stem 3/8" to 1/2" dia. (Generally 11/2 to 4 lb. irons).

No. 8 for stem 1/2" to 5/8" dia. (Generally 4 to 8 lb. irons.)

No. 9 for stem 5/8" to 3/4" dia. (Generally 8 to 12 lb. irons).

Write Your Jobber or Direct to

Hyro Manufacturing Co., Inc.

201 Varick St.



New York, N. Y.

Speed Up Production"

Arbers, Selid Nicholson & Co., W. H., Wilkes-Barre, Pa.

Angle Plates
Passman Bros., 707 W. Washington, Chicago

Auto-Gages For Dies Danly Machine Specialties, Inc., 4913 Lincoln Ave., Chicago

Automatics
New Britain Machine Co., New Britain, Conn

Balancing Ways Anderson Bros. Mfg. Co., Rackford, III. Sundstrand Machine Tool Co., Rockford, III.

Balls, Bearing and Burnishing Abbott Ball Co., Hartford, Conn.

Band Saw Machines, for Metal. Armstrong-Blum Mfg. Co., 341 N. Francisco Porter-Cable Machine Co., Syracuse, N. Y. Racine Tool & Machine Co., Racine, Wis.

Barrels, Tumbling Abbott Ball Co., Hartford, Conn. Scully-Jones & Co., 1901 So. Rockwell St., Chicago

Bearings, Ball
Norma-Hoffman Bearings Corp., Stamford,
Conn.

Bearings, Roller Nurma-Hoffman Bearings Corp., Stamford, Corm. Bearings, Thrust Norma-Hoffman Bearings Corp., Stamford,

Norma-Hoffman Bearings Corp., Stamford, Coon. Bench Legs, Steel New Britain Mcho. Co., New Britain, Coun.

Bending Machines, Hand and Power
Armstrong-Blum Mig. Go., 344 N. Francisco
Excelsior Tool & Mch. Co. Avs., Chicase
Excelsior Tool & Mch. Co. Tool.
Learthwaits Michael Co., Th. 41TE, 51st., N. Y.
Louris Mig. Co., 565 Washington, Chicago
Pedrick Tool & Machine Co., Philadelphia

Bending Ralls Hendley & Whittemore Co., Beloft, Wis.

Bolt and Nut Machinery Recoomy Engineering Co., Willoughby, O. Poote-Burt Co., Cleveland, O.

Boring Bars Pedrick Tool & Muchine Co., Philadelphia

Boring Bars, Cylinder Pedrick Tool & Machine Co., Philadelphia

Boring, Drilling & Milling Machines Defiance Machine Co., Defiance, O. Boring and Drilling Mches., Vertical Baker Brothers, Inc., Toledo, Ohio

Boring and Turning Machines, Vertical Cincinnati Planer Co., Cincinnati, Obio

Bering Machines, Herizontal Avey Drilling Machine Co., Cincinnati Lambert Mche, & Enginr'g Co., Cleveland, O. Pedrick Tool & Machine Co., Philadelphia

Bering Teels Maxwell Products Co., Cleveland, Ohio Bickert-Shafer Co., Erie, Pa.

Brands, Burning Schwerdtie Stamp Co., Bridgeport, Conn.

Bulldozers, Hydraulic Louris Mfr. Co., 566 Washington, Chicago Burnishing Equipment, Ball Abbott Ball Co., Elmwood, Conn.

Bushing Finishing Machines, conomy Engineering Co., Willoughby, O.

Casters, Truck Ploneer Caster & Mfg. Co., Elkhart, Ind.

Centering Machines Sundstrand Machine Tool Co., Bockford, Ill.

Sundstrand machines tool Co., Moverroru, an.
Chucking Machines
New Britain Mche. Co., New Britain, Cons.
Springfield Machine Tool Co., Springfield, O.
Stevens Inc., John B., 27 Cleveland Place
New York

Chucks, Automatic and Quick Change Procunter Safety Chuck Co., 18 S. Clinton St. Chicago

Chucks, Collet
Hardinge Brothers, Inc., 1770 Berteen Ave.,
Chicage
Chuck Co., 18 S. Cinton

Chucks, Drill
Eastern Tube & Tool Co., Inc., 580 Johnson
Ave., Brooklyn, N. Y.
Hartford Special Mehy. Co., Hartford, Conn.
Scully-Jones & Co., 1801 So. Bockwell St.,
Chicage

Chucks, Drill and Tap Hicknell-Thomas Co., Greenfield, Mass. Procunier Safety Chuck Co., 19 S. Chitan St., Chitago Scully-Jones & Co., 1901 So. Bockweit St., Chitago

Chucks, Keyway Cutting Scully-Jones & Co., Ry. Exch. Bidg., Chicago Chucks, Lathe.

Stevens Inc., John B., 27 Cleveland Place, New York Tomkins-Johnson Co., Jackson, Mich. United Hardware & Tool Cerp., 50 Howard St., New York

Chucks, Magnetic
J. & H. Electric Co., Providence, R. I.
Chucks, Oval

Frew Machine Co., Philadelphia, Pa. Chucks, Segment Wheel Rogers & Co., Samuel C., Buffalo, N. Y.

Clamps, Die Danty Machine Specialties, Inc., 4918 Lincoln Ave., Chicago

Clutches, Friction
Carroll Mfg. Co., L. W., Cincinnati, Ohlo
Conway Clutch Co., Cincinnati, O.
Kdaremont Bischine Co., Dayton, O.
Kdaremont Bischine Co., 193 Curtis,
Foote Bros. Gear & Machine Co., W. A.,
Jones Foundry & Marhine Co., W. A.,
460 W. Rosseveit Road, Chicage

Cold Saws
Burke Machine Tool Co., Conneaut, Ohio
Collete
Hardinge Brothers, Inc., 1770 Bertean Ave.,
Chienge

Comparators
Federal Products Corp. Providence, R. I.

Contract Work Wanted Burke Machine Tool Co., Conneaut, O.

Core Drills Bicknell-Thomas Co., Greenfield, Mass. Gairing Tool Co., Detroit, Mich.

Counterbores and Spot Facers Ricknell-Thomas Co., Greenfield, Mass., Sairing Tool Co., Detroit, Mich., Sienzer Co., J. C., Detroit, Mich.

Couplings, Flexible
Foote fires. Gear & Machine Co., 213 Curtle
Foote fires. Gear & Machine Co., Chicage
Jones Foundry & Machine Co. W. Wo.
460 W. Hoosevelt Road, Chicage
Nicholson Co., W. H., Wilkes-Barre, Pa.

Couplings, Friction Clutch Conway Clutch Co., Cincinnati, O.

Couplings, Shaft icholson Co., W. H., Wilkes-Barre, Pa.

Cranes, Portable Canady-Otto Mfg. Co., Chicago Beights, Canton Foundry & Mche. Co., Canton, Ohio

Crank Pin Turning Machine Pedrick Tool & Machine Co., Philadelphia

Cutters, Keyscating Cutters, Keyscating Cutters, Keyscating Cutters, N. Y. Sant St. Hockwe Davis Koyosater Co., Rochester, N. Y. Scully-Jones & Co., 1901 So. Rockwell St., Chicago

Cutters, Milling Brown & Sharpe Mfg. Co., Providence, R. I. Genesce Mfg. Co., McChester, N. Y Reininger Mch. Tool Corp., Eachester, N.Y.

Cylinder Boring Machines, Portable Pedrick Tool & Machine Co., Philadelphia Demagnetizers
J. & H. Electric Co., Providence, R. I.

Dial Indicators

Federal Products Corp., Providence, R. I. Die Making Machines Oliver Instrument Co., Adrian, Mich.

Dies, Automatic Self-Opening

Die Sets Danly Machine Specialties, Inc., MULL Linesin Ave., Chicage Die Sinking and Engraving Hachines Keller Mech. Eng. Corp., 584 Washington St., Brooklyn, N. Y.

Discs, Machine Steel Passman Bros., 707 W. Washington, Chicago

Dividing Heads one Inc., John B., 27 Cleveland Pla New York Drill Rocks

Peoriess Machine Co., Racine, Wis.

Drilling Heads, Multiple National Automatic Tool Co., Richmond, Ind. United States Drill Head Co., Cincinnati

Drilling Machines, Automatic Baker Brothers. Inc., Toledo, Ohio, National Automatic Tool Co., Richmond, Ind.

Drilling Machines, Bench Drailing Machines, Bench Avey Drilling Machine Co., Cheinnati Buffalo Forge Co., Buffalo, N., 12, Ohio Buffalo Forge Co., Chicago Heighte, II Oanedy-Otto Mfg. Co., Chicago Heighte, II National Automatic Toel Co., Richmond, In Mational Elect. Prod. Co., 148 Ratter, N.Y. Sigourney Tool Co., Hartford, Come Ave., Sucher Co., Chan., 24628, Greenview Chicago

Taylor & Fenn Co., Hartford, Conn. Winterhoff Tool & Machine Co., Elkhart, Ind.

Drilling Machines, Boiler Cincinnati Bickford Tool Co., Oakley, Cincinnati, Chio National Elect. Prod. Co., 148 Baxter, N.Y.

Drilling Machines, Gang

Baker Brothers, Inc., Toledo, Ohio, Cincinnati Bickford Tuni Co., Oakley, Cincinnati, Ohio

Drilling Machines, Horizontal

Drilling Statemers, Philadelphia, Ps. Frew Machine Co., Philadelphia, Ps. National Automatic Tool Co., Richmond, Inc. National Elect, Prod. Co., 148 Baxter, N.Y. Stevens inc., John B., 27 Cleveland Place, New York

Drilling Machines, Multiple Spindle Aver Drilling Machine Co., Cincinnati Baker Brothers, Inc., Toledo, Ohio. Cincinnati Bickford Tool Co., Oakley, Cincinnati, Ohio

Foote-Burt Co., Cleveland, O. Cincinnati, Obse National Automatic Tool Co., Richmond, Ind., National Elect. Frod. Co., 148 Baxter, N.Y., Sigourney Tool Co., Hartford, Conn. Taylor & Fenn Co., Hartford, Conn.

Drilling Machines, Portable Electric Cincinnat Electrical Tool Co., Cincinnati, O. Hisey, Wolf Machine Co., Cincinnati, O. Mail Tool Co., 7720 S. Chicago Ave., Chicago Aktonal Elect. Prod. Co., 146 Baster, N. S. National Elect. Prod. Co., 146 Baster, N. S. Stow Flexible Shaft Co., Philadelphia, Ps. Stow Flexible Shaft Co., Philadelphia, Ps. Strand Co., N. A., 5001 N. Lincolo Sc., Chiga Vim Tool Co., 148 Broadway, New York Winterhoff Tool & Machine Co., Elhart, Ind. Wodack Electric Tool Corp., 6629 W. Huron Bet., Chilago

Drilling Machines, Post Canedy-Otto Mfg. Co., Chicago Heights, III. Hammond Mfg. Co., Cleveland, Obio. National Elect. Prod. Co., 148 Baxter, N.Y.

Drilling Machines, Radial
American Tool Works Co., Cincinnati, O.,
Canady-Otto Mfg. Co., Chicago Heights, III.
Cincinnati Bichford Tool Co., Oakley,
Cincinnati, Ohie Cincinnati, Ohio Dreses Machine Tool Co., Cincinnati, O., Hammond Mfg. Co., Cleveland, Ohio. National Elect. Frod., Co., 148 Baxter, N.Y. Taylor & Fenn Co., Hartford, Cons.

Drilling Machines, Sensitive Drilling Machines, Sensitive
Aver Drilling Machine Co., Cincinnati
Aver Drilling Machine Co., Cincinnati
Britale Forge Co., Buffale, N. Y.
Buffale Forge Co., Buffale, N. Y.
Buchmatt, Adelph., Cincinnati, O.
Muchinatt, Adelph., Cincinnati, O.
Mational Blect., Prod. Co., 148 Baxter, N.Y.
Blecher Co., Chas., 2428 N. Greenview Ave.,
Chicago Taylor & Fenn Co., Hartford, Conn. U. S. Machine Tool Co., Cincinnati, O.

Drilling Machines, Vertical Avey Drilling Machine Co., Cincinnati Huffalo Forge Co., Buffalo, N. Y. Canedy-Otto Mig. Co., Chicago Heights, Ili, Cincinnati Bickford Tool Co., Oakley, Cliccinnati, Ohio

Foots-Burt Co., Cleveland, C.

Foots-Burt Co., Cleveland, C.

Mans, Mans, Mans, Mans, Marsh, Marsh,

Taylor & Fenn Co., Hartford, Conn.

Drills, Twist Cleveland Twist Drill Co., Cleveland, Ohio. **Emery Stands** Carroll Mfg. Co., L. W., Cincinnati, Ohlo

Emery Wheel Dressers and Cutters Taylor & Fenn Co., Hartford, Conn. Western Tool & Mfg. Co., Springfield, O.

Engravers, Mechanical and Hand

Etching Machines, Electric Brewster Co., Wm., Inc., 50 Church New Y Luma Electric Equipment Co., Toledo, Ohio,

Feeders, Oil and Soda Water New Britain Machine Co., New Britain, Coon.

Filing Machines
LaPorte Machine & Tool Co., LaPorte, Ind.
Oliver Instrument Co., Adrian, Mich.
Wardwell Mfg. Co., Cleveland, O.

Filing and Sawing Machines LaPorte Machine & Tool Co., LaPorte, Ind.

Flexible Shaft Machinery Keller Mech. Eng. Corp., SSA Washington St., Brooklyn, N. Y. Mall Tool Co., 7730 S. Chicago Ave., Chicago

Flue Sheet Tools Bicknell-Thomas Co., Greenfield, Mass.

Forges Canedy-Otto Mfg. Co., Chicago Heights, Ill.

Forgings, Hollow Bored American Hollow Boring Co., Erie, Pa.

Furniture, Machine Shop New Britain Machine Co., New Britain, Conn. Western Tool & Mfg. Co., Springfield, O.

Gauges, Cylindrical and Thread Federal Products Corp., Providence, R. I. Gauges, Taper Hartford Special Mchy. Co., Hartford, Gonn.

Gear Cutters Brown & Sharpe Mfg. Co., Providence, R. I. Triplex Machine Tool Corp., 50 Church St.,

Gear Generators Lees-Bradner Co., Cleveland, Obio

Gear Grinders Lees-Bradner Co., Cleveland, Ohio

Gear Hobbers Triplex Machine Tool Carp., 80 Church St., New York

Gear Testers Lees-Bradner Co., Cleveland, Ohio

Genre Beston Gear Works Saies Company, Norfolk Downs, Mass. Chicago Stock Gear Works, 105 S. Jefferson, Foote Bros. Gear & Machine Co., 213 Curtis
St., Chicago
Jones Foundry & Machine Co., W. A.,
4450 W. Roosevelt Road, Chicago
Massachusetts Gear & T. Co., Woburn, Mass.

Grinding Machines, Belt Gallmeyer & Livingston Co., Grand Rapid Mic Peerless Surfacing Machine Co., Troy, N. Y. Walls Sales Corp., 96 Warren St., New York

Grinding Machines, Bench Carroll Mfg. Co., L. W., Cincinnati, Ohlo Gallmayer & Livingston Co., Grand Rapids, Mich. Hill-Curtie Co., Kalamazoo, Mich. Hisey-Wolf Machine Co., Cincinnati, O. Standard Electrical Tool Co., Cincinnati, O.

Randard Electricas to the Confine Reamer and Tool Brown & Sharpe Mfg Co , Providence, R. I. Jalleseyer & Livingston Co., Grand Rapids, Mitch.

Jarecki Mche. & T. Co., Grand Rapids, Mich. LeBlond Mch. Tool Co., R. K., Cincinnati, O. National Machine Tool Go., Blacine, Wis. Oesterlein Machine Go., Cincinnati, Oblo Oliver Instrument Co., Adrina, Mich. Stevens Inc., John B., 27 Cleveland Place, New York

Thompson Grinder Co., Springfield, Ohio Grinding Machines, Cylindrical Brown & Sharpe Mfg. Co., Providence, R. I. arecki Mche. & T. Co., Grand Rapida, Mich. Thompson Grinder Co., Springfield, Ohio

Grinding Machines, Die rinding Machines, Die meyer & Livingston Co., Grand Rapid Mic Jarecki Mche, & T. Co., Grand Rapids, Mich Thompson Grinder Co., Springfield, Ohio

Grinding Machines, Disc Gallmeyer & Livingston Co., Grand Rapids, Mich. Porter Cable Machine Co., Syracuse, N. Y.

Grinding Machines, Drill Gallmeyer & Livingston Co., Grand Rapids, Mich. Oliver Instrument Co., Adrian, Mich.

Grinding Machines, Face Rogers & Co., Samuel C., Buffalo, N. Y. Taylor & Fenn Co., Hartford, Conn.

Taylor & Fenn Co., Inst. Flexible Shaft
Grinding Machines, Flexible Shaft
Keller Mch. Eng. Corp., 58A Washington St.,
Brooklyn, N. Y.

Grinding Machines, Internal
Mail Tool Co., 2889 S. Chicago Ave., Chg
National Machine Tool Co., Racine, Win.
Taylor & Fenn Co., Hartford, Com.
Thompson Grinder Co., Springfield, Obie

Grinding Machines, Knife and Shear Blade Rogers & Co., Samuel C., Buffalo, N. Y.

Grisding Machines, Portable Electric
Cincinnati Electrical Tool Co., Cincinnati, O.
Cincinnati Electrical St., Brooklyn, N. Y.
Mall Tool Co., 7750 S. Buffalo, N. Y.
Mational Machine Tool Co., Syractuse, N. Y.
Gogers & Co., Samuel C., Buffalo, N. Y.
Stow Flexible Shaft Co., Philadelphia, Ps.
Strand Co., N. A. Sool N. Lucolin St., Chize
Vim Tool Co., 18th Broadway, New York
Wolsta Blacchie Tool Corps. 38, Chicago.
St., Chicago. W. Huron

Grinding Machines, Snagging Gallmeyer & Livingston Co., Grand Rapids. Hill-Curtis Co., Kalamazoo, Mich. Jarecki Mche. & T. Co., Grand Rapids, Mich,

Grinding Machines, Surface Gallmeyer & Livingston Co., Grand Rapids Mich lllinois Machine & Mfg. Co., LaSalle, Ill. Rogers & Co., Samuel C. Buffalo, N. Y. Stevens Inc., John B., 27 Cheveland Piace, New York Thompson Grinder Co., Springfield, Uhle

Grinding Machines, Tap Gallmeyer & Livingston Co., Grand Rapide, Mick.

Grinding Machines, Tool
Hill-Curtin Co., Kalamazoo, Mich.
Sandard Electrical Tool Co., Cincinnati, O.
Taylor & Fenn Co., Hartford, Conn.

Grinding Machines, Universal Brown & Sharpe Mfg. Co., Providence, R. I. Gallmeyer & Livingston Co., Grand Rapids, Mich. Thompson Grinder Co., Springfield, Ohio

Hack Saw Blades Armstrong-Hum Mifg. Co., 341 N. Francisco Armstrong-Hum Mifg. Co., 341 N. Francisco Paoriess Machine Co., Racine, Wis. Sacina Tool & Machine Co., Bacine, Wis. Victor Saw Works, Inc., Middletown, N. Y.

Hack Saw Machines

Francisco Saw Machines
Armstrong Blum Mfg. Co., S41 N. Francisco
Av., Chicago
Puerlous Machine Co., Bactne, Wio.
Bacine Tool & Machine Co., Racine, Wis.

Hammers, Electric Drill Wedack Electric Tool Corp., 6829 W. Huron St., Chicago.

Handles, File Hyro Mfg. Co., 200 Varick St., New York.

Handles, Soldering Iron Hyro Mfg. Co., 200 Varick St., New York,

Hardness Testers
Arnold Co., H. H., Inc., Bockland, Mass., Wilson-Massulen Go., Inc., 785 E. 1437d St., New York

Hab Grinders
Triplex Machine Tool Corp., 50 Church St.,
New York

Hoists, Portable Canton Foundry & Machine Co., Canton, Ohio

Hose Couplings ent & Son, C. B., Salem, Obio

Hydraulic Machinery orie Mfg. Co., 565 Washington, Chicago

Index Centers, Single and Multi Spdl. Brown & Sharpe Mfg. Co., Providence, R. I. Fay & Scott, Denter, Maine Stevens Inc., John B., 27 Cleveland Place, New York

Jigs and Fixtures Hartford Special Mehy. Co., Hartford, Conn.

Keyseating Machines
Baker Brothern, Inc., Toledo, Ohlo.
Burr & Son, John T., Brooklyn, N. Y.
Chattanooga Mchr. Co., Chattanooga, Tenn.
Davis Keyseater Co., Rechester, N. Y.
National Machine Tool Co., Cincinnati

Lathe Accessories and Attachments Cincinnati Lathe & Tool Co., Cincinnati, Ohio Dalton Took & Becker, Corp., 8 W. 40th, N.Y. Maxwell Producta Co., Cieveland, Ohio Bidney Machine Tool Co., Sistney, Ohio

Lathe Turrets Maxwell Products Co., Cleveland, O.

Lathes, Bench
Delton Tool & Mche, Corp., S W. 40th, N.Y.
Hardings Brothers, Inc., 1770 Bertesa Ave.,
Chicago Monarch Machine Tool Co., Sidney, O.

Lathes, Combination for Milling, Drilling and Tapping Dalton Tool & Mche. Corp.; 8 W. 40th, N.Y.

Dalton root & Mcne. Lowpris or trans.

Lathes, Engine
American Tool Works Co., Cincinnati, O.
Bradford Machine Tool Co., Cincinnati, O.
Garroll Mch. Tool Co., A. V., Cincinnati, O.
Garroll Mch. Tool Co., A., V., Cincinnati, O.
Garroll Mch. Tool Co., A., V., Cincinnati, O.
Fay & Scott, Dexter, Maine
Hamilton Tool Co., Hamilton, O.
Hartinge Brothers, Inc., 1779 Bornat, Ave.,
Hartinge Brothers, Inc., 1779 Bornat, Ave.,
Leffload Mch. Teod Co., R. K., Cincinnati, O.
McCabe Latin & Machinery. Corp., J., J.
Moonarch Machine Tool Co., Sidney, O.
Ferter-Cable Machine Co., Syracuse, N. Y.

chastian Lathe Co., Cincinnati, Ohio dney Machine Tool Co., Sidney, Ohio oringfield Machine Tool Co., Springfield, O.

Lathes, Extension Bed Gap Le Blond Mch. Tool Co., R.K., Cincinnett, O. Rahn-Larmon Co., Cincinnati, O.

Lathes, Gap Carroll Mch. Tool Co., A. V., Cincinnati, O. Lellend Mch. Tool Co., R.K., Cincinnati, O.

Lathes, Hand Stevens Inc., John B., 27 Cleveland Place, New York

Lathes, Manufacturing Cincinnati Lathe & Tool Co., Cincinnati, Ohio LeBlond Mch. Tool Co., R. K., Cincinnati, O., Sundatrand Machine Tool Co., Eschford, H.

Lathes, Precision

Cincinnati Lathe & Tool Co., Cincinnati, Ohio LaBlond Meh. Tool Co., R. K., Cincinnati, O. Lather, Short Bed

Laters, Short Dee Daiton Tool & Mche. Corp., 8 W. 40th, N.Y. Monarch Machine Tool Co., Sidney, U. Porter-Cable Machine Co., Syracuse, N. Y. Sidney Machine Tool Co., Sidney, Ohlo

Lathes, Tool Room Cincinnati Lathe & Tool Co., Cincinnati, Ohio Cinco Machine Tool Co., Cincinnati, Ohio.

Lathes, Turret
Bradford Machine Tool Co., Cinzinnati, O.
Cinzinnati Lathe & Tool Co., Cinzinnati, Obis
Meanarch Machine Tool Co., Bldney, O.

Mandrels, Expanding Icholson & Co., W. H., Wilkes-Barre, S estern Tool & Mfg. Co., Springfield, O.

Mandrels, Hollow Hyro Mig. Co., 200 Variek St., New York.

Mandrels, Solid Nicholson & Co., W. H., Wilkes-Barre, Pa.

Milling Attachments
Brown & Sharpe Mig. Co., Providence, B. I.
Brown & Sharpe Mig. Co., Providence, B. I.
Rewner & Trecker Corp., Milwaukse, Wis.
LeBlond Mch. Tool Co., E. K., Cincinneti, O.
Contented Mechine Co., Greenmal, OhioContented Mechine Co., Greenmal, OhioStevens Inc., John B., 27 Cleveland Place,
New Year Taylor & Fenn Co., Hartford, Conn

Milling Machine Spacing Washers Maxwell Products Co., Cleveland, Obio

Milling Machines, Bench turke Machine Tool Co., Conneaut, Ohlo lundstrand Machine Tool Co., Bockford, III.

Milling Machines, Cam Prew Machine Co., Philadelphia, Pa.

Milling Machines, Hand Burke Machine Tool Co., Conneaut, Ohte Frew Machine Co., Philadelphia, Pa. Sundarrand Machine Tool Co., Rockford, IB, Superior Machine & Rng. Co., Detroit, Mich. U. S. Machine Tool Co., Cincinnati, O.

Milling Machines, Horizontal Oesteriein Machine Co., Cincinnati, Ohio

Milling Machines, Manufacturing Kearney & Trocker Corp., Milwaukee. Wis.

Milling Machines, Plain Brown & Sharpe Mfg. Co., Providence, R. I. Burke Machine Tool Co., Conneaut, Oblo Gallmeyer & Livingston Co., Grand Baolde, Mich. Kearney & Trecker Corp., Milwaukee, Wis. Lettond Mch Tool Co., R.K., Cincinnati, O. Sundstrand Machine Tool Co., Rockford, Ill.

Milling Machines, Portable Pedrick Tool & Machine Co., Phi

Milling Machines, Spline Taylor & Fann Co., Hartford, Coun.

Milling Machines, Universal frown & Sharpe Mfg. Co., Providence, R. I. earney & Trecker Corp., Milwaukee, Wlo. &Blond Mch. Tool Co., R. E., Chelmast, O.

Milling Machines, Vertical Brown & Sharpe Mfg. Co. Providence, R. L. Burke Machine Tool Co., Conneaut, Obic Kearney & Tracker Corp. Milwaukee, Wis. Leftlond Mch. Tool Co., R.K., Cincinsasti, O. Taylor & Fronce, Hartford, Come.

Mills, Adjustable Hollow Genesse Mfg. Co., Rochester, N. Y. Beisinger Mch. Tool Corp., Rochester, N.Y.

Mortisers, Electric Hand Wedack Electric Tool Corp., 4629 W. Huren St., Chicago.

Name Plates, Etched and Stamped Schwerdtle Stamp Co., Bridgeport, Conn.

Nut Setters, Electric Vim Tool Co., 149 Broadway, New York Wodack Electric Tool Corp., 4629 W. Huren St., Chicago.

Oil Cups Gits Bros. Mfg. Co., 1949 S. Kilbourn Ave., Chicago Chicage Hartford, Conn. Tucker, W. W. & C.F.,

Oil Extractors Telhurst Machine Works, Troy, N. T.

Oil Hole Covers Tucker, W. W. & C.F., Inc., Hartford, Conn.

Pattern Shop Machinery Towsley Mfg. Co., John T., Cincinnati

Pins, Leader And Dowel
Danly Machine Specialties, Inc., 4918 Lincoln
Ave., Chicage

Pipe Bending Machines
Pedrick Tool & Machine Co., Philadelphia

Planers, Valve Seat, Portable Pedrick Tool & Machine Co., Philadelphia

Planing Machines Cincinnati Planer Co., Cincinnati, Oblo Cleveland Planer Co., Cleveland, Oblo

Point Thinning Machines Oliver Instrument Co., Adrian, Mich.

Polishing and Beffing Machines Chedmant Electrical Tool Co., Chedmatt, O., Hill-Curtin Co., Kalamason, Mich., Hill-Curtin Co., Chedmatt, O., Hiner, Wolf Machine Co., Chedmatt, O., Machine Co., Chedmatt, O., Machine C., Chedmatt, O., Machine C., Chedmatt, O., Machine C., Chedmatt, O., Standard Electrical Tool Co., Cincinnatt, O., Standard Electrical Tool Co., Cincinnatt, O.

Presses, Arbor Fresses, Arber Atlas Press Co., Kalamazoo, Mich, Lourle Mfg. Co., 565 Washington, Chicago Nicholson & Co., W. H., Wilkes-Barre Fa Sheidon Machine Co., 3253 Cottage Grove Wilson, B. K., Buffalo, N. Y.

Presses, Breaching Lourie Mfg. Co., 565 Washington, Chicago

Presses, Drawing Lourie Mfg. Co., 565 Washington, Chicago

Presses, Flanging Leurie Mfg. Co., 565 Washington, Chicago

Presses, Foot Rockford Iron Works, Rockford, Ill. Taylor & Fenn Co., Hartford, Coan.

Presses, Forcing Lourie Mfg. Co., 565 Washington, Chicago

Presses, Forming Leurie Mfg. Co., 565 Washington, Chicago

Presses, Power Hendley & Whittemore Co., Haloll, Wis. Leavie Mfg. Co., 565 Washington, Chicago lockford Iron Works, Rockford, Ili.

Presses, Punch Lewthwaite Mche.Co., T.H., 417E.31st., N.Y. Bockford Iron Works, Bockford, Ill.

Presses, Screw
Fail River Grinding & Machine Co., Fail
Jarocki Mcho. & T. Co., Grand Rapids, Mich.
Towaley Mfg. Co., John T., Chelinati

Presses, Wheel Lourie Mfg. Co., 565 Washington, Chicago

Profiling Machines
Frew Machine Co., Philadelphia, Pa.
Oliver Instrument Co., Adrian, Mich.

Pulley Machinery Avey Drilling Machine Co., Cincinnati

Pulleys, Iron, Solid and Split Conway Clutch Co., Cincinnati, O. Pumps, Coolant

Fulfio Specialties Co., Blanchester, O. Lobee Pump & Mchy, Co., Buffalo, N. Y.

Pumps, Hydraulic Lobee Pump & Mchy. Co., Suffalo, N. Y. Lourie Mfg. Co., 565 Washington, Chicago

Pumps, Lubricant Ruthman Machinery Co., Cinemati, O.

Punch Press Feeds
Bookford Iron Works, Rockford, Ill.
Wittek Mfg. Co., 2532 S. Kednie Ave.,
Chicago Punch, Shear and Bender, Hand rmstrong-Blum Mfg. Co., 841 N. Francisco Ave., Chicago

Punches, Hand
Arnastrong-Blum Mig. Co., 341 N. Francisco
Blum & Co., J., 552 W. 22nd, New York
Handley & Whittemore Co., Beloit, Wh.
Lewthwate Mche. Co., T. H., 47 E. Blat St.,
New York
New York Whitney Metal Toel Co., Rockford, Ill.

Punches, Power Hendley & Whittemers Co., Baloit, Wis.

Punches and Dies Hendley & Whittemore Co., Baleit, Wis, Lewthwaite Mche. Co., T. H., 417E. Sist., N. Y. Rockford Iron Works, Reckford, III.

Punches and Shears Executor Tool & Mch. Co., E. St. Louis, III. Pyrameters

Wilson-Maculen Co., Inc., 736 E. 143rd St., New York Racks, Bar Stock

New Britain Machine Co., New Britain, Conn. Yoke Supply Co., Wm. S., Canton, O.

Reamers, Adjustable Cleveland Twist Drill Co., Cleveland, Obio. Schollenbach-Hunt Tool Co., Clauinnati, O.

Reamers, Expanding Lambert Mche. & Engine's Co., Cleveland, O.

Runner Holders Nicholson & Co., W. H., Wilkesbarre, Pa.

Reals, Extension Cincinnati Specialty Mfg. Co., Cincinnati, O.

Riveting Machine Equipment Lintey Bros. Co., Bridgeport, Conn.

Riveting Machines Grant Mfg. & Mche. Co., Bridgeport, Conn.

Red Cutters
Armstrong-Blum Mfg. Co., 341 N. Francisco
Av., Chicago
Bendley & Whittemore Co., Beloit, Wis. Rad Cutters Hendley & Whittemore Co., Beloit, Wis. Lewthwaite Mche. Co., T. H., 4178, Stat., N. Y. Tucker, W. W. & C. F., Inc., Hartford, Conn.

Rotary Tables, Hand Feed Stevens Inc., John B., 27 Cleveland Place, New York

Saw Sharpening Machines Huther Bros. Saw Mfg. Co., Rochester, N. Y. Rogern & Co., Samuel C., Huffalo, N. Y. Wardwell Mfg. Co., Cleveland, O.

Saws, Electric Hand Wodack Electric Tool Corp., 4629 W. Huron St., Chicago Saws, Metal Cutting Circular and Band Huther Broo. Saw Mig. Co., Rochester, N.Y.

Scraping Machines, Hand & Pneumatic Anderson Brothern Mfg. Co., Rockford, Ill.

Screw Drivers, Electric Hisey-Wolf Machine Co., Cincinnats, O. Vim Tool Co., 149 Broadway, New York

Screw Driving Machines, Automatic Reynolds Machine Co., Massillon, Ohio

Screw Machines, Automatic New Britain Mche. Co., New Britain, Conn.

Set-Up Appliances Standard Shop Equip. Co., Philadelphia, Pa.

Shafts, Flexible Keller Mech. Eng. Corp., 58A Washington St. Brooklyn, N. Y Mall Tool Co., 7730 S. Chicago Ave., Chgo. Mail Tool Co., 7730 S. Chicago Ave., Chgo. Stow Flexible Shaft Co., Philadelphia, Pa. Strand Co., N. A., 5001 N. Lincoln St., Chgo.

Shafts, Steel American Hollow Boring Co., Erio, Po.

Shaping Machines
American Tool Works Co., Clinetomati, O. Osborne & Sexton Machy. Co., Lotumbus, O. Rhodes Mrg. Co., Hartford, Come.
Smith & Mills Co., Cincinnati
Bpringfield Machine Tool Co., Springfield, O.

Shears, Alligator Canton Foundry & Machine Co., Canton, O.

Shears, Hand
Armatrong-Blum Mfg. Ce. 341 N. Francisco
Blum & Co. J. . SS2 W. 22nd. New York
Hendler & Whitteners Co., Hendler & Whitteners Co., Hendler & Whitteners Co., 1821 New York
Tasker, W. W. & C. F. Inc., Bartferd, Conn.
The Unishear Co., 271 Lafayette, New York
Whitten Mittal Tool Co. Rickford, Ill.

Shears, Electric Hand Unishear Co., 270 Lafayotte, New York Shears, Power Hendley & Whittemore Co., Belott, Wis The Unishear Co., 270 Lafayette, New York

Sheet Metal Cutting Tools to Unishear Co., 270 Lafayette, New York

Slotting Machines des Mfg. Co., Hartford, Conn.

Slotting Machines, Screw Head Stevens Inc., John B., 27 Cleveland Place. New York

Spacing Washers Detroit Stamping Co., Detroit, Mich.

Special Tools and Machinery Fradford Machine Tool Co., Cincinnati, O. Foote Bros. Gear & Machine Co., 213 Curtie St., Chicage Illinois Machine & Mfg. Co., LaSsile, III. Stacher Co., Chas., 2452 N. Greenview Ave., Chicage Superior Machine & Eng. Co., Detroit Mich.

Speed Reducers Speed Reducers
Foots Bros. Gear & Machine Co., 218 Curtis
St., Chicage
Jones Foundry & Machine Co., W. A.,
4450 W. Roosevelt Road, Chicage

Sprockets Jones Foundry & Machine Co., 213 Curtin Feets Bros. Gear & Machine Co., W. A. Jones Foundry & Machine Co., W. A. 4850 W. Roosevelt Road, Chicago Massachusetts Gear & T. Co., Weburn, Mass.

Stamps, Steel and Rubber Schwerdtle Stamp Co., Bridgeport, Conn.

Stencils, Brass and Oil Board Schwerdtle Stamp Co., Bridgeport, Conn.

Stools and Chairs, Factory Chicago Wire Chair Co., 619 N. La Salle St

Straightening Machines Springfield Machine Tool Co., Springfie Towsley Mfg. Co., John T., Cincinnati Whitney Metal Tool Co., Rockford, Ill. Springfield, O.

Procunier Safety Chuck Co., 18 S. Clinton St., Chicago

Tan Extractors on Co., Hartferd, Conn.

Tap Helders
Bicknett-Thomas Co., Greenfield, Mass.
Procusier Safety Chuck Co., 18 S. Cliston
St., Chicago Tap Holders

Tapping Machines and Attachments
Alto Mig, Co., 164 Wofram St. Chicago.
Aver Drilling Machine Co., Inclinate
History Commission Commission Commission
History Commission Commission
History Commission Commission
History Comm

Rickert-Shafer Co., Erie, Pa. Whitney Metal Tool Co., Bockford, IB.

Thread Dials Colven, J. M., Yonkers, N. Y.

Thread Millers Lees-Bradner Co., Cleveland, Ohio Triplex Machine Tool Corp., 50 Church 591

Threading Machines Rickert-Shafer Co., Erle, Pa.

Threading Teels
Armstrong Bros. Tool Co., 208 N. Francisco
Av., Chicago

Armstrong Bros. Tool Co., 308 N. Francisco Av., Chicago Western Tool & Mfg. Co., Springfield, O.

Tool Racks Tool Racks Chicago Wire Chair Co., 619 N. La Salle St Chicago

T. la, Boring Atmacrong Bros. Tool Co., 800 N. Francisco Av., Chicago

Tools, Lathe and Planer Armstrong Bres. Tool Co., 808 N. Francisco Av., Chicago

Tools, Machinists'
Armstrong Bros. Tool Co., 208 N. Francisco
Αν., Chicago

Tools, Spet Facing Genesse Mfg. Co., Rochester, N. Y. Reininger Mch. Tool Corp., Rochester, N. Y.

Trucks, Machine Shop New Britain Machine Co., New Britain, Conn. Townley Mfg. Co., John T., Cincinneti

Canton Foundry & Machine Co., Cauten, O.

Turret Tool Posts Fay & Scott, Dexter, Maine

Universal Joints American Tool Works, Inc., Hartford, Coss longsson Mfg. Co., Inc., Terrington, Coss loston Gear Works Sales Company, Norfe Downs, Man

Borgason Mig. Co., Dec. Company, Norfelli Boston Gare Works Sinke Company, New Medical Company, Mass.

Lied and Rebuilt Machinery, Mass.
Bath & Co., Cyril J., Grevaind, O., Bennett Michy, Co., & Charch St., New York Bernstein & Co., Gee M., Too Brid. Collings Brown Machinery Co., St. Louis, Me.
Brownell Machinery Co., Last. & Chicago Christian Control States Machinery Co., 186 S. Clinton, Central States Machinery Co., 186 S. Clinton, Central States Machinery E., Called Co., Chicago Chernolas States Machinery Exchange, Tesiod, Lillion, Davis Machinery Exchange, Tesiod, Chicago Chernolas Co., Lac., Last. Co., 186 S. Clinton, Chicago Chernolas Co., Lac., Last. Co., 186 S. Clinton, Chicago Machinery Co., Checkmand, O., Emgire Machinery Exchange Co., Inc., Bealey Machinery Co., Checkmand, O., Harris Rive. Co., 18th & Iron, Chicago Fallo, N. C., Inc., 30 Church Schulington Eleganor Symma & Sans, Joseph, Philadelphia Chernolas Chicago Machinery Co., Chernolas Chicago Hyman & Sans, Joseph, Philadelphia Chernolas Chicago Machinery Co., Chernolas Chicago Hyman & Sans, Joseph, Philadelphia Chernolas Chicago Machinery Co., Chernolas Chicago Hyman & Sans, Joseph, Philadelphia Chernolas Chicago Machinery Co., Chicago Hyman & Sans, Joseph, Philadelphia Chernolas Chicago Machinery Co., Chicago Hyman & Sans, Joseph, Philadelphia Chernolas Chicago Machinery Co., Chicago Michago Michago Machinery Co., Chicago Michago Mich

Hygans & Sons, Joseph, Philosopha, Indian-ludianapolis Michy, & Bopton, Bollo, In-lander, Michy, Ca., Detroit, Mich. J. Johnson & Bons Hachhery Ce., Wn. G., Jones Machhery Ce., Wn. G., Jones Machhery Ce., London H. G., Chiefment, O., Elinay Co., & A., Glecinanti, O., & Lings, C., & Louis, M. C

Used and Rebuilt Machinery—Coat.
Miles Machinery Co., Sarinaw, W. S., Mich.
Moliter Machy, Co., Chap., 118 S. (Blaton St.,
December 11, N., 1. Chicage

Meeter Machy, Co., Char., 118 S. Cliaton St., Melitor Machy, Co., Char., 118 S. Cliaton St., Morch & Merryweather Machinery Co., Melson Machinery Co., Green Bay, Wis. Miles Tool Works Co., Hamilton, O., Nerton-Broadway Mchy, Co., Cincinnati, O., Nerton-Broadway Mchy, Co., Cincinnati, O., Oriott & Co., D. C., Cleveland, Ohio Bandie Machinery Co., Cincinnati, O., Vistat & Co., D. C., Cleveland, Ohio Bandie Machinery Co., Cincinnati, O., Reeves-Fritts Co., 558 W. Wastington, Character St., Character Machinery Dept., Detroit, Mich. Bosenfeld Mchr. Co., 942 W. Lake St., Chap. Scott-Bansbach Mchiry, Co., 139 S. Chicago Saffrant-Etalan Machinery Co., Dogon, Co., Co., Scott-Bansbach Mchiry, Co., 139 S. Chicago Saffrant-Etalan Machinery Co., Daylourh, P. Chicago Saffrant-Etalan Machinery Co., Daylourh, P.

Vises, Drilling Machine

Vises, Drilling Machina Armstrong Hum Mig. Co., 541 N. Francisco Av., Chinage Armstrong Bros. Tool Co., 508 N. Francisco Central Distributing Co., Detroit, Birk. March Machiney Co., A. Ecersisch Chie. Bhelden Machine Co., 2255 Cottage Grore Ave., Chicago

Vises, Machinists'
New Britain Machine Co., New Britain Comm.
Sheldon Machine Co., 3253 Cottage Grove
Av., Chicago
Western Tool & Mfg. Co., Springfield, O.

Vises, Milling Machine

Bartford Special Mehy Co., Bartford, Com.

Bartford Special Mehy Co., Cleveland, Oble
Sheldon Machine Co., 2525 Cottage Grow

Sheldon Machine Co., 2525 Cottage Grow

Blevens Inc., John B., 27 Cleveland Place,

New York

Vises, Shaper heldon Machine Co., 2253 Cettage Grove Ave., Chinage

Welders, Electric Spot Taylor-Windeld Corp., Warren, O.

Wood Working Machinery Frew Machine Co., Philadelphia, Pa., Hendley & Whittemore Co., Beleit, Wie, New Britain Machine Co., New Britain, Ce Forter-Cable Machine Co., New Britain, Ce Towsley Mig. Co., John T., Cincinnati

Werms usetts Geer & T.Co., Weburn, Mass.

Wrenches, Nut Greene, Tweed & Co., 109 Duane St., N. Y.

Wrenches, Ratchet sene, Tweed & Co., 100 Duane St., M. T.

"X-L" Adjustable Inserted Spiral Blade Shell and Machine Reamer



Reamers made with Left Hand Angle
Cutting Blades do not dig in, and all
chatter is eliminated. This means
free, clean cutting, smooth holes,
and increased production.
The range of expansion is

from .100" in the smaller sizes to .150" in the larger sizes. Made with High

Speed Steel Blades.

This is a real production reamer.
The left hand helical flutes cut fast and clean. Made only in high speed steel. Made with straight and tapered shanks.

All Sizes Carried in Stock

Catalog on Request

The Schellenbach-Hunt Tool Co.

118 Opera Place, Cincinnati, Ohio

Agents: E. E. Fletcher, 6007 Euclid Ave., Cleveland, Ohio

Used and Rebuilt Machinery Section

Lists of Used and Rebuilt Machinery, either For Sale, Wanted, or For Ex-change, set in uniform style, will be published in the Classified Section at the rate of 55 cents a line, across the page, each issue, plus \$2.75 for name and address. Minimum charge, \$5.50. No display permitted.

Write directly to those offering the machines for sale, for prices and full descriptions. If what you seek is not advertised, use the blank enclosed to make known your wants in either new or used machinery, and the publisher will pass them along to advertisers,

FOR SALE BY

W. H. Hobbs Supply Co.,				Eau Claire, Wi	is.
Cold saw, 30" Espen-Lucas, 2 Gear hobbing machine, used			 		00.
Turret lathe, Conradson, new.	********	*****	 	1,00	

FOR SALE BY

F. H. Allen. 519 Railroad Ave., Donaldsonville, Louisiana HYDRAULIC WHEEL PRESS.

One brand new brass lined 150-ton hydraulic wheel press, complete and ready to run, for little more than half price.

FOR SALE BY

Asher Machinery Co.,		217 Centre St., New York, N.
Automatic screw machine, !	" Gridle	y, 4-spindle, complete 8 6
Miller, No. 3 Cincinnati plai	n, s, n,	versal, 12x30, complete
Miller, No. 22 LeBlond univ	rersal, d	ividing heads, vertical attachment. 1,00
		dividing heads, like new
Shaper, 20" Stockbridge hea	vy duty	,90% new 6

FOR SALE BY

General Machinery Corporation,

Drill, 20" Canedy-Otto, b. g., p. f. Drill, Henry & Wright 2-spindle, Drill, Leland-Gifford \(\)" cap. b. b. ped., 10000 r. p. m. Forge, American No. 2 gas. Lathe, 12"x6' Hendey, c. r. taper.

170 Summer St., Boston, Mass.

Miller, No. 20 Oesterlein univ. Motor, 50, h. p. G. E. Co. 1150 r. p. m., 550-3-60 Oven furnace, No. 16 American. Shaper, 20" Smith & Mills, b. g. Tapping mche., No. 1 Garvin auto.

FOR SALE BY

A. M. Stochr Machinery Co.,

Bolt cutter, 3-spdl. Acme, 1" cap. Boring mill, Beaman & Smith horizontal, 5" bar; 60" Bullard motor drive, 229 v., 60 cy., 3 ph. Grinders, No., 7 Gardner b. b., d. e., univ., tbl.; Nos. 26-18" Besiy dbl. spdl. disc, complete; Dumore. Miller, 40" Ohio, auto. rotary. Planers, 60x60x18" Gray, 2 heads.

Presses & pumps, hydraulic, 300 ton Perrin. 2-15 ton, comp. with pumps,

106 S. Jefferson St., Chicago, Ill.

Presses, Bliss, arch. 22" str., 28" bet. column; R. & K. dbl. ck., 36" bet. column, roller feed, 22" stroke. No. 12 Bliss, toggle drive. Punch and shears, No. 5 Southwark, 48 throat, arct. jaw, m. d., No. 2 L. & A.; Nos. 52 and 54 Beloit. Riveters, 3-A, 4-A & 5-A, high spd. Screw machine, 32" Gridley, single spindle

Shears, Kling splitting, \" cap.

FOR SALE BY

R. F. Sedgley, Inc. - 2311 N. 16th St., Philadelphia, Pa. CLEVELAND AUTOMATICS

1-2 ", 3 hole turret.
1-3 ", 5 hole turret.
1-4 ", 5 hole turret.
1-1 ", type B, 1" heads on \$\frac{1}{2}\] " machines—these have magazines.

FOR SALE BY

Scott-Bansbach Machinery Co., 130 So. Clinton St., Chicag	
Auto, screw mach., B. & S. No. 19, h. s.	\$ 500.
Auto. screw mach., B. & S. No. 19, h. s. Auto. screw mach., B. & S. No. 00, with slotting attachment	400.
Auto. screw mach., B. & S. No. 0, without slotting	500.
Auto, screw mach. Cincinnati, 5-spindle, \$"	900.
Auto, screw mach., Cincinnati, 5-spindle, 4"	150.
Boring mill, 34" Rogers, with single turret head. Boring mill, Morris horiz., motor drive, 1-15/16" spindle	350.
Boring mill, Morris horiz, motor drive, 1-15/16" spindle	1.000.
Centering machine. Whiton swivel	75.
Centering machine, Whiton swivel. Drill, 21" Cincinnati sta. head, with tapping attachment	200.
Drill, I-spindle Allen h. s., b. b., 14" with pump	125,
Drill, 4-spindle Barr, plain bearing	225.
Drill radial 3 American sensitive	200.
Drill, radial, 3' American sensitive	600.
Drill, 20"-2-spindle Hoefer power feed	250.
Dill, 24" Barnes all'geared, late type	350.
Filing machine, Cochrane-Bly, floor type	100.
Grinder 96" Valley City diec	250.
Grinder, 26" Valley City disc	900.
Grinder, new No. 2 Acme full universal 1400 lbs.	500.
Grinder, No. 2 B. & S. surface, no mag. chuck	375.
Hammar & lbs No & Standard dron	150.
Hammer, 50 lbs., No. § Standard drop Lathe, 18x8' Schumacher & Boye, quick change with taper	500.
Lathe 90x10 Bradford with chuck	400.
Miller Whitness Ctandard and IT C hand	125.
Lathe, 20x10 Bradford, with chuck Miller, Whitney, Standard and U. S., hand. Miller, No. 2 Fox hand Miller, No. 0 Cincinnati plain, power feed.	100.
Miller No. 6 Chadragai lain page 6-4	250.
Miller No. 1 Carrier full mineral power feed	600.
Miller No. 1 Carvin Iuli Universal, power feed	650.
Miller, No. 1 Garvin full universal, power feed	550.
Miller, Briggs, G. & E. manufacturing, 16" and 24", each	200.
Miller, Driggs, G. & E. manufacturing, 10" and 24", each	
Miller, No. 3 Becker vertical	325.
Miller, No. 8 Becker vertical, no rotary	500.
Miller, No. 7 Becker, Lincoln type	150.
Miller, No. 31 Garvin power feed, ou pump	150.
Miller, Hendey, Lincoln type Miller, Ingersoll slab, 42"x38"x9'	100.
Miller, Ingersoli siao, 42 x36 x9	1,759,
Oil separator, Curtis § bu. Planer, 24"x24"x8' American, I head self contained countershalt Planer, 24"x24"x8' American, I head self contained countershalt	100.
Planer, 24 X24 X6 American, I head self contained countershalt	600.
Planer, 24 'X24 'X5' American, I head self contained countershalt	650.
Planer, 24x24x8 Fitchburg, 1 head	400.
Pianer, 32x32x8 Pond, I head	750.
Saw, exe Peerless n. s., d. c. motor #150.—a. c.	175.
Saw, 9x9 Peerless h. s., d. c. belt drive	250.
Saw, Racine metal band, nearly new	175.
Shaper, 20" Rockford, back geared, crank	550.
Shaper, 71 Milwaukee, back geared, crank	550.
Shaper, 71" Milwaukee, back geared, crank Shaper, 24" Averbeck, balanced ram, vise, countershaft	800.
Shaper, 74" Kockford universal combination	1100.
Screw machine, P. & W. Ixt, complete	150.
Turret lathe, No. 3 Superior It" plain head, full equipment	250.
Screw machine, P. & W. \$x4. complete. Turet lathe, No. 2 Superior 14° plain head, full equipment. Turret lathe, 24 Warner & Swassey, bar and chuck equipment.	,500.
Auffet lathe, No. 4 Briggs IV Hiction head, full equipment	200.
Turret lathe, 24" Steinlee, 52" hole, side carriage	700.

FOR SALE BY

Herman L. Winterer.

943-53 N. Front St., Philadelphia, Pa.

43"x17' 44" Bement-Miles. LA 374"x14' Johnson d. b. g., q. c. f., t. a. 372'x12' Pittsburgh, heavy duty, q. e. g. 27"x12' Bullard. 26"x11' Wickes, q. c. g. 26"x14' Niles, q. c. g. 19"x16' Daper, patent head.

3\(\frac{1}{2}\)\(\frac{2}{2}\)'' Pond, triangle.
3\(\frac{1}{3}\)\(\frac{1}{2}\)'' Pond, triangle.
3\(\frac{1}{3}\)\(\frac{1}{2}\)'' Pond, triangle.
19"x7' Fay & Scott, back grd. No. 22# Garvin Monitor. 14"x 6 Warner & Swasey.

48" Almond, sens. radial, post type. 40" Barnes horizontal radial. 26" Aurora, sliding head.

24" Foote-Burt heavy duty. MILLING MACHINES.
No. 5 Cincinnati, table \$\fop\$250\$\fop\$''.
No. 5 Becker Brainard, vertical.
No. 3 Becker-Brainard, new model,

No. 3 Brown & Sharpe, plain, cone No. 3 Hendey, q. c. g.

43"x37"x9' Sellers, 2 heads. 48"x48"x12' Gray, 2 heads. 48"x36"x14' Cincinnati, 4 heads.

Boring mill, car wheel, 60" Newton. 42" Bullard, 2 swivel heads. (2). Boring mill, No.1 Sellers hor., 23"bar.

4" & 8" Eaton, Cole & B., pipe. 4" Armstrong, No. 00 pipe machine. MISCELLANEOUS. Arbor press, No. 3 Greenerd. Arbor press, No. 8 Greenerd, 36"

bet. columns. Arbor press, 30 ton Weaver.
Centering mche., 5" Whiton, dbl. sp.
Centering machine, 4" Hendey,
motor driven. Cold saw, No. 6 Nutter & Barnes.

Elec, hoist, 1-ton Link Belt, 2ph.a.c. Gear shaper, No.35 Fellows, straight and helical heads. Generator, No. 100 Oxweld acetyl. Grinder, 137"x5' Landis universal. Grinder, No. 8 Diamond, double

end, heavy type. Grinder, disc, No. 17 Besly. Grinders, several dbl. end electric. Hammers, 15, 25 & 40 lbs. Bradley

helve. Hammer, No. 2 Beaudry-Champion, 50 lb.

LATHES.

18" x 7' Chard, d. b. g., semi q. c. g.
t. a. | 18" x 8' Sidney, q. c. d. b. g., t. a.
c.g. | 14" x 6' Springfield, latest type, tool

room type, t. a.

14"x 6' Lodge & Shipley, patent head, taper, pan bed.

14"x8' Lodge & Shipley, q. c.

TURRET LATHES.
| No. 3 Foster sc. machines 1-5/16" wire feed, (2).

14"x9" Cincinnati-Acme, wire feed. No. 4 B. & S., bar feed, all auto. fds. No. 2 Smurr & Kamen, wire fd., (8).

DRILL PRESSES.

20" Excelsior, b. g. 20" Champion, motor driven. 20" Aurora, b. g., p. f.

q. c. g., vertical attachment. No. 3 Becker universal milling machine.

PLANERS AND SHAPERS. 30"x30"x8' American, 1 head, 15" Lodge & Davis shaper.

3" Cox, quick opening dies.

BORING MILLS. Boring, drilling and milling ma-chine, 17% Bement-Miles horiz.

PIPE AND BOLT MACHINES.

Hammers, 60lb. Bellefonte upright, 2. riammers, 801. Beneforte uprignt, 2. Keyseater, No. 4 Cathin, m. d. Punch press, No. 2 Cons., flywheel, Punch or gate shears, 72" Cleveland multiple, 15" throat. Punch and riveters, new Doty (2), one 35" stake and one 30\frac{3}{2}" stake.

one 25" stake and one 36" stake. Punch presses, all sizes, (35). Riveter, 3/16" Grant, on column. Riveter, air, 6' gap Allen, cap. 14". Riveter, air, 6' Allen. cap. 14". Saw, No. 7K Atkins Kwick-Kut. Rolls, 4' drop end corrugated. Saw, Q. M. & S. No. 4-B universal, 33" blade. 33 Diage. Shear, 87 Ohl, No. 20 ga. Slotter, 14" Niles. Slotter, 34" Rhodes vertical. Tire press, hyd., 60-ton Defiance. Tooth rounding machine, S. & S.

Send for our latest 44-page illustrated Catalog and Price List.

FOR SALE BY

Fitchburg Grinding Machine Corporation, Fitchburg, Mass.

LATHES Putnam 14"x6'.

Perkins threading 21"x10".

Greaves-Klusman 18"x8

New Haven 32"x12'. PLANERS

42"x36"x22' Whitcomb. 32"x26"x16' Whitcomb, 2 heads. 22"x22"x6' Whitcomb.

17"x20"x8' Whitcomb. 30"x30"x8' Powell, 2 heads.

3x36" J. & L., chuck equipment, double spindie. 21x26" Greenlee.

TURRET LATHES.

16" Reed Prentice. 21" Gisholt.

No. 1 Steptoe.

MILLERS.

BORING MILLS. 24" Reed-Prentice. 3"x24" Rockford.

FOR SALE BY

Chas. Molitor Machinery Co., 118-124 S. Clinton St., Chicago, Ill.

MILLERS.

No. 2B B. & S. univ., single pulley. No. 2B Kearney & Trecker univ. No. 2 Rockford plain. No. 2 Brown & Sharpe plain. No. 3 Cincinnati plain.

No. 2 Brown & Sharpe universal. LATHES

36"x16' Bridgeford, grd. hd., q.c. g. 26"x14' Javis, q. c. g. 26"x14' Javis, q. c. g. 26"x16' Nickes, semi-quick chg. gr. 20"x16' LeBiond q.c.g., 38" sp. hole. 18"x16' Davis, q. c. g. 18"x8' LeBiond q. c. g., taper. 18"x8' Kahn-Larmon, motor drive.

18"x8' Greaves-Klusman q. c. g. 14"x8' I 18"x8' Sidney, quick change gear. 12"x5' V DRILL PRESSE 28" Reserved.

24" Aurora sliding head, t. a. 24" Mechanics, sliding head, g. b.

28" Snyder sliding head, g. b.
6-spindle Barnes, power feed.
4-spindle Avey high speed.
2-spindle Cleveland, tapping attach SHAPERS

20" Could & Eberhardt, gr. crank.
20" Queen City, gestred crank.
20" Queen City, gestred crank.
20" Cincinnati, geared crank.
30" Cincinnati, geared crank.
4" Smith & Mills, crank.
4" Pratt & Mills, crank.
4" Pratt & Mills, crank.

No. 2 W. & S. hollow hex. turret. No. 2, 1, 0 B. & S. formers. No. 2 Brown & Sharpe semi-auto.

Bolt cutters, 1", 1", 11", 2" Acme. Bolt cutters, 1", 12" Landis. Gas engine, 75 h. p. Foos, direct connected to 100 k. w., 230 v., d. c. generator.

No. 4 Becker vertical. No. 1-Y Brown & Sharpe, power fd. 30"x8" Beaman & S. vert. and horiz. 30" Bullard vertical turret. 21" Binnse horizontal boring mill. Large variety of smaller millers.

ES.
16"x8' L. & S., grd. hd., taper,
14"x8' Bradford q. c., taper.
16"x 7' Oliver, q. c., g.
16"x 6' Chicinnati, q. c., taper.
15"x6' Whitcomb-Blaisdell, motor,
14"x6' Whedey, taper attach. (3).
14"x6' Rockford.
14"x6' LeBlond taper, collets,
12"x5' Vernon q. c. g.

20" Becker, style F. 2-spindle Avey high speed, tapping. Variety of bench and floor types, Leland-Gifford, Avey, Allen, etc. drill presses.

arge variety Fosters, Acme, V. O. No. 53 Nat-Acme, motor att. (8), ni-auto. 4", 3" Cleveland (5). MISCELLANEOUS.

Keyseaters, Nos. 0 & 2 Becker. Keyseaters, Nos. 1 and 2 Davis, Tappers, *", *" Rickert-Schafer.

Large stock of lathes, punch presses, plain and universal grinders, 2½, 4' 5', 8', 10' power squaring shears, tappers, several hundred Warner & Swasey, etc., box, boring tools etc.

FOR SALE BY

Marr-Galbreath Machinery Co.,

Air compressor, 12 cu. ft. Natl. belt. Air compressor, 12"x10", a. c. motor. Air comp. 8x6, dble cyl. Gardner. Air compressor, 1190 cu. ft., a. c. mir. Arbor presses, Nos 0, 1, 2 & 3. Bender, angles, hand, No. 9 Buffalo. Blowers & exh., 6, 8, 9 & 16" opening. Bolt cutter, 1‡" Morgan, double hd. Bolt cutter, 1‡" Acme, triple head. Boring mill, 42" Bullard, 2-heads. Boring mill, 42" Bullard, 2-heads, Boring mill, 51" Bullard, 2-heads, Brake, 8'x12 ga. Power, Chicago, Brake, 10'x18 ga. D. & K. hand, Burnishingbarrel, 24"x16", glass lined Cold saws, Nos. 11‡ and 12 Higley. Crane, 5-ton P. & H. 44 6" span, a.c. Crane, 10-ton, 40' span, 220 v. d. c. Die sinker, Jackson, 48"x13". Die sinker, Jackson, 48"x13".
Draw bench, Oliver 6' belted.
Drill, 18" Detroit High Speed bench.
Drill, 13" Prentice, plain.
Drill, 22" Willey, b. g. motor 110 v.
Drill, 23" Bockford, b. g., p. f.
Drills, 38" Barnes, b. g., p. f.
Drills, 38" Taylor & Fenthed. a.
Drills "Freuthed". a.
Drills "Freuthed". a.
Drills "Freuthed". a.
Drills "Freuthed". 18", 12", 14", Flanging mcb. Slevert 10 g. a. hard. Flanging mch. Sievert, 10 ga. hand. Floor crane, 4000 lb. cap., (hand). Forge, 92-D. Buffalo, 27x33". Forging mche., 1\(\frac{1}{2}\)' Acme, steel bed. Forging mach., 3"Acme, steel, m. d. Forging and rivet header, 1" Ajax. Furnaces, oil tempering, 10"x10"x10". Gear and pinion cutter, No. 3 Sloan & Chace. Grinder, No. 1 Norton universal

tool and cutter.
Grinder, No. 3 Brown & Sharpe
univ. cutter & tool. Grinder, surface, No.1W. & M., m.d. Grinder, d. e. safety, 16"x3" wheels, Grinder, No. 18-D Rowbottom, Grinder, No. 60 Heald, 19" arm. Hack saw, Atkins, cap. 8"x8". Hammer, 40 lb. & 75 lb. Bradley. Hammer, 2-B. Nazel, belt and motor Hammer, 2500 lb. Chbg., s. f. steam. Hammers,stm. s.f. 600,1100, 1500 lbs. Hammer, 250 Chbg. board drop. Hoists, air, 700, 800 & 1300 lbs. Jointer, bench, Oliver, 6" belt. Keyway cutter, 24" Morton, cap. 24". Keyway cutter. 24" Morton, cap. 24". Lathes, coil winding, Nos. 3 & 4. Lathe, 6"x24" Wade, bench. Lathe, 6"x24" Wade, bench. Lathe, 10"x4 Seneca Falls. Lathes, 11"x6" R-L., q. c. g. Lathe, 18"x6" Hendey, t. a. tie bar, Lathes, 11"x8" R-P., geared head. Lathe, 18"x8" Cisco, q. c. g. Lathe, 18"x9" Lethan, q. c. g. t. a. Lathe, 18"x12" Lodge & Shipley q. c. g., t. a.

58 Water St., Pittsburgh, Pa.

Lathe, 21"x12' Le Blond, g. h., pan. Lathe, 20"x10' Schellenbach, g.h.t.a. Lathe, 20"x10' Sidney, q. c. g., t. a. Lathe, 36"x64' Bridgeford gun boring m. d. Lathe, 24"x10' Putnam, taper attach. Miller, vert. No.4-B Becker, for m.d. Miller, No. 1 Cincinnatiuniversal. Miller 3-H. LeBlond, univ. Miller, No. 3-B Milwaukee, s. p. d. Miller, pl. No. 2 Cincinnati, cone. Miller, No. 0 Kempsmith univ. Miller, duplex Knight, table 8\(\frac{1}{2}\)x32". Motor, 14 & 5 h. p. 1/60/110-220. Motor, 3 h. p. 1/60/110-220/1200 rev. Motor, 3 h. p. 1/60/110-220/1209 rev. Motor, 15 h. p., 270 v. d., 200/1200 rev. Motors, 20 & 50 h. p., 3/60/220/900. Paper silter, 15' Jacques, bench. Pipe machine, 4' Williams, m. d. Planer, 20'x16'x46' New Haven. Press, No. 14 Stiles (bliss) pia Press, 52 Ferracute, punch. Press, D. G. 62, Ferracute, s. s. Press, No. 39 Bliss horn, table. Press, No. 39 Bliss horn, table, Press, No. 30 Bliss horn, trimming. Presses, No. 87 Niagara, screw. Punch, 39" thirt, 1"21" m.d., s. e. Punch, horiz., 1½x", 13" tht, m. d. Punch & shear, 36" Cleve. e. f. a. j. Punch (coping, steel plate, 13" thrt, 36" die space, 2hole 1"X1", m. d. Radial drill, 24" Fosdick, t. a. Riveter, Allen jaw, 36" cap. 14". Riveter, 4" Shuster rotary, belt. Roll. forging, No. 1 Aiar 24". Riveter, W Snuster rotary, belt. Roll, forging, No. 1 Ajax 24". Rolls, bending, 66"x3/16" Bertsch. Saw, Burke. 12" blade, capacity. Saw table, No. 260 F. & E., (wood). Screw machine, 10" Pratt & Whitney Screw machine, it? Fratt & Whitney plain, wire feed.
Shaper, 7" Rhodes, vise.
Shaper, 6" Pratt & Whitney.
Shaper, 12" Springfield, crank,
Shaper, 16" S. & M. American,
Shapers, 16" S. & M. American,
Shaper, 26" Smith & Mills, b. g., cr.
Shear, 10-F. Lennox serpentine.

Shear, alligator, Canton 28", No. 4. Shears, foot, 36" and 62"x16 ga. Shears, foot, 36" and 62"x16 ga. Shear, rotary, 12" thrt., cap. 10 ga. Shear, rotary bevel, Lennox 8" m.d. Shear, rotary bevel, 4", m. d. Shear, squaring, 6"x14 ga. power Tapping machine, 5,016" Rickert-S. Tapping machine, 5,016" Rickert-S. Turbo compres., Spencer 5400 c.f.m. Turbo-generator, 500 kw, 3/80/2300. Turret lathe, 13" Gisholt, 21" h. s. Turret lathe, 2"x24", J. & L., s. p. d. Turret lathe, 18" W.&S. friction hd. Wheel press, 200-ton Niles hyd., 48".

FOR SALE BY

2613 E. 73rd St., Cleveland, Ohio Foster Machinery Company,

SHEARS. 12'x14 ga. Loy & Nawrath. | Canton alligator, cap. 14' sq. MISCELLANEOUS. | Automatic, No. 24 New Britain. | Drill, 14' Allen, ball bearing. | Band saw, 24' woodworking. | Drill, 4' Mueller radial.

Drill, multiple - spindle No. 3 Morse taper.

Riveter, High Speed 2A. Upsetter, 34" Acme.

FOR SALE BY

McMullen Machinery Company, Grand Rapids, Mich.

Automatics. #" Cleveland, (2). Baling press, Chicago scrap metal. Cold Saw, No. 4 Greenfield.

Drill, 20" Wisconsin all geared. Furnace, No. 200 Stewart, Crucible. Grinder, No. 6-A Bryant.

Grinder, Wisconsin universal, Lathe, 22x26 Greenlee flat turret. Pipe machine, 6" Merrill. Press, No. 3 Manville d. a. Shear, 272 Niagara, cap. 14 ga. Welders, No. 10 Thomson, butt.

FOR SALE BY

McDonald Machinery Co., 1531-33 N. Broadway, St. Louis, Mo.

Air compressors, Ingersoll-R. 5x7, motor drive, Bury 12x12.

Angle bender, Excelsior belt drive.

Arbor presses, Eames No. 6. Band saw, Klemm metal cutting, Boring mills, 7 Bullard 42" low price. Chain hoists, I, I‡, 2 and 3-ton. Demagnetizer, Walker. Drill, Baush 18-spindle.

Drills, Baker, heavy duty (2).
Drills, Leland-G I-sp. h.s., b.b. floor.
Drills, Kokomo I-spindle, Sipp 1 and 2 spdl., h. s., b. b. Drills, 20", 24", 26 & 28" b. g., & tap. Drill, American 24' radial. Grinder, Modern 8"x30".

Grinders, Landis piston, motor driven, Landis cylinder, 90% new. Grinder, Heald No. 60 cylinder. Grinders, modern internal; Blount

30", wet (3), Heald 8", mag. ck.
Grinders, St. Louis No. 9.
Grinder, Reed-Prentice vert. surf.,
2 chucks. Hack saws, 4x4, 6x6 & 2 Racine Jrs,

Atkins 4x4"; Atkins 8x8 h. s.; Marvel No. 2; Racine h. s. Hammer, Bement-Niles 1100 lb. st. Keyseaters, M. & M. No. 0. Keyseaters, M. & M. No. 0.
Lathes, Schumacher & Boye, 42"x16'
q. c. g.; Bridgeford 36"x12' q. c. g;
South Bend 24"x14' onysi 22"x10';
Whitcomb-Blaisdell 22"x8' g. c. g.
Amer. 20"v5! Hendey 14"x6' q. c.g.
q. c. g.; Monarch 16"x8': L. & S.
20"x10"; C. & J. 15"x8' all q. c. g.;
40 other assorted sizes.

Milling machines, Kempsmith No. 2;

Ohio No. 20 plain. American No.

14 universal. Ohio 34; LeBlond No. 3-H plain; Brown & S. No. 3

No. 3-H plain; Brown & S. No. 3 pl.; Becker No. 4-B vertical; B. & S. No. 3 Bpl., s. p. d.; Kempamith No. 3 universal; No. 1 Kempamith plain; Becker No. 2 vertical. Pipe machine, Curius 3", motor dr.; Merrill 4" belt drive, Jarecki 2". Planers. Gray 28 x28 x6". 1 head: Pond, 36"x36"x12" table, 16" bed, Pond, 36"x36"x12" table, 16" bed, 2 heads. 2 heads, W. & W. No. 17 punch;

Punches. Punches, W. & W. No. 17 punch; Beloit No. 55 punch & shear-Punch presses, Swaine Nos. 27, 29, 31; Bliss No. 19 o. bi., (2) Federal Nos. 1, 2, 3; McDonald No. 2. Pyrometer, Thwing elec, with rec. Rolls, Badger 50° Pyramid power rolls, 5° dia. 4° cap. Serew machine, Gridley 1-spdl. 24°

auto; Cleveland 14" auto; Gridley 4-sp. 14" & Gridley 4-sp. 24" cap., automatic; P. & W. No. 24 hand; Foster No. 3 hand; Woods No. 2 tilted turret head; Bardons & O.

titled turret head; Bardons & O.

No. 7; National-A. No. 52 auto.,
4-sp., m. d. B. & S. No. 90 auto.
Shapers, Cint. 30", b g: Ohio 20",
American 16" b. g.; S. M. 16",
Steptce 14" Barker 24" b. g., Barker 18
b. g.; American 18" back geared. o. g.; American 18 back geared:
American 20 b. g with univ. table:
Rhodes 7"; Niles traveling head.
Shears, 60" thrt. rotary slitting. (2).
Turret latte, Warner & S. No. 2-A.
Welders, butt, Federal, §" rds.

FOR SALE BY

West Penn Machinery Company

1208 House Building.

Pittsburgh, Pa.

Air comp., 10"x10" Laidlaw, 275'. Air comp., 18-24. Laidlaw, 278.
Air comp., 8x8' Ing. Rand. 96 cu. ft.
Air comp., 6x8" Gardner duplex.
Air compressor, Gardner portable,
gasoline 47 cu. ft.
Bolt cutters, 14", 2", 24", 4" Landis,
Bolt cutters, 14", 2", Landis, dbl. hd.
Borizuitii. Boring mills, vertical, 30" to 16'. Boring mill, horiz. 4-spdl., Newton. Brake, 6'x10 ga. Dreis & Krump. Brake, 8'x16 ga. Robinson. Brake, press type, 5'x10 ga., press type, Brake, 10'6" Ohl, 10 ga., press type, Bulldozer, No. 4 Williams & White. Bulldozer, No. 25 W. & W. Drills, 14" to 38". Drill, 2-sp. b. b. Elmore, 1", sens. Drill, No. 2 Colburn. Drill, No. 2 Colburn.
Drill, mult., No. 8 Fox, 10-spindles.
Drill, radial, 6' Prentice, s. p. d.
Flanger, McCabe, 4' Capacity,
Gear cutters, spur and bevel.
Gear hobber, 96'' Gould & E.
Gear planer, 24'' Gleason, bevel.
Grinder, 6bj., 14''x14'', 220 v., 3-60.
Grinder, 12''x86'' Norton, b. d.
Grinder, 10. A Besly, disc.
Grinder, disc., No. 52 Besly.
Grinder, Diager type. 5'' Springfield. Grinder, disc, No. 52 Bealy, Grinder, Daner type, 51" Springfield. Grinder, No. 22 Heald surf., 12" chk. Grinder, No. 16 Blanchard. Grinder, No. 16 Blanchard. Grinder, tool & cut., No. 2 Walker. Hammer, 75 lb. Bradley upr. helve. Hammer, 80-lb. Bradley, cush. helve. Hammer, 160-lb. Dupont, upright. Hammer, 160-lb. Dupont, upright. Hammer, No. 2-B Nazel, m.d. Hammer, No. 5-N Nazel, m.d. Hammer, Start 560 lb. 16, 23000 lb. Hammer, No. 5-N Nazel, m. d. Hammera, steam 660 lb, to 3000 lb, hammer, 1000-lb. Chambersburg. Hammer, 2509-lb. Bement, sgl. fr. Keyseater, No. 2 Mitts & Merrill, Lathes, 12" to 66".
Lathe, 18"s8 'Rockford.
Lathe, 18"s12 Sidney, q. c. g.
Lathe, 34"x10' Pittsburgh. Lathe, 19"x16" Pittsburgh.
Lathe, turret, 38" Acme grd. head.
Lathe, turret, 38" Acme grd. head.
Lathe, turret, No. 4 W. & S.
Miller, No. 2-B Brown & S.
Miller, No. 2-B Brown & S.
Miller, slab, 24"x26"x14" Ingersoll,
Miller, univ. No. 2-Brown & S.
Miller, univ. No. 3-Brown & S.
Miller, univ. No. 3-Brown & S.
Miller, univ. No. 3-Brown & S.
Miller, univ. No. 3-C Becker, s.p.d.
Pipe machine, 2" Williams, b. d.
Pipe machine, 2" Williams, b. d. Pipe machines, 2" to 12".
Pipe machines, 2" to 12".
Planer, 48"x42"x12' Cincinnati. 2hds.
Planer, 96"x72"x42' N.-B.-P. m. d.

Planer, o. s., 42"x42"x12' D. & H. Planer, rotary, 48" Newton. Press, hyd., 50-ton Lourie, Press, hyd., 60-ton Watson-Stillman. Press, byd., 56-ton Watson-Stillman. Press, geared, No. 34 Toledo. Press, No. 378 Bliss, s. s., 6" stroke. Press, No. 378 Bliss, s. s., 6" stroke. Press, No. 28 Bliss, p. s., 8. Press, No. 78 Bliss, s. s. Press, No. 59 Toledo. Press, No. 59 Toledo. Press, toggle, No. 165 Toledo. Press, toggle, No. 165 Toledo. Press, wheel, 150-ton Caldwell. Punch, hor., Cleveland, 1" thru 1". Punch, No. 21. & A. 12" thr., arch jaw Punch No. 21. & A. 12" thr., arch jaw Punch, No. 14 W. & W., de. 18"-1". Riveter, Hanna, 18" thrt., 15" gap. Riveter, stake, No. 6 Whiting, 48" thr. Riveter, rianna, 18" thrt., 15" gap. Riveter, stake, No.6 Whiting, 48" thrt. Rolling mill, 18" Standard. Rolls, 14" x20" Ajax. Rolls, augle bending, 2° 12° Bertach, Rolls, bending, 4° 12° L. Bertach, Rolls, bending, 4° 16° C. Rolls, bending, 4° 16° C. Rolls, bending, 4° 16° C. Rolls, etraighting, 3° 16° ga, 17°, Saw, cold, 24° Hunter high apeed. Saw, cut-off, Vates double end, new. Saw, hack, Ro. 7 Atkins 8° 18°. Saw, back, 18° 18° 16° Feb. 2° L. Hunteral, b. d. Shaper, 16° Smith & Mills, b. d. Shaper, 16° Stockbridge, b. d. Shaper, 28° Stockbridge, b. d. Shear, angle, L. & A. 6° 18° 18° sq. Shear, alligator, Radger, 1° square, Shear, alligator, Rolls, 1° sq. Shear, alligator, No. 5 Canton, 3° sq. Shear, alligator, No. 5 Canton, 3° sq. Shear, alligator, Mesta, 5° 26°. Rolls, angle bending, 2"x " Bertsch. Shear, alligator, Mesta, 8'x5''.
Shear, bevel, Lennox #.
Shear, pule, Lennox #.
Shear, piate, 10'x #' Bertsch, 15'' thrt.
Shear, piate, 10'x #' Morgan, 24' gap.
Shear, piate, No. 7 H. & J. 14'x1''.
Shear, piate, No. 7 H. & J. 12'x1''.
Shear, piate, No. 7 H. & J. 12'x1''.
Shear, rolar, No. 6 Quickwork #.
Shear, rolar, No. 6 Quickwork #.
Shear, rolar, No. 6 Quickwork #.
Shear, ag. 18'x2'/18' W. R. ym. d.
Shear, ag. 8'x18'ga. Bertsch, bot p'.
Shear, ag. 2'x18' ga. Bertsch, bot p'.
Shear, ag. 2'x1''s ga. Bertsch, bot p'. Shear, sq. 28 x16 ga. Bertsch, b. d. Shear, squar. 42"x3/16" Canton, b. d. Straightener, bar, No. 4-D K. & J. Straightener, beam, No. 4 H. & J. Swaging machine, 1" Langelier. Testing machine, 100.000 lbs. Welder, Gibb spot. #", 32" thrt.
Upsetters, 1\(\frac{1}{2}\) to 5".
Upsetter, 1\(\frac{1}{2}\) Acme.
Upsetter, 4" Acme, steel frame.

FOR SALE BY

Carlson Machinery Co., Inc.,

Boring mill, No. 2 Rockford horiz, Boring mill, No. 3-A Universal hor, Centering machine, 4" Pratt & W. Drill, 4" Sipp h.s.b.b., 8" overhang. Grinder, 10x20 Landis universal. Hobber, 24" Schuchardt & Schutte. Lathe, 7"x30" Dalton bench.

Davenport, Iowa

athe, 13"x5' Sheppard. Miller, No. 3 Ohio plain.
Turret lathe, No. 4 W. & S. pl.
Turret lathe, No. 6 Warner & S., power feed to carriage and turret. Turret lathe, No. 3 Foster.

FOR SALE BY

Reliance Machinery Sales Company N. S. Pittsburgh, Pa. 1405 Brighton Road,

Automatic, 2" Cleveland model A, single spindle.

Automatic, 31" Cleveland model A.

single spinole.

Automatic, 34" Cleveland model A, single spinole.

Automatic, 4" Gridley model G, m.d. Automatic, 4" Gridley model G, m.d. Automatic, 5" cone, m.d., latest type. Automatics, Nos. 52, 53 & 5 Acme. Bolt cutter, 4" Acme, class" A," 2-sp. Bolt cutter, 4" Acme, double head. Bolt cutter, 19" Acme, single head. Roring mill, D, & H., 34" bar. Borting mill, Niles horiz, 44" bar. Boring mill, Niles horiz, 44" bar. Boring mill, 51" Bullard, 2 heads. Boring mills, 51" Bullard, 2 heads. Brake, 8" D. & K., 14 gauge. Bulldozer, No. 4 Williams & White. Broach, No. 3 LaPointe.

Centering methe, Cadillac dbl. end. Broach, No. 3 LaPointe.
Centering mche, Cadillac dbl. end.
Cutting-off machine, 6" Hurlburt-R.
Drill, 3" Weigel, sliding head.
Drill, 4" Barnes, sliding head, t. a.
Drill, 4-spindle Taylor & Fenn, p. f.
Drill, 4-spindle Taylor & Fenn, p. f.
Drill, 4-spindle Taylor & Fenn, p. f.
Drill, 1-2 W. multiple, 1-21" spdls.
Drill, No. 25 Foote-Burt thy, duty.
Drill, No. 25-36 Foote-Burt, vy. duty.
Generative, No. 1 Billor Drill, No. 25-36 Foote-B. hvy. duty. Gear cutter, No. 1 Bilton. Gear cutter, No. 1 Bilton. Gear cutter, No. 1 Bilton. Gear cutter, No. 1 Bilton W. Starpe. Grinder, 5 h. p. U. S., 220-3-80. Grinder, No. 1 B Frow Gap, m. d. Grinder, No. 10 Heald, scrial 2230. Grinder, No. 11 B & S. plain. Grinder, 12°x24" Modern plain. Grinder, No. 1 Norton univ. cutter, Grinder, No. 1 Norton univ. cutter, Grinder, No. 120 Gardner obl. sold, Grinder, No. 120 Gardner obl. sold, Grinder, No. 5 Springfield planer type.

Hammer, No.1AA HighSpeed, m.d. Hammer, 300 lb. Bradley upright, Keyseater, No. 2 Baker, cap. 2". Keyseater, 48" Morton, cap. 29". Lathes No. 3 Hardinge Precision (3.) Lathe, 12"x10" Davis tool rm., q.c.g.

Lathe, 14"—26" Fay & Scott gap. Lathe, 16",8' American, late type. Lathe, 18",10" W. B., g. h., s. p. d. Lathe, 29",x12" Greaves-K., q. c. g. Lathe, 24",x14" Greaves-K., q. c. g. Lathe, 24",x14" Greaves-K., q. c. g. Lathe, 21",x18" Reed, bargain, Lathe, 30",x12" Boye & Emmes,q.c.g. Lathe, 18" Libby turret, s. p. d. Lathe, 21" Gisholt turret, (2), Miller, No. 1 Knight, 6"x18", Lathe, 14"-28" Fay & Scott gap. Miller, No. 1 Knight, 6"x18' Miller, No. 13 Garvin plain. Miller, No. 1 Knight, 6"x18".

Miller, No. 13 Gavrin plain.

Miller, No. 2 LeBlond univ. h. d.

Miller, No. 2 Cincinnati plain.

Miller, No. 3 Cincinnati plain.

Miller, No. 3 Cincinnati plain.

Miller, No. 4 Hendey plain, s. p. d.

Miller, No. 5 CBecker vertical.

Pipe mehe., Jarceki II" '10 6". m. d.

Pipe mehe., Jarceki II" '10 6". m. d.

Pipe mehe., L. C. & B., 23" '10".

Press, No. 3 Adriance o.b.i., 34" '11".

Press, No. 3 Standard, o. b. i.

Press, No. 3 Standard, o. b. i.

Press, No. 5 Toledo o. b. i., fam.

Press, No. 5 Toledo o. b. i., fam.

Press, No. 5 Toledo o'trimming, m.d.

Planer, 24"x18"x8" Powell, 1 head.

Planer, 34"x18"x8" Powell, 1 head.

Planer, 35"x18"x12"Cincinnati, 2 hds.

Planer, 46"x18"x14" Betts, 3 heads.

Planer, 46"x18"x14" Betts, 3 heads.

Planer, 46"x18"x14" Betts, 3 heads.

Planer, 46"x18"x14" Reed. Prentice, m. d.

Radial drill, 4" Drese, g. b., t. p. d.

Radial drill, 4" Drese, g. b., t. p. d.

Radial drill, 4" American metal swing, m.d.

Saw, 14" American metal swing, m.d.

Saw, 14" American metal swing, m.d.

Saw, 14" American metal swing, m.d.

Screw mehe. No. 4W. & S., b.g., f.h. Saw, No. 3 Ryerson friction, m. d. Screw mche., No. 4 W. & S., b.g., f.h. Seamers, Bliss, Leffler & Max Ams. Seamers, Diss, Lemer & Max Ams, Separator, Dings magnetic, b. d. Shaper, 14" Obin single gear crank Shaper, 14" Steptoe single gear crk. Shaper, 20" Averbeck, g.b., s.p.d. Shaper, 30" Avorbock g.b., s.p.d. Shaper, 30" Worton draw cut. Tapper, 2" Webster & Perks, 1-spdl.

FOR SALE BY

Arthur C. Badger Metal Products Co. 962 Park Square Bldg. Boston, Mass.

MIXING KETTLE

One steel mixing kettle, 38" diameter by 38" deep, single stirrer.

OVEN FURNACE
One Stewart oven furnace, 48" wide, 38" high, 54" deep, 6" opening with cover in door, heated by gas. In good condition, practically unused.

FOR SALE BY

Lee Machinery Company, Inc.

6318 E. Jefferson Ave., Detroit, Michigan

Centering machine, Whiton.
Grinder. 12" Heald rotary surface.
Lathe, 18" 48" Whitcomb-Blaisdell, with chuck.
Lathe, 16" 46" Lodge & Shipley, quick change.
Tumbling barrel, 24" 48".
Tumbling barrel, 24" 48".
We are now carrying the Loshbough-Jordan line of punch presses in stock.
We are now carrying the Loshbough-Jordan line of punch presses in stock.
% can make immediate delivery on all sizes South Bend Lathes from 9" to

FOR SALE BY

Wm. C. Johnson & Sons Machinery Co. 1211-1223 N. 12th St., HAMMERS.

No. 5-B 500-lb, Nazel motor-driven, 60 lb. Bradley helve. 2000 lb. Niles steam.

LATHES.

18"x 8' LeBlond, q. c. g. 15"x10' Cisco, q. c. g. 14"x 6' Flather, q. c. g. 60"x12' New Haven turning lathe. 26"x12' Fifield, heavy pattern. 24"x10' Le Blond, p. c. g. 20"x16' Monarch gap lathe.

PLANERS AND SHAPERS

24"x24"x 6' Powell. 36"x36"x18' Hamilton, motor drive. 42"x42"x12' Powell, 3 heads. 36"x36"x12' Cleveland openside. 20" Whipp shaper. 48"x48"x16' Pond, box table, arranged motor drive.

20" Smith & Mills, shaper, b. g. 24" Gould & Eberhardt shaper, b. g. 20" Steptoe shaper MILLERS.

No. 1 Brown & Sharpe plain. No. 1 Rockford plain. Hendey, Lincoln type. No. 7 Becker, Lincoln type,
DRILLING MACHINES
22" W. F. 8

22" W. F. & John Barnes, 20" Champion. 32" Mechanics drill.

GRINDERS No. 50 Gardner disc, 30" capacity. 14"x36" Landis universal. 8" Heald rotary, magnetic chuck

huck. No. 6 Besly double disc. BORING MILLS. No. 1 P. & H. horizontal drill. 51" Baush, 2 heads, heavy.

42" Niles, 2 heads. os.
SCREW AND TURRET MACHINES.
geared head.
Swasey cone head.
2" Warner & Swasey hollow hex. 3"x24" J. & L., geared head. 3"x30 J. c. No. 6 Warner & Swasey cone head. 2" Warner & TRAVELING CRANES.

span. 3 yard jib cranes with guy ropes. MISCELLANEOUS.

Rotary planer, 48".
Sand slinger, Beardsley & Piper,
No. 18, type P.
Shear, Lennox, rotary bevel.
Slotter, 13" Niles.
Swager, No. 1 Dayton. Bulldozer No. 3 Forging mch., 24" Acme, steel bed. Furnaces, cyanide hardening. Presses, Lourie hydraulic, 20 & 30 ton Punch, horizontal, 1" in 1".

Punch & shear, Cleveland 42" throat.

FOR SALE BY

Bennett Machinery Co.,

Boring mill, 51" Bridgeport, 2 hds. Boring mill, 42" Bullard, 2 hds. Boring mell, 42" Bullard, 2 hds. Boring mell, 42" Bullard, 2 hds. Boring mell, 45" Bush, in circle. Drill, 25" Snyder tap., motor drive. Drill, 28" Hoefer. Drill, 28" Hoefer.
Gear cutter, 48" P. & S. No. 5 spur.
Gear cutter, 48" P. & W. vert. surf.
Hack saw, 44" Goodell & Fratt.
Latthe, 45" A3" N. B. P. 9, geared hd.
Latthe, 26',48" Nl McCabe, dbl. sp.
Latthe, 26',48" Nl McCabe, dbl. sp.
Latthe, 26',48" Nl McCabe, dbl. sp.
Latthe, 24',33" xl4" Pond, belt.
Latthe, 24',33" xl4" Fond, belt.
Latthe, 21" xl0" Sidney, new.
Latthe, 21" xl0" Sidney, new.
Latthe, 18" xl8" Le Blond, q.c.g., taper.
Latthe, 18" xl8" Whitcomb-B., q.c. g.
Latthe, 29',44" xl2" Putnam gap.
Miller, No. 3 Kempsmith plain.

30 Church St., New York City

Motor, 20 h. p. variable speed, d. c. Motor, 20 h. p. variable speed, d. c. Pipe machine, 8" E. C. & B., belt, Pipe machine, 8" Jarceki, motor, Pipe mch, 8" Saunders 24 6". Pipe mch, 8" Saunders 24 6". Pipe machine, 6" Sater belt. Pipe machine, 6" Oster belt. Pipe machine, 4" C. C. & B., belt, Pipe machine, 4" Cutris & Curtis, mtr. Pipe mche, 4" Cutris & Curtis, mtr. Pipe mche, 3" Jarceki No. 7B. Planer, 30 x30" 10" (Cinnuati, 21 ds. Punch, 34" L. & A. No. 4 s. e. Punch, 34" L. & R. A. No. 4 s. e. Punch, shear, angle cutter, etc., No. 27-U 39" Buffalo; No. 24-U

Puben, Str. 21 39" Buffalo; No. 24-U 20" Buffalo combination. Saw, cold 22" blade Gleim, 6" cap. Shaper, 24" Hollingsworth cone. Shaper, 12" American, belt drive. Shaper, 30" Gould & Eberhardt \$375. Shaper, 16" Stockbridge, belt.

FOR SALE BY

Randle Machinery Co.,

Bending rolls, 7'x\rbrack H. & J. Bending rolls, 8'x5/16" Bertsch, m.d. Bending rolls, No. 9 Bertsch 10'x\rbrack ", Bending rolls, No. 9 Bertsch 10 '3g', motor drive, No. 8 H. & J., 39'. Bending rolls, 12' al' Fisher. Bolt cutter, 12' "-2" Acme & Landis. Bolt cutter, 2' Landis nipple. Bolt cutter, 4" Acme. Bolt cutter, 4" Acme. Boring mill. 48", 42" Bullard. Boring mill. 48", 48" Bullard. Boring mill. 48", 48" Bullard. Boring mill. 48", 1818s. Boring mill. 49" Nillas. Boring mill, 72" Niles-Bement-P. Boring mill, 84" Niles. Boring mill, 84" Niles. Brake, 4'x10 ga. Robinson foot pwr. Brake, 8'x14 ga. Pexto hand power. Brake, 8'x10 ga. Robinson, m. d. Gear cutter, 18" S. & S. Gear cutter, 14" G. & E. Gear cutter, 36" Whiton. Grinder, No. 2 Diamond face, Grinder, No. 2 Diamond face, Grinder, 10% 30 Queen City plain, Grinder, 30% Baldwin knife, Grinder, No. 4 Bealy, m. d. Grinder, No. 8 Badger, m. d. Hack saw, 8x8 Atkins. Keyseater, Nos. 1 and 3† Baker. Keyseater, Nos. 6 M. & M. Keyseater, Nos. 1 and 2 Davis. Lathe, 14"x8" Sidney, 1. c.

Lathe, 14"x6" Sidney, I. c. Lathe, 18x8 American q. c. Lathe, 18"x8' B. & E., q. c. Lathe, 18"x8' Cincinnati q. c. Lathe, 21"x10' LeBlond, q. c. Lathe, 23"x14' LeBlond, q. c. Lathe, 24"x14' American, I. c.

1733 Powers St., Cincinnati, Ohio

Lathe, 24"x28" American, g. h. Lathe, 42"x24" Bradford. Lathe, 24"x22" L. & S., g. h. Lathe, 38"x14" L. & S., m. d. Lathe, 32"x20" Wickes semi-q. c. Lathe, 32"x20' Wickes semi-q. c. Miller, 12" Cincinant ing. stype. Miller, No. 1B B. & S. plain. Miller, No. 2 I. eBlond, B. & S. pl. Miller, No. 2 I. eBlond, B. & S. pl. Miller, No. 2 B. & S. univ. Miller, No. 2 B. & S. univ. Miller, No. 29 Gesterlein plain. Planer, 32x22x6' Gray, 1 head. Planer, 32x12x16' Gray 2 heads. Planer, 32x22x16 Gray, a theads, Planer, 48x48x14 Gray, 4 heads, Planer, 48x48x14 Gray, 4 heads, Planer, 18x48x14 Gray, 4 heads, Planer, 9xx80x16 W. & W., 2 heads, Radial drill, 34 Hilbert g. b. Radial drill, 34 Morris, g. b. Shaper, 14", 18" and 20" Steptoe, Shaper, 14", 18" and 20" Steptoe, Shaper, new 18" Queen City, b. g. Shaper, 22" Queen City, b. g. Shaper, 23" Queen City, b. g. Shaper, 23" Cuncinnati, b. g. Shaper, 32" Cincinnati, b. g. Shaper, 32" Cincinnati, b. g. Shaper, 30" Concionation, Shaper, 81" (10 ga, Strein). Shear, 86"x10 ga. Streine. Shear, 8'x16 ga. Bertsch. Shear, 8'x14 ga. Bertsch. Shear, 8'x12 ga. Excelsior. Shear, 12'x18 ga. Streine. Sprue cutter, Obermeyer. Press, No. 21 Bliss, Press, No. 15 Toledo. Wheel press, 100, 150, 200 & 300 tons.

Also many other tools. Send us your inquires.

FOR SALE BY

Mid-West Machine Tool & Supply Co., Automatics, full, No. 00 Brown & S. Grinders, No. 10 Brown & Sharpe. Grinder, 10"x52" Landis, s. p. d.

Grinders, surface, No. 22, Heald. Hobber, Nos. 3, 12-B & C.

Davenport, Iowa Miller, No. 13-B B. & S., production. Miller, No. 3 Cincinnati plain, Radial, 4' American sensitive, Radial, 3' Morse. Turret formers, Nos. 0& 2 B. & S. Partial list; send us your inquiries.

FOR SALE BY

Rosenfeld Machinery Co., 942-944 W. Lake St., Chicago, Ill.

Broaching machine, No. 2 LaPointe (New London), with broaches, Grinder, No. 10 Besly disc.

Milling machine, No. 2 Cincinnati universal, complete.
Milling machine, 1B Milwaukee, single pulley drive with vise.
Miller, Becker vertical, Model CS, rotary table.

Motors, h. p. to 100 h. p., a. c and d. c. Punch press, 1-4P style, solid back.

Vises, 100 new Rock Island, all sizes,

FOR SALE BY

Davis Machinery Exchange,

Air compressor No. 12 Ingersoil-R.
Air compressor, 8.85 Union.
Band saw, 19" Mapier metal cutting.
Band saw, 19" H. & R. metal cutting.
Bolt threader, 19" Landis, sq. head.
Bolt threader, 19" Landis, sq. head.
Bolt threader, 19" And 2" National.
Bolt threader, 19" and 2" National.
geared, 3/16" capacity.
Centering mche., Whiton, dbl. end.
Chucking machine. No. 33 New

Chucking machine., No. 33 New Britain automatic. Drill, Leland-Gifford high speed,

motor drive. Drill 24" Superior, al. hd., b. g., p. f. Drill, 20" Barnes camel back, single

spindle, all geared.
Drill, 6-sp. Nat. Acme horizontal.
Drill, 6-spindle Foote-Burtsensitive.
Drill, press, 22 Foodick-Holloway radial, tapping attachment. Engine lathe, 18"x8' Oliver, q. c. g.,

chuck. Engine lathe, Lehmann, q.c.g., chk. Grinder, No. 260 Heald 16" rotary

Grinder, No. 280 Heald 16" rotary surface.
Grinder, No. 1 Greenfield plain.
Grinder, No. 1953" Besly vert. disc.
Grinder, No. 1953" Besly vert. disc.
Grinder, No. 69 Heald cylinder.
Grinder, No. 69 Heald cylinder.
Grinder, No. 18-B High Speed riveting, M. Mitts & Merrill.
Keyseater, No. 2 Davis.
Keyseater, No. 2 Davis.

Lathe, 14"x6' Monarch, q c.g., ck. Lathe, 14"x6' Monarch, q c.g., chuck Lathe, 14"x6' Walcott, q.c.g., chuck. Mill, No. 3 Kempsmith plain.

1-3-5 So. St. Clair St., Toledo, Ohio Mill, No. 3-B B & S. plain, s. p. d. Mill, No. 2 Cincinnati plain, c. p. Mill, No. 2 Cincinnati Hi Power

plain, s. p. d.
Mill, A. B. Becker vertical, s. p. d.
Mill, No. 5 Becker vertical.
Mill, No. 20 Garvin vertical.

Miller, Fox hand. Miller, No. 6 Whitney hand. Milling & drill, mch., No 14 Knight. Press, arbor, No. 28 Atlas. Press, arbor, No. 3 Greenerd. Press, No. 2 Consolidated o. b. i., flywheel.

ress, No. 3 Consolidated o. b. i.,

flywheel. Press, No. 32 Toledoo.b.i., flywheel Saw table, No. 3 Crescent, tilting table, revolving arbor

table, revolving arbor.
Screw machine, 18'-18'' Cleveland
automatic, mettion crank, b. g.
Shaper, 34'' Rockford crank, b. g.
Shaper, 25'' Smith & Mill crank, b.g.
Shaper, 25'' Smith & Mill crank, b.g.
Shaper, 25'' Ohio crank, b. g.
Shapr, 12'' blade,
Shapr, Coulchwork arbor.

Shears, Quickwork rotary. Slitter, gang, No. 513 Toledo, 36"x18

Tapper, No. 1 Garvin vertical. Tumbling barrel, 28"x72" W. S. Sly

horizontal. Turret lathe, No. 1 Foster, wire fd. Turret lathe, No. 7 Foster, power feed to turret and cross slide.

Welder, Taylor spot, 50 k. w., 60 cy., 440 V.

FOR SALE BY

United Mchry. & Supply Co.,

Forging machine, 14" Ajax. Grinder, Ott cylinder, 8" sw awing Hammer, Nazel air forging, belt dr. Hammer, 800 lb. B. & S. board drop. Nut machine, 1½" Ajax, No. 1363. Press, S. & P. dbl. acting, drawing. 1241 Walton St., St. Louis, Mo.

Shear, alligator scrap, No. 2 Doel-ger & Kirsten. Shear, rotary disc, #" capacity. Straightener, bar, 3" wide capacity. Tumbler barrel, No. 20 Baird incl.

FOR SALE BY

J. Bleser Mfg. Co.,

16th & Madison Sts., Springfield, Illinois

Grinders, Landis Nos. 18 & 2 univ. Lathe, Lodge & S. 36"x18', q. c. Lathe, Prentiss 25"x16', s, c, g, Lathe, Greaves-K., 16"x8', q. c. g. Pipe machines, 2", 4", 6', & 8".

Miller, Transit heavy duty.
Millers, No. 3 Burke, Rockford.
Punch press, No. 3 A Walsh arch.
Screw machine, No. 4 Warner & S. Shapers, Smith & Mills, 16", 12

FOR SALE BY

The Reeve-Fritts Co., 558-560 W. Washington Blvd., Chicago, Ill.

Bering mill, 2t' Lucas horizontal.

Die filer, No. 3 Barry.

Drill, 4' Ryerson radial.

Drill, 4' Stype h. s., b. b.

Drill, 20' Washburn h. s., b. b.

Drill, 2b' Barnes, all grd, b.

Drill, 5-spindle Fox. \$' cap.

Drill, 5-spindle Barr, 4' cap.

Gear cutter, No. 96 G. & E. spur & b.

Grinder, Hean surface, &'' 24' table. Grinder, Heco surface, 16"x24" table. Lathe, 9x20 Porter-Cable prod. Lathe, 10"x5' P. & W., tool makers.

. Washington Bivd., Chicago, III.
Lathe, 16"x8" Flather, q. c. g.
Lathe, 20"x8" Flatford, Lathe, 24"x12" Peerless, c. r.
Miller, No. 2 Rockford, plain,
Miller, No. 2 Ford-Smith universal,
Miller, No. 2 Ford-Smith universal,
Miller, No. 3 Ford-Smith universal,
Planer, 24"x28"x8" Rockford.
Press, No. 1 Massillon trim,
Press, No. 1 Massillon trim,
Press, No. 5 LaSale bench.
Shaper, 7" Rhodes crank. Shop saw, 6x6 Peerless h. s.

FOR SALE BY

The O'Brien Machinery Co.,

Boring mill, No. 14 Beaman Smith horizontal, floor type, 3\(\frac{1}{2}\)" bar. Bolt cutter, 2\(\frac{1}{2}\)" Acme belt, lots of

Drill, 32" Aurora, motor driven. Gear cutter 30" Whiton, belt. Gear cutter 30" Whiton, belt. Grinder, 12"x86" Cincinnati univ. Grinder, 14"x96" Norton plain, belt. Grinder, No. 2 Norton universal. Hammer, 2000 lbs. Chambersburg, double frame, steam forging. Hammer, 1100 lb. N. B. P., sgl. fr. Hammer, 600 lb. Bement sgl. frame. Hammer, 100 lb. Ready belt.

Hammer, 100 lb. Beaudry belt.
Lathe, 30"x30' Harrington.
Lathe, 28"x26' L. & S., b. d., q. c. g.
Lathe. 28"x30' Pond, with motor.

Lattee 28 x 39 Fond, with motor.
Miller, Newton duplex, planer type,
table 21"x12".
Miller, No. 4 LeBlond h. d., plain.
Milling mche., No. 3 Garvin duplex.
Pipe machine, 2" Landis, belt. Pipe machines, Oster portable, gas. drive, all sizes.

113 N. Third St., Philadelphia, Pa.

Pipe machines, 2", 4", 6", 8" & 12" Oster, Cox, Williams, Eaton-Cole & Burnham and Jarecki makes, or burnam and Jarecki makes, belt or motor driven, comp. stock. Planer, 38"x35"x32", Bement, 4 hds. Planer, 38"x35"x12", Cincinnatt, 2 hds. Planer, 34"x36"x130" Sellers, 4 heads, Press, No. 37 Niagara, 1100 lb. flywheel, solid back.

Press, hydraulic wheel, 100 ton, 33" between bars.

Punch, Cady quick acting cap. 4"x1" Punch, No. 2 Hilles & Jones, 20

runch, No. 2 Hilles & Johes, 20°, thrt., motor driven, cap. 1. "in 1". Rolls, 6' Beloit, 8" cap. belt. Rolls, 16' bending, belt, drop end, rolls 98" and 88". Saw, 18" Higeley cold, cap. 4". Saw. 30" Espen-Lucas, cap. 8". Shaper, 18" Cincinnati, one travel-shaper, 18" Cincinnati, one travel-

ing head, 2 tables. Shapers, 20" Stockbridge, with speed box, (2),

FOR SALE BY

J. L	Lucas &	Son,	Inc.,		3 Fox St.	Bridgeport,	Conn

TOTE BOXES
1,000 brand new nesting type tote Boxes, 20x12x62, 16 gauge steel with lapped corners and draghole handles, at \$1.00 each.

FOR SALE BY

Taylor Mfg. Co., Inc.,		35 Albany St., Cambridge, Mass.
Automatic, Cleveland, 3", 6	hole tui	rret. (2) each
Grinder, No. 60 Heald cylin Grinder, No. 75 Heald	der	250. 100.
Saw, 11", table 271x33", con	intersha	oft built-in, tight and loose pulleys, ent 60.

FOR SALE BY

Norton-Broadway Mchy. Co., Six	th & Baymiller Sts., Cincinnati, O.
TAT	HES.
16"x10' Cisco, q. e. 20"x10' Hendey, q. c. 21"x10' LeBlond, q. c. 32"x16' Wickes.	11 E.5., 24"x10' Walcott, q. c. 38"x20' Bradford. 42"x24' Bradford. 42"x24' McCabe, 2 spindle. DERS.
18"x96" Norton cylindrical. 10"x72" Brown & S. cylindrical. No. 11 Brown & Sharpe cylindrical, No. 14 Pratt & W. vertical. MILLING B	No.60 Heald. Bath & Walker surface. No. 4 & No. 120 Gardner grinders. 6"x20" Webster & Perks. 4ACHINES.
No. 3 LeBlond plain.	No. 4 Brown & Sharpe universal.
No. 3H LeBlond heavy. No. 2B Brown & Sharpe heavy. No. 4 Becker plain.	No. 4 Cincinnati universal. No. 4B Brown & Sharpe heavy. No. 13 Brown & Sharpe.
	No. 723 Toledo inclinable.
No. 3 Toledo inclinable. No. 4 Toledo inclinable. No. 19-C Bliss inclinable.	No. 1 Long & Allstatter punch and shear.
No. 183 Stiles Parker. BORING	No. 3 Hilles & Jones double end. MILLS.
34" Bullard, one turret head.	42" Gisholt, 2 heads,
36" Niles, 2 heads.	50" Niles, 2 heads,
42" Bullard, 2 heads.	6" Gray horizontal.
PLAN	ERS
24"x 8' Pond, 2 heads.	36"x10' Fitchburg, 2 heads.
24"x 8' Gray, 2 heads.	Whitcomb crank planer.
30"x 8' Gray, 2 heads.	48"x16' Cincinnati, 4 heads,
48"x16' Detrick & Harvey, open side	
SHAP	ERS.
16" Steptoe, crank. 16" Stockbridge, crank. 20" Ohio crank. MISCELL	20" Smith & Mills, single pulley. 24" Queen City, single pulley. 20" and 24" Hendey.
Drill, Henry & Wright, 5-spdl.,	Gear cutter, No. 3-26" B. & S.
Drill, Kokomo 4-spdl, high speed	Gear cutter, No. 5-48" B. & S.
Drill, 3' Morris radial, single pul.	Gear hobber, 12" G. & E.
Drill, 3\(\frac{1}{2}\) Carlton, single pulley.	Press, 400 ton Caldwell.
Drill. 32 Mueller, single pulley.	Press, 150 ton Firestone.
200 other good m	

Drill, Henry & Wright, 8-spdl., Drill, Kokomo 4-spdl. high speed Drill. 3' Morris radial, single pul. Drill. 3' Carlton, single pulley. Drill. 3' Mueller, single pulley. 300 other good machines in stock.

FOR SALE BY

Tranter Manufacturing Co., 105 Water St., Pittsburgh, Pa. Drill, portable electric 1", 220 v., 3 ph., 60 cy., bargain \$32 50. Forge and anvil, Champion No. 31. Grinder, 8" U. S. electric bench, 110 v., new, 20% off list. Grinder, Mummert Dixon, oilstone and c. s. very good condition.

Grinder and twist drill attach., Wilmarth & Morman, J. B.

FOR SALE BY

Brown Machinery Co.,

Blowers, Nos. 3, 7 and 9 Sturtevant Buffer, Hisey 3 hp., 3-ph., 220 v. Drills, 21" C-O and Champion; 22" Barnes; 24" Cincinnati; 26" Aurora; 32" Rockford. 32" Rockioro.
Drills, radial, 2½' No. 101 C-O; 3½'
Gear hobber, G. & E. No. 1716.
Grinders, emery, St. Louis & W.;

large stock new at 50% disc. large stock new at 50% disc. Grinders, disc, No. 8 Besly and 14 Gardner; No. 202 Badger. Grinders, drill, W. & M.; American, Grinder edge, 24" Safety E. W. Co. Grinders, plain, 10x36" Norton; 8x36" B. & S.; 12x36" Modern. Grinders, universal, Nos. 3 Ohio and 12 B. & S.

Lathes, turret, 16" Gisholt, Omar, Foster. J. & L. Lathes, No. 5A Potter & Johnston.

2323 N. 9th St., St. Louis, Mo.

Lathes, 14" C-J; 16" Monarch; 18" Monarch; Lodge & Shipley; Fay & Scott; 20" L. & S; 18" Whitcomb-B; 36" American. Millers, No. 4 Hendey; No. 40 LeBlond; No. 1 Kempsmith. Pipe machine, No. 2 R. & K. Planer, 42"x36"x10' Poud. Presses, arbor. No. 15 Greenerd. Presses, L. & J. o. b. i., No. 6 Niagara, geared; No 35 Swaine, Presses, hydraulic, 36x72" Elmes. Profilers, Putnam; Reed-Prentice. Punch and shears, No. 6 L. & A. 12" thrt.; No. 17 W.-W. Riveter, #" Adt. Shaper, 14" Barker.

Shears, rotary splitting, No. 134 Marshalltown 4' thrt.; 4" cap.; No. 13 Pettingell. Welders, spot, Agnew #" capacity; Federal #" capacity.

Write for list 130.

FOR SALE BY

M. A. Wertman Machinery Co., 427 Penton Bldg., Cleveland, Ohio

Bolt cutter, 24" Landis with dies. Boring mill, 52" Niles 2 swivel heads, single pulley drive Boring mill, 52" Gisholt 2 swivel heads, single pulley drive. Boring mill, 42" Bullard, 2 swivel heads, self contained c. s. Boring mili, 42 builded, 2 swivel neads, seir contained c. s.
Brake, 6' leg sauge Robinson, new condition.
Buildozer, No. 29U Williams & White, motor drive.
Drill, 4' Hamilton radials, s. p. drive.
Drill, Henry & Wright 4-spindle, ball bearing, sensitive.
Drill, Henry & Wright 'Viktor' model, power feed, motor drive, new.

And many others.

Drill, Henry & Wright "Viktor" model, power feed, motor drive, new. Hammer, 500 lb. Bradley upright helve.
Lathe, Hendey 14"x6" taper attachment, pan bed.
Lathe, Loswing 33x60 double carriage, used 6 mo. (2).
Lathes, Loswing 33x60 double carriage, used 6 mo. (2).
Lathes, Sowing 33x60 double carriage, used 6 mo. (2).
Lathes, 9"x24" Sandstrand geared head, motor drive (2).
Milling machine, Milwaukee No. 14A plain, single pulley drive.
Miller keyseat, Burr No. 5, 60" table, routing attachment, perfect.
Press, No. 18 toggle, draw and lift-out 19".
Press, Toledo No. 185 toggle, draw and lift-out 29".
Press, No. 2 Minster o. b. 1. new 2" stroke.
Press, No. 3 Toledo o. b. 1. geared, 49" stroke.
Press, No. 3 Toledo o. b. 1. geared, 49" stroke.
Press, No. 3 Toledo o. No. 18" toke.
Press, No. 3 Toledo, No. 18" toke, architectural jaw,
Saw, No. 3 Ryerson friction saw, power feed, a. c. motor.

Function & snear, creverand w. 18 tirrow in those rure, are:
Saw, No. 3 Ryerson friction saw, power feed, a. c. motor.
Shaper, 18" Hendey, A No. 1 condition.
Turret lathe, Libby 18" heavy, single pulley drive.
Turret lathe, Warner & Swasey No. 6 g. f. h. (2).

FOR SALE BY

E. L. Klauber Machinery Co., 320 South Third St., St. Louis, Mo.

Bench drills, motor drive, 110 volt. Drill, 28" Prentice, b. g., p. f., sl. hd. Drills, 3-spindle Dwight slate. Drill press, 34" Barnes, b. g., s. h. t. a. Drill press, 28" Superior b. g., sl. hd. Gear cutter, 39" Whiton. Gear hobber, No. 0 Schuchardt & S. Gear miller, automatic, 4" cap. Grinder, No. 3 Brown & S. cutter. Grinder, No. 2 Garvin hole. Grinders, electric bench, # h. p. 110 volt a. c. Lathe, bench, Stark, with collets, Lathes, 14x6 Davis tool room,

Lathe, 13x6 South Bend. Lathe, 16x6 South Bend. Lathe, 16x6 Prentice p. c. g., s. b. g. Millers, hand, No. o Burke. Pinion and wheel cutter, Stark. Planer, 30"x30"x8" American. Planer, 30 'x30 'x3 American. Presses, 30 ton Southwark, hydr. Screw mches, 4" Cleveland auto. (2). Shaper, 4" Steptoe. Shaper, 2" Cincinnati b. g. Tapping machine, No. 8 St. Louis. Tapping mach. 4" Montgomery h. s. Tapping machine, No. 2 St. Louis. Tapping mche., No. 1 Garvin auto.

FOR SALE BY

Brownell Machinery Co., 150 Pine St., Providence, R. I.

BORING MILLS. 51" Bullard vertical (2). Bullard New Era.

DRILLS 5' Prentice Bros. plain radial s. p. d. 25" Hoefer sliding head. 26" Henry & Wright sensitive radial

GEAR CUTTERS. No. 4, 48"x10" Brown & Sharpe. No. 3, 36"x 8" Brown & Sharpe. No. 2 Bilton automatic gear millers.

GRINDERS No. 1. B & S., surface. Nos. 2 & 3 B. & S. cutter. No. 14 B. & S. plain 10x48". No. 12 B. & S. plain. No. 11 B. & S. plain 4x30" 14" Blount wet tool.

No. 2 B. & S., surface. LATHES.
14"x10' Carroll Jamieson.
12"x 5' Reed, taper.

30"x20" Fitchburg. 24"x16' Le Blond. 22"x26' Lodge & Shipley, g. h. 18"x 8' Prentice Bros. No. 6 LeBlond multi-cut lathes (2). MILLING MACHINES. be universal. | No. 13-B B. & S. manufacturing.

No. 4-A Brown & Sharpe universal. No. 3-G. H. LeBlond heavy plain, No. 3-H Becker profiler. No. 3-9. II. with dividing heads, with dividing heads, No. 12 B. & S. plain manufacturing, U. S. hand. No. 12 B. & S. plain manufacturing MACHINES.

METAL CUTTING MACHINES.

METAL CUTTING MACHINES.

54"x42"x14' Gray, 3 heads. 48"x48"x16' Niles-Bement-P., 2 hds. 36"x36"x10' Woodward heavy, 3 hds. 36"x32"x 8' Powell. 17"x20"x 4' Whitcomb-Blaisdell. 17"x17"x 4' Whitcomb. SHAPERS

24" Potter & Johnston. 24" Hendey friction. 16" Stockbridge, b. g. SCREW MACHINES.

4}" Gridley single spindle auto. No. 0 B. & S. wire feed hand. No. 6 Brown & Sharpe, g. f. h.
No. 3 Warner & Swasey, g. f. h.
POWER PRESSES 3"x36" Jones & Lamson, flat turret.

No. 5 Manville s. a., p. p. Torrington double acting. No. 68 Bliss d. a., inclinable cam. No. 20 Waterbury s.a.o.b., dial feed. Bosworth foot presses, new. No. 1 Bliss d. a. cam. MISCELLAN EOUS.

Band saw, 36" H. B. Smith. Hammer, 200 lbs. Beaudry champion. Shaft straighteur, Rockford, Slotter, 12" Bement-Miles. Borer, Crescent single spindle. Filing machine, Thurston,

FOR SALE BY

Eberle Tanning Co., Westfield, Pa. GAS ENGINE.

50 h. p. Bruce-MacBeth gas engine, 300 r. p. m., belt driven to 45 k. w. alternating current generator, 1200 r. p. m., 3 phase, 60 cycle, 220 volt, with direct connected exciter 16 ampere, 125 volt, complete with batteries, ammeter, air compressor and air storage tanks. This machine used only a short time and in excellent condition.

FOR SALE BY

Nelson Machinery Co., 123 N. Pearl St., Green Bay, Wis.

Boiler, 170 h. p. Heine longitudinal drum, H type, 150 lbs. pressure. Compressor, Rand, 6x6 Imperial.

Compressor, Rand, 808 Imperial.
Grinder, Besly No. 14.
Pipe machine, No. 14 Jarecki 24 to 8", q. c., adj. dies.
Shapers, 16" and 20" Cincinnati open ram, 4 step cone drive, (2).
Turret, 14" x16" Pratt & Whitney.

FOR SALE BY

Taylor-Hall Welding Corporation, 99 Hope Ave., Worcester, Mass. BUTT AND SPOT WELDERS

Guaranteed to be in perfect condition Thomson 137 spot welder. Thomson 2A butt welder.
Thomson No. 3 butt welder.
Thomson 7AA auto. butt welder.

Thomson 21 automatic butt welder.

Thomson 172-912 spot welder. Thomson 40-A vert, butt welder. Thomson 20-A vert, butt welder. Toledo 10-B butt welder. Thomson 10-A vert. butt welder.

FOR SALE BY

Miles Machinery Co., Automatics, No.00 Brown & Sharpe, Brake, 10' x2/16" Chicago, motor dr. Bulidozer, No. 4 Williams & W. Compressor, 295' Curis 12'x12". Drill, upright, 24' Cincinnati. Drill, multiple, 24-sp. Natco No. 30. Drills, radial, 5', 6' and 8' Western. Gear cutters, 48' and 69' G. & E. Grinders, int., Nos. 70 & 75 Heald. Grinders, 5'x18' & 12'x4' Modern. Millers, Nos. 5. 2, 3, 45 Cincinnati. Miller, vert., Nos. 5. C & 6 Becker. Automatics, No.00 Brown & Sharpe.

Saginaw, W. S., Mich. Saginaw, W. S., Mich.
Mill, vertical boring, 72° Colburn.
Mill, vertical boring, 19° Nets.
Mill, vertical boring, 19° Nets.
Planer, 30° 30° Ms Cleveland o. s.
Planer, 30° 30° Ms Cleveland o. s.
Planer, 48° 36° X12° Concinnati.
Planer, 48° 32° X12° Pond.
Planer, 72° 32° X12° Pond.
Press, No. S134 Ferracute dbl. crk.
Press, No. S6 Consolidated.
Punch, 43° Southwark 2° x2°.
Shaper, 23° Springfield.
Threader, 2°, 2‡° and 3° Acme.

FOR SALE BY

W. P. Little Co.. West 9th & Front Sts., Cleveland, O.

Grinder, No. 60 Heald cylinder. Grinders, No. 75 Heald internal. Hammer, 50 lb. Beaudry power. Keyseater, No. 0 Baker. Keyseater, No. 0 Catlin. Miller, 18" Cincinnati face. Oil separator. Planer, 32"x14' Pond, two heads.

Press, 36" Geo. H. Ohl brake. Press, E. G. 22 Ferracute. Shear, S-24 Yoder splitting. Shear, No. 13 Niagara cyrcle. Tumbling barrel, sand blast. Turret, 1"x15" Pratt & Whitney. Turret, 2"x24" Jones & Lamson. Wiring machine, No. 1 Magee. A large assortment of lathes, drill presses, milling machines and miscellaneous

shop equipment. Send us your inquiries.

USED AND REBUILT MACHINERY

FOR SALE BY

r	OK SALE BI	
Severin Machinery Corpora	ation, 30 Church St., New Yo	rk City
	LATHES.	
16"x 8' Lodge & Shipley. 18"x 8' American. 20"x14' Reed-Prentice, g. h. 24"x14' American, g. h.	24"x16' American, g. h. 24"x28' American, g. h. 36"x16' American. 42"x20' Putnam, g. h. PLANERS.	
20" v30" v &' Woodward & P	1 hd. 1 48"v48"v14' Woodward & P	owell

20"x120" Landis, 20"x144" Landis, MISCELLANEOUS.

Bolt cutter, 3" Acme.
Broach, No. 3 La Pointe double.
Drill, 4" Western radial.
Drill, 4" Dreses radial.
Gear cutter, 72" Gould & E. spur.

Miller, 42"x38"x12' Ingersoll, 4 hds.
Miller

FOR SALE BY

Strafer Machinery Company, 14th and Provost St., BORING MILLS. Jersey City, N. J.

7'-10' Betts extension type.	84" Cincinnati rapid traverse.
72" N. B. P. geared feed, cone type.	60" Bement cone type.
52" N. B. P. geared fd., speed box.	96" Niles cone type.
42" Bullard turret and plain heads.	38" Bullard countershaft attach.
8" bar Newark horiz., knee type.	5" bar Detrick-Harvey floor.
Boring bars, Underwood, portable, 4"	x8' with 12" heads \$200 each.
DRI	LLS.
s' N D D cami univ eneed how	4' Cincinnati Rickford speed how

22" Aurora upright s. h. b. g.
22" Barnes upright & & L. feed.
4-spindle Garvin sensitive.

GEAR CUTTERS.

No. 4-36" Brown & Sharpe auto. | 84" Gould & Eberhardt. GRINDERS.

No. 2 Cincinnati cutter and reamer. | 14x72" Norton plain. | 12x20 Fitchburg plain. | HAMMERS.

400 lb. Chambersburg s. f. steam. No. 2B Nazel forging.
8000 lb. Chambersburg d. f. steam. 100 lb Bradley compact type.
LATHES.

54"x27' Pond triple geared.
22"x10" Drapier cone type.
18"x8 Fay Scott d. b. g.
18"x8 Fay Scott d. b. g.
18"x16" Reed c. r., cone type.
MILLING MACHINES.

22"x10' slab miller.

No. 4 Cincinnati plain, cone type.

No. 2 Garvin hand miller.

6" Saunders, new dies, belt drive. | 4" Saunders belt drive.

No. 4 Hilles & Jones horiz, punch. No. 4 H. & J. double end, 48" t. No. 5 H. & J. single, 48" throat. 92" gate shear 1" capacity. MISCELLANEOUS.

Centering machine, 3".
Chain block, I ton V, & T., trolley.
Die slotter, Fox.
Elevator, d. c. m., portable.

Big bender, 2" Underwood.
Roll, 30" tinsmith.
Saw, No. I Klem metal band.
Ship augers, 500.

USED AND REBUILT MACHINERY

FOR SALE BY

314 W. Fayette St., Syracuse, N. Y. Syracuse Supply Company.

Guaranteed NEW MACHINES in original crates at prices below list: Pipe machine, No. 70 Forbes. Shaper, 20" Whipp, back geared. Straightener, No. 24 Corey.

Exceptional values in USED TOOLS:

Band saw, 36" Fox, tilting table. Bending machine, Champion. Bolt threader, Acme 2-spindle, with one head, \$\frac{a}{2}\$ capacity. Boring mills, Lucas No. 21, (2).

Drill, Barr 4-spindle, 8" overhang. Drill press, 22" Prentice, rebuilt. Grinder, 24" Safety Emery Wheel

Grinder, 2a Salety Emery wheel Co. snag grinder. Grinder, Blount 1½x14 wet tool, m. d. Lathe, 20°x12' Reed. Lathe, 12°x2' Hendey, q. c. g. Lathe, 8x60 Fitchburg lo-awing. Miller, No. 3B B. & S. heavy plain. Miller, No. 5 Becker vertical.

Millers, Wisconsin hand, (3).
Planer, 30"x30"x16' L. W. Pond.
Radial, 5' Pond.
Radials, 5' Dreses, single pulley

drive, gear box, (2). Rip saw, No. 22 Powers, self feed, power.

power. Screw machine, No. 2‡ Garvin. Thread miller, No. 12 Lees Bradner. Tilted turret, No. 6 Wood. Turret lathes, No. 4 Foster, (2). Turret lathe, No. 3 Cincinnati Arms. Turret lathe, 21x26 Pratt & Whitney. Turret lathe, 21" Gisholt. Turret lathe, 24" Steinle.

SHOULD YOU FAIL TO FIND—the exact machine or equipment you need, use the enclosed blank or write on your own stationery and mail it to Hitchcock Publishing Co., 508 S. Dearborn St., Chicago. We shall be glad to broadcast your wants to all our advertisers free of charge,



The Blue Book

Goes to the Heart of 96% of the Best Plants in the Country

The above statement is the result of careful mail inquiries directed to thousands of the larger tool-using concerns.

Presses

- No. 96-A Toledo double crank, 54⁸ between housings, 8⁸ stroke, motor drive.
- No. 510 Niagara straight side single crank press, geared tie rod frame, 4° stroke, belt drive.
- No. 31/2B Bliss toggle press, belt drive.
- No. 2½ Bliss open back inclinable press, geared 4" stroke, belt drive, late model.
- No. 74 Consolidated open back gap frame, geared 4* stroke, belt drive.
- No. 165 Consolidated double crank, 37⁸ between housings, 2½⁸ stroke, flywheel, wt. 8000 lbs.
- Pick Eye forging press, 40st between housings, 5½st stroke, 8st diameter shaft, wt. 25000 lbs.

Other Machines

15" Dill slotter, rotary table.

No. 4B Becker vertical miller. Nos. 5 and 6 Becker vertical millers.

No. 3 Cincinnati hi-power vertical miller.

No. 3 LeBlond miller vertical attachment.

No. 1 Wilmarth & Morman univ. cutter grinder.

20" Rockford b. g. shaper.

16"x96" Landis plain grinder. 21" Gisholt turret lathes (2).

1%*x10* Milholland screw machines (6).

Drills, lathes, planers, grinders, screw machines.

Send us your inquiries

A. D. White Machinery Co.

108-114 N. Jefferson St., Chicago, Ill.

A Few Listings From a Stock of 2000 "Restored" Machines

24" and 36" Bullard Bering Mills. 42" Bullard Boring Mills. 42º Bullard Boring Mili.
42º King Vertical Boring Mill.
72º Ciishok Boring Mill.
10º Niles Vertical Boring Mill.
10º I-16º Niles Vertical Boring Mill.
14-20º Betts Vertical Boring Mill.
14-20º Betts Vertical Boring Mill.
15.-S. Auto. Nos. 00, 0, 1 and 2.
Gridley 4-19inde 34º, 13½° 134° 234°.
6' American Universal Rachial.
5' American Plain Rachial. 6' American Chivenan Na 6' American Plain Radial. 6' Mueller Plain Radial. 5' Western Plain Radial. 3' Western Plain Radial. 3' Western Plain Radial, Natco Multiple Nos. 2, 3, 4, No. 3-D Colburn Drills. Rockford Gang 2, 3, 4-spindle. Barnes Gang 4-spindle. No. 19—53' Besly Disc Grinder. No. 19—53' Besly Disc Grinder. No. 21 Besly Disc Grinder.
16x52º Landis Grinder.
14*x96* Norton Grinder.
10*x50* Norton Grinder.
6*x32* Norton Grinder. 300 Diamond Face Grinder. No. 14 Prati-Whiney Vertica.

No. 1 Brown-S. Universal Miller.

No. 12 Brown-S. Universal Miller.

No. 2. 34 C Universal Miller.

No. 4.B, No. 3-B Hendey Pl. Miller.

No. 2. 34 C Universal Miller.

No. 4.B, No. 3-B Hendey Pl. Miller.

502 No 12 Ingersol Slab Miller.

502 No 12 Ingersol Slab Miller.

502 No 12 Ingersol Slab Miller.

502 No 12 Newton Slab.

602 No 14 Dependi Slab, 2-bds. m. d.

18 Libby Turret Lathe.

No. 2A Warner & Swasey Universal.

No. 3A Warner & Swasey Universal.

No. 4 Warner & Swasey Universal.

No. 8 Warner & Swasey Universal.

No. 9 Warner & Swasey Universal. No. 14 Pratt-Whitney Verti

42*x501 American Motor Drive. 42"x50' Putnam Motor Drive. 42*x50' Putnam Motor Drive.
42*x18' American Motor Drive.
36*x20' American Motor Drive.
30*x12' Lodge & Shipley Grd. Hd.
30*x12' American Geared Head.
20*x12' H-S-G Geared Head.
26*x22' Boye & Emmes M. D.
36' Cincinnati Gear Cutter.
36', 60* 72', B. & S. Gear Cutter.
90* Pratt-Whitney Gear Cutter.
44* 548' Ghason Gear Planer. 90° Prait: Whitney Geat Cutter, 244, 54° Glesson Gear Planer, 6°, 11°, 18° Glesson Gear Generator, 48°, 72° Gould & E. Gear Cutter, No. 12 Barber-Colman Gear Hobber, No. 5–Lees-Bradner Gear Hobber, No. 56 Toledo Press, No. 56 Toledo Press, No. 18 liv. Tozola Press. No. 7b Toledo Frees.
No. 1 Bliss Toggle Press.
Nos. 4, 7, 8 Greenerd Arbor Press.
3(*, 1),5(*, 2)* Ajax Upsetter,
1/2,*, 2/2,* Acme Upsetter.
1/2,*, 2/2,* Acme Upsetter. No. 3-H Hilles-Jones Bending Roll. 3" Bertsch Angle Bender. 3º Bestach Angle Bender.
20º Cincinnati Rotary Table.
No. 2-B Gorton Cutting-Off Mche.
15º Newton Slotter.
16º 20º 24º 32º G. & E. Shaper.
16º 20º 24º American Shaper.
16º Stockbridge, Back Geared, New.
24º Stockbridge, Back Geared, New.
No. 2, No. 2-X Garvin Tappers.
7º Baker I apper.
7º Baker I apper. RH-3 Revolvator 26"x26"x8' Gray Planer. 36"x36"x12" D. & H. Openside. 36"x36"x81 Cincinnati. 48"x48"x10' Cincinnati 72"x72"x18" D. & H. Openside. 84"x84"x15" Pond Planer. 84^a Newton Rotary Planer. 10'x10'x20' Bement Planer.

Write for "Simmons Catalog" Advise Your Requirements

Simmons Machine Tool Corp.

NEW YORK

ALBANY

BUFFALO

149 Broadway

1700 Troy Road

88 Exchange St.

LIKE NEW-



Cost Much Less

Factory Rebuilt Milwaukee Milling Machines

that will satisfy both your Production and Purchasing Departments. Genuine MILWAUKEE MILLERS -rebuilt at the factory. Every machine is completely disassembled, re-scraped, and new parts used wherever needed. They carry the same accuracy guarantee as our new machines. Better write today-

THESE ARE STILL AVAILABLE

No. 2B Plain No. 3B Universal

No. 1A Manufacturing
No. 2B Plain
No. 3B Plain
No. 3B Vertical

SUBJECT TO PRIOR SALE

Address: Rebuilding Department

MACHINES MILWAUKEE MILLING

CORPORATION

5926 National Ave.,

Milwaukee, Wisconsin

NEW 3 PHASE MOTORS CHEAP. 3 H. P. \$54.50; 5 H. P. \$65.50

Stark precision lathe.

Hardinge cataract. Ames precision lathe.

"x 8' Cleveland, geared head,
"x 6' Cleveland, geared head,
"x 6' Carroll-Jamieson, new, q. c.
4"x 6' Hamilton, grd. hd., motor dr.
14"x 6' Monarch, quick change.
14"x 6' Sebastian, grd. hd., m. d.

TURRET LATHES and SCREW MACHINES Acme (" cap., wire feed column. No. 4 Defiance, It" capacity.

18" capacity Smurr & Kamen.

14" Niles, traveling head. 14" Steptoe, crank. 16" American tool room.

No. 10 and No. 15 Excelsior, foot. Nos. 3-A & 5-A Willard inclinable.

No. 1 Baush multiple. Electric Drills, Black & Decker.

No. 4 Duntley electric. 22", 24", 26", 28" and 32", sliding hd. 32" Hoefer, sliding head.

Briggs "B" high duty. One No. 1-Y Brown & Sharpe, plain. No. 2 Kempsmith plain. No. 3 Kempsmith plain, new. No. 25 Pilton.

Nos. 1 & 78 W. & M. surface. 6"x15" Fitchburg plain. 12"x36" Cincinnati universal. 16"x42" Landis universal. 36" and 66" Yates plate.

Band saw, Clark, compound. Band saw, Napier 10"x10". Blower, No. 6 Piqua, pressure. Blower, No. 6 Figua, pressure, Leiman Blower, positive pressure, Leiman Boring mill, Colburn No. 3, tur. hd. Boring mill, Sellers 56" car wheel, Boring mill, 72" column. Brake 6", double truss. Brake 10", Chicago Steel, 16 ga. Brake 10", Keene 18 g. Drake 8°, double truss.
Brake 10°, Chicago Steel, 16 ga.
Brake 10°, Keene, 18 ga.
Broaching mchs., 1 and 3 LaPointe.
Compressors, 6x8, 8x8 and 9x8.
Gear cutter, No. 3—26 B. & S.
Gear millet, Bilton No. 1. Hammer, 150 lb. Standard drop.

LATHES

14"x 8' Sidney, double back geared, 16"x 8' Hamilton, quick change, 18"x10' American, quick change, 20"x10' Hamilton, rapid production, 20"x10' Prentice, taper attachment, 20"x10' Bye & Emmes, 24"x24' Prentice, with raising block, 24"x24' Prentice, with raising block,

8x60" & 31x60" Fitchburg, Lo-Swing

2x24 and 3x36 J. & L. No. 1 Foster, 13/16" capacity, (2).

Warner & Swasey No. 2. No. 52 National Acme automatic.

SHAPERS 16" O. & S., b. grd., new, low price. 24" O. & S. back geared crank.

16" Steptoe, b. g. Nos. 1, 14, 2, 24 Robinson, new. No. 24 o. b. i. Consolidated.

DRILLS and RADIALS 6' Ceiling drill. 25" Kokomo high speed. 4-spindle Reed sensitive.

44" Stover. Hole Hog, No. 66-D, 7-spindle. MILLING MACHINES No. 25 Becker plain, power feed. No. 2 H Brown & Sharpe plain.

Oesterlein 24x7\fx18 plain.
Briggs "A" high duty, 24x8" table.
No. 7 Becker, Lincoln type. GRINDERS

No. 60 Heald cylinder. Schmitt cylinder grinder.
J B X, W. & M. tool and cutter.
No. 10 Besly 18" double disc. No. 20 Bryant, chucking. MISCELLANEOUS

Hammer, 200 lb. Bradley.
Pipe machines, 2², 4" & 6".
Pipe machines, 2", 4" & 6".
Planer, 36"x38" Gray, 2, heavy duty.
Planer, 36"x36" x14' Gray, 2 heads.
Planer, 48"x48" x16' Cincinnati, 4 hd.
Planch & Shear, \$x\partsize 10" throat. Riveting hammers, Nos. 1, 2, 3, 4-A High Speed. Scale, 1500 lb. Toledo, dial type. Shear, 60" Peck, Stow & W., 18 ga. Shear, No. 382 Robinson. Shear, No. 20 Quickwork, 30" throat. Shear, circular, Pettingell, 60" thrt. Threading mche., W. & P. 2-spindle.

COLUMBUS

148

Exceptional Bargains GOOD USED TOOLS

BORING MACHINES 116 1-Universal Hor. Boring and Drilling Mche. 3" Bar, Tbl. 24"x48". BORING MILLS M.&M. 7000 1—8¹ Cincinnati Rapid Production Vertical Boring Mill. C. 72754 1—96⁸ Poole Vertical Boring Mill Motor Drive. 72754 8665 1—81 Cincinnati Vertical Boring Mill with two swivel heads.
GEAR CUTTING MACHINES P.G. 1-36" No. 4 Brown & S. Automatic Gear Cutter. Good condition.
1-No. 6 Fellows Gear Shaper. Good condition. GRINDERS-PLAIN AND UNIVERSAL 1—No. 3 B. &t S. Grinder, Universal 12x40° Mag. Chk. and c. s. 1—Heald No. 75 Wet Internal Grinder and c. s. 47 50 1-No. 2 Oakly Cutter Grinder, Universal and c. s. 1-No. 2 Cast.y Uniter Grinder, Chivetsus and C. 8.

1-10*356 Norton Grinder and c. 8.

1-0*356 Norton Plain Grinder. Good condition.

1-7½*x72* No. 16 Brown & Sharpe Plain Grinder. Good cond.

1-10*x48* Brown & Sharpe Plain Grinder. Ex. cond. No. 14.

GRINDERS—CHUCKING

1-10*x48* Grinder. Good Cond. 52 49 100 290 1-No. 18 Bryant Chucking Grinder, No. 10 Universal Chuck. 15-2 LATHES 1-13°x6' Willard Lathe, 3 step cone, D.B.G. 2 Sc-s no lead screw. 1-18°x8' Greaves-Klusman Lathe, 3 step cone F. D. B. G. quick change and 2 Sc. s.

1–14*a8' Champion Lathe, 3 step cone F.D.B.G. Q.C. & 2 Sc-t.

1–16*a6' Creaves & Kluman S. B. G., Semi Q. C. G., Turret
on carriage, Double Speed C-S. Factory rebuilt.

1–16*a6' Greaves-Kuman S. B. G., Semi Q. C. G., Pan, 516 1-16*x8* Greaves-Kluman S. B. C., Semi Q. C. G., Pan, Double Speed C.S. Factory rebuilt.
66 1-18*x8* LeBlond Lathe, 5 St. Cone, Sgl. Bk. Gr. Swings 19%*.
76 1-18*x8* LeBlond Lathe, 5 St. Cone, Sgl. Bk. Gr. Swings 19%*.
76 1-18*x8* Lodge & Shipley Patent Head Lathe.
76 1-12*x12* Greaves-Kluman Lathe, hvy. type, quick change gear.
LATHES—TURRET AND HAND SCREW MACHINES
42 1-28* Gaibolt Turret Lathe, 4 Way Tool Poot on Carriage.
51 1-1*x7* Acme Hand Screw Machine Power Feed to Turret.
127 1-No. 2 Warner & Swasey Hollow Hex Turret Lathe.
901 1-2½*x1** Acme Hand Screw Machine.
906 1-2½*x26* Acme Flat Turret Lathe with bar equipment.
124 1-3½*x36* Acme Flat Turret Lathe, Chucking and Bar Equipt.
753 1-No. 3 Acme Universal Flat Turret Lathe with Chucking Equip.
MILLING MACHINES—PLAIN 516 P.P.GP.P.GP. MILLING MACHINES—PLAIN
1—No. 00 B, & S. Plain Milling Machine with Countershaft. Ad. 1-No. 2 (Plain) B. & S. Miller, 4 step cone S. B. G. Geared Fd. 1-No. 24 Plain (Ohio) Milling Machine. 1-No. 2 F rain (Ono) ritting viacinae.

-No. 0 B. & S. Plain Milling Machine 4 step cone.

MILLING MACHINE—VERTICAL

1-No. 3 Cincinnati High Power Vert, Milling Mche. Good cond.

AUTOMATIC SCREW MACHINES. 34 P. 155 2659 6—34 Cincinnati Automatic Screw Mche., 5 spdl. Good cond. 354 6—No. 52, 34 National Acme, 4 Spindle Automatic. 555 1—119° Cincinnati Automatic Four Spindle Screw Machine. New. 6 1—23° Ckeeland Automatic Screw Machine. New. 70 1—44° Gridley Single Spindle Auto. Screw Mche. Motor Driven. Pi. Pi. S.P 4565

Cincinnati Automatic Machine Co. 3120 South Street, Cincinnati, Ohio

Guaranteed Attra and Rebuilt

Partial List - Ser

ENGINE LATHES

14"x 6' LeBlond, l. c. g. and chuck. 14"x 6' Hamilton. 14"x 6' Porter, compound rest and

taper attachment, l. c. g. 16"x 8' Bradford, c. r., loose change

gear. 16"x 8' Monarch, compound rest, standard pattern.

18"x8' Boye & Emmes, c. r., q. c. g. 16"x8' Hendey, c. r. and t. a., q. c. g. without tie bar. 18"x 8' Prentice, compound rest,

l. c. g., chuck. 18"x10' Star, 4-s. c., s. g., with 16" 4-jaw ind, chuck.

TURRET LATHES AND SCREW MACHINES

No. 00 Brown & Sharpe auto. No. 0 Brown & Sharpe auto. 12" W. & S., friction head.

12" W. & S., friction head, (2). 16" W. & S., friction head. No. 4 Warner & Swasey, p. h., a. c. and b. f.

No. 2 Warner & Swassy, p. h., a. c. and b. f.

No. 4 Warner & S., g. f. h., a.c. and

No. 55 Nat'l Acme 4-spdl, auto.

No. 3 Foster g.f.h. turret screw mch.,

with p. f. carriage and turret.
" Cleveland model "A" a screw mch., with 5-hole turret. No. 2-G Brown & Sharpe auto-

matics (2). No. 2 Brown & Sharpe turret form-

ing 1-4"x10" Millholland, geared friction head with p. f. to turret (3),

Millholland turret screw mch., pl. hd. auto. ck., bar feed hand fd. cross slide, with power fd.tur..new.

DRILLING MACHINES

No. 1-S Garvin duplex.

American sensitive radial with a. a. and elevating table.

4' Mueller, gear box, sgl. pulley dr. 5' and 6' Americans, tr. grd., 8-speed change, gr. box, sgl. pulley drive. 6' Western, with speed box, tap. att. 12-spindle Moline, cam fd., two tbl. No. 14 Natco. 3-sp. Edlund, high sp., ball bearing.

Fox multiple spindle, sliding head, arranged for 12 spindles (4).

No. 22 Colburn, sgl. sp., hvy. duty, 12" cap., with solid spindle and dange for receiving multiple drill

heads, new, (2). No. 30 Natco, belt driven.

No. 44 Colburn, agl. sp. heavy duty, 21" cap., with solid sp. and flange for receiving multiple drill heads, new. (2). No. 34 Demco high speed bench

drill with C spindle, new,

The Strong, Carlisle & Hammond Co

vely Priced Used Iachine Tools

Js Your Inquiries

MILLING MACHINES

No. 0 Bickett, hand, bench type, (2). No. 2 Cincinnati vertical, s. p. d. 24"x18"x60" Ingersoll, Farwell vertical milling head. Becker 2-spindle, with rotary table. 13-B Brown & Sharpe, plain manufacturing.

SHAPERS AND PLANERS

20" Hendey friction, (2). 22"x22"x 5' Putnam planers, (2). 72"x72"x26' Fitchburg, four heads. 30"x30"x10' Woodward & Powell, three heads. 38"x38"x10' Pond, 2 heads on rail.

CENTERING MACHINES

Centering machines, single spindle Cadillac.

GRINDERS

No. 2 Cincinnati univ., latest type, No. 3 Diamond wet tool grinder with drop apron, new.
No. 4 Diamond wet tool grinders with drop apron, new.
No. 19 Brown & Sharpe plain, No. 14-48" B. & S. Palain, (3).
No. 4-A Bryant internal.
Webster & Perks, h. s., b. b., double spindle polishing lathes, cabinet base (6).
No. 10-18" Besly disc grinder.

No. 3 Brown & Sharpe planer type surface grinder.
No. 6-18"—I Bealy disc grinder,
Gisholt universal form tool grinder,
Type "DE" Hisey-Wolf internal,
No. 11 Brown & Sharpepl, grinders.
Plain emery wh'l stand with column.
C3A Grand Rapids duplex drill
grinders with wetatt, new,
Landis Internal, with countershaft,
No. 2 Brown & S. Surface Grinder,

MISCELLANEOUS

Arbor press, No. 28 Atlas.
Boring and Turning Mills, 82" King
Vertical, 2 swivel heads, motor
driven (2).
Boring or drilling machine, No. 1-S
Garvin duplex horizontal,
Broach, No. 2 double Lapointe.
Gear Cutter, No. 4-48" B. & S.
Hand brake, 3' Dreis & Krump,
Keyseater, No. 0 Baker, practically
new.

Layout plates, 30"x26" and 36"x48" C. I., mounted on portable stand. Oil extractor, No. 150 Curtis. Oil extractor, large size American, with pedestal for motor drive. Pipe machine, No. 300 Oster, 4" to 2". Pipe machine, 8" Jarcki, No. 88. Power Press, Max Arms S. S. Plain, 8" stroke, on inclined legs. Scleroscopes, Shore. Slitting shear, No. 266 Niagara, pwr.

Cleveland, Ohio; Detroit, Michigan

NEW YEAR BARGAIN

RADIALS AND UPRIGHT DRILLS

6' American Tr. Gad. Pl. Radial, g.b.d.
5' Prentice Bros. Pl. Radial, ar., for m. d.
5' & 4' Dress Hi-Duty, Pl., g. b. d.
5' American Tool Wks. t. g. Pl., g. b. d.
4' Fosdick Plain Radial, g.b. d., late.
4' Catis-Bickford Plain, g. b. d.
4' Amer. Tr. Grd. Pl. Radial, g. b. d.
34g' Mueller Plain Radial, ges box drive.
24g' Fosdick Pl. Radial, cone pulley row.
No., 1 & 3 W.F. & J. Barnes Hor. Rad.
No., 1 S. S. Natco, Garvin Hori, Duplex.
28' & 26' W. F. & J. Barnes Up., latest.
28' Aurora Upright Drill, tapping att.
26' W. F. & J. Barnes Up.
26' W. F. & J. Barnes Up.
26' Barnes ALL GEARED Upright.
26' Sayder Upright Drill. American Tr. Grd. Pl. Radial, g.b.d.

24 Rockford Upright Drill. 24 Milwaukee Upright Drill. 24 Sibley Upright Drill.

42*x30! Amer. g. h. Lathe, q. c., late. 36°x30' Amer, tr. grd., q. c., late type. 36°x22' Springfield tr. grd., stan. ch. 36°x16' L. & S. sel, g. h., q. c. 36°x16' L. & S. sel, g. h., q. c. 30°x16' N.-B-P stand, change, late types.

30*x 16' N.B.P stand, change, late types.
30*x 16' American grd. hd., q, c.
26*x 18' Schumacher & B. q, c. Lathe.
26*x 14' Gleason standard change.
24*x 12' American Tool Wiss, q, c.
24*x 12' Bradford' standard change.
30*x 14' Lodge & Shipley, q, c.
18'x 14' LeBlond standard change.
24*x 10' G, & K, q, c.
24*x 10' Boye & Emmes q, c. Latie.
16'x 10' G, & K, q, c., taper att.
22*x 12' Whitcomb-Blaidell semi-q, chg, 21'*x 12' LeBlond grd. hd., q, c. lathe.

21"x12" LeBlond grd. hd., q. c., lathe. 21"x10" LeBlond q. c. Lathe.

21 x 10 LeBlond q. c. Lathe.
20 x 10 Chard q. c. taper attach,
20 x 10 Chard q. c. taper attach,
20 x 10 Lodge & Shipley grd, hd., q. c.
20 x 10 Lodge & Shipley grd, hd., q. c.
18 x 14 Johnson g. h., q. c., taper att.
18 x 18 Mohason g. h., q. c., taper att.
18 x 18 Mohason g. h., q. c., taper att.
18 x 18 Mohason g. h., q. c., ta, late type.
18 x 18 LeBlond q. c. Lathe.
18 x 18 LeBlond q. c. Lathe.
18 x 18 Le S. sel. grd, hd., q. c.
16 x 10 Hendey, yoke hd., q. c., ta.
16 x 10 K, grd, hd., q. c., t. a.
16 x 18 G, & K, grd, hd., q. c., t. a.

22º Superior (Kokomo Hi-Speed) Drill 22º Aurora Upright Drill, tap. att. 22º W. F. & J. Barnes Upright, t. a. 20º W. F. & J. Barnes 4-spdl. Gang 3-spindle W. F. & J. Barnes Gang 26º 6-spindle 20º Hoefer Gang.

6-spindle Acme Horiz, Auto, Driller,

6-spindle Acme Floraz. Auto. Driller. Detroit 5-spindle Horizontal Dr. Press. Leland Gifford sgl. spdl., b.b., No. I.M.T. Demco single spindle, b. b. No. 2 M. T. Avey 2-sp. b. b., No. 2 Morse taper. No. 25-24# Foote-Burt Heavy Duty. Henry & Wright 6 & 2-Spindle B. B. Drills, No. 2 Morse Taper. No. 12 Pratt & W. Multtple, 6 spindles. No. 0 Fox Multiple, 6-spindles. No. 1 Fox Mult. sequiposed with 10 spdls.

No. 1 Fox Mult., equipped with 10 spdls. No. 3 Fox Mult., equipped 12 spindles. No. 11 P. & W. Mult., equip. 6-spdls. No. 37 Natco Mult., equip. 20 spindle.

ENGINE AND TURRET LATHES

16"x8' and 16"x6' Hendey yoke head q. c. Lathe, taper att., late type. 17"x5" LeBlond RAPID PRODUCT. 14"x8" & 14"x6" American High-Duty geared head, quick chang, m. d. 16°x 6' Monarch quick change Lathe. 14°x 6' L.&S sel grd. hd.,q.e.,latetype.

14 x 6 'L.cc 3 ar gro. m., c., sace type. 14 x 6' Reed-Prentice, grd, hd., q. c. 14 x 6' Hendey tie bar., q. c. t. a. No. 9 LeBlond Multi-Cut Lathe. 8 x 1008 Lo-Swing with 2 carriages. No. 1-B Foster Univ. Hol. Hex. Turret.

6"x 100 Los No. 1-B Foster Univ. Hol. Hex. Turret 18 Libby type A turret, 3½" sp. hole. 3"x36" J. & L. dbl. spdl. Turret. 3"x36" J. & L. dbl. spdl. Turret. 3"x36" J. & L. Turret, chuck equip. 3"x36" J. & L. Turret, chuck equipt. Nos. 2, 4, 6 Foster Turret. Nos. 2, 4, 6 Foster Turret. 21" Gisholt turret, t. a., late type. 13" Gisholt Turret, taper att.

13° Gishok Turret, taper att.
No. 4 Southworth Turret.
No. 2 Bardons & Oliver Turret.
No. 4 Warner & Swasey Univ. Turret. 21"x10' LeBlond, 3-way Turret and

roller back rest on carriage.
No. 4 B. & S. Wire feed Screw Mche.
No. 4 Bardons & O. Turret lathes.
No. 4 Milholland Turret, g. h., m. d.
18 Biggs Hand Screw Machine.

EASTERN MACHINERY

built and Machine Tools

GEAR MACHINERY AND GRINDERS

No. 12 Barber-Colman Gear Hobber. No. 5-A Lees-Bradner Gear Hobber. 18-H Gould & E., Hi-Duty Gr. Hob. 16" Cincinnati Gear Hobber Nos. 6, 61, 615 Fellows Gear Shapers. 20 Ingle Gear Tooth Rounding Mach. 11 & 18 Gleason Bevel Gr. Gener's. 6º Gleason Bevel Gear Generator. No. 6-72 B. & S. Auto. Sp. Gr. Cut. No. 5-48 B. & S. Auto Spur Gr. Cut. No. 5-46" B. & S. Auto Sput Gar. Can.
No. 3-26" B. & S. Auto Sput Gar Cut.
No. 3-26" Cin. Auto Spur Gear Cut.
No. 22-12" Heald Rotary Surface.
24" Gincinnati Auto. Spur Gear Cuter.
84" Diamond Face Grinder, arr. for m.d.

84" Diamond Face Grinder, art. for m.d. No. 2 LaSalle Automatic Surface. No. 3 Wilmarth & M. Auto. Surface. No. 3 Wilmarth & M. Auto. Surface. 14" P. & W. Vert. Surf. Grind. m. c. 8" Heald Grinder & Surf., style 200. No. 0 LaSalle Hand Feed Surface. No. 70 T. 5" Heald Internal Grinders. No. 70 Heald Int., clutch in head. No. 60 Heald Cyl., hate type, complete. Capital Internal, collett attachment. No. 120 Gariper Double Disc.

No. 120 Gardner Double Disc

SHAPERS AND PLANERS 26º Smith & Mills Triple Grd 24" Gould & Eberhardt b. g. Crank.

24º Steptoe triple grd. Shaper. 20º G. & E. h. d., b. g., Crank.

16° Hamilton heavy duty, b. g., Crank. 16° Kelly hvy. duty b. g. Crank.

No. 4 B. & S. Univ., c. p., complete. No. 3 Hendey Univ., c. p., complete. Nos. 3 B. & S. Univ., c. p., comp. Nos. 3 B. & S. Univ., c. p., comp.
Nos. 2 Cinti Univ., c. p., comp., late.
No. 15 Carvin Vert. Spindle.
No. 3 B. & S. Vertical, sgl. pulley.
No. 2 Brown & Sharpe Vertical.
No. 2 Brown & Sharpe Vertical.

No. 2 Brown & Sharpe Vertical.

No. 142 Ovens Univ., cone pul. compl.

No. 142 LeBlond Univ. cone pul. compl.

No. 4 Cindey Univ., cone pul. compl.

No. 4 Cindi. Pl., s. p., p. r. t.

No. 3 Cincinnati Pli-Power Plain, c. p.

No. 3 Cindi. Pl., s. p., late type.

No. 3 Hvy. Ohio Plain, c. p., p. r. t.

No. 3 Brown & Sharpe Plain, c. pulley.

No. 3 Kempsmith Plain, cone pulley.

No. 2 Gardner b. b. Disc, with press. No. 4-23 Gardner Disc. No. 6-26 Gardner Disc

No. 10-18" & No. 14-30" Besty Disc. Walker single stroke Surface Grinder, 10 diam, magnetic chuck. No. 8—40 Gardner Disc with Press.

No. 120 Gardner Combination Disc. Yankee Twist Drill Grinder. Oliver Drill Point Grinder.

10"x24" Norton Plain, late type. 6"x18" Landis Plain, self-contained. 14"x50" Notton Plain Grinder. No. 1—4"x20" Morse Plain Grinder. 6"x32" & 10"x36" Norton Plain, late. 10°x36° & 10°x52° Landia Plain self-

cont. grinders, late. 8*x30* Modern Plain, self-contained. No. 2—12*x36* Cincinnati Plain. 10"x24" & 12"x36" Landis Pl., self-con. 16"x48" Landis self-cont. crank shaft. Nos. 2 & 3 Brown & Sharpe Universal. No. 3 B. & S. Univ. Tool & Cutter. No. 2 Oakley Univ. Tool & Cutter. No. 1½ Cinti Univ. Tool & Cutter.

15" Pratt & Whitney Crank. 15" Hendey fric. grd. Shaper. 14" Davis plain Crank Shaper. 36"x36x14" American, 2 heads.

24"x24"x8" Woodward & P., I hd. 24"x24"x6" G. A. Gray, I head.

MILLING MACHINES

No. 13-B B, & S. Pl., taper spindle. Nos. 2 & 3 Cincinnati Plain, cone pulley. No. 2 B, & S. hvy. Plain, cone pulley. No. 1½ B, & S. Plain, cone pulley. No. 1½ B, & S. Plain, cone pulley. 28 Cincinnati Semi-Auto, Face. 18º Cincinnati Automatic Miller. 18º Cincinnati Plain Mfg. Millers

Gooley & Edlund, Briggs type, Mfg. No. 7H Becker Lincoln type MFG. No. 6 Whitney Hand Miller.
No. 2 Bristol b. b. Hand Miller.
No. 2 Knight Milling and Drilling Mehe.

No. 3½ Fox Hand & Power Millers. 48"x34"x8' Ingersoll Slab, adj. rail.

(Continued on next Page)

E. Pearl St., also 1 Spring Grove Ave., nat have you to Sell?

CINCINNATI, O.

Rebuilt and Guaranteed

Machine Tools

(Continued from Preceding Pages)

MISCELLANEOUS

Air Compressor, 18x12x12 Worthington, dbl. steam drive, cap. 700 cu. ft. Air Compressor, 81/2 x 10 Worthington, b. d.

Air Compressor, Ingersoll-Rand E. R. I., belt drive

Arbor Press, No. 5 Greenesd Arbor Presses, Nos. 3 & 31/2 Greenerd, on stands.

Arbor Press, No. 55 Atlas Pwr., b. d. Automatics, Nos. 32, 53, 54, 55, 56, National Acme.

Bolt Cutters, I * Acme Class "A".
Bolt Threader, I * Landis, lead screw.
Bolt Thread, Mche., I * Landis.
Bolt Thread Mche., I * double spindle,

Landis with lead acrews, 95% new. Bolt Thread Mches., 1", 11/2" and 2"

Biolit I hread Miches, 1*, 1½* and 2*, Landis, double spindle. Boring Mill, 72* Bickford vert, 2 hds. Boring Mill, 5! Niles vertical, 2 hds. Boring Mill, 5! Niles vertical, 2 hds. Boring Mill, 42* Bausch vert, 2 hds. Boring Mill, 42* Bausch vert, 2 hds. Boring Mill, 42* Bausch vert, 2 hds. TyPE vertical, Boring Mill, 30* King vertical, turret head, bower taniel travere trainied traverer trainied traverer.

head, power rapid traverse.

Boring Mill, 30° Gisholt vert., turret head, power rapid traverse

Boring Mills, 24" & 36" Bullard vert., rapid production, turret and side hd. Broaching Machines, Nos. 2 & 3 J. N. LaPointe Double.

Broaching Machine, No. 3A LaPointe (Hudson)

(Fludion).
Broaching Mche., No. 2 J. N. LaP.
Broaching Mche., No. 3B J. N. LaP.
Chucking Machine, No. 22 N.
Britain Automatic, 1/000 serial.
Chucking Lathe, No. 6A Potte
Johnston auto., serial in 18,000's.

Chucking Lathe, No. 5-A Potter & Johnston Auto., serial in 20,000's.
Drill, Gun Barrel, No. 1 P. & W. 2-ap. Forcing Press, 15 ton Lucas Pwr., b.d.

Grinder, No. 4-B Detroit Centerless.

Grinder, Springfield Swing Frame, ar-ranged for motor drive, NEW. Hack Saw, 13"16" Peerless H-S. Pwr. Hack Saw, 12x12" Racine, High

Speed Power. Hack Saw, 6"x6" Racine, High

Speed, Power. Hammer, 25 lb. Little Giant Trip. Hammer, 29 b. Little Giant Trp.
Hammers, 40 c. 60 lb. Bradley Helve.
Hammer, 14, 8 Schuster Riveting.
Hammer, No. 3A High Spd. Riveting.
Hammer, No. 3A His-Spd. Riv., b. d.
Hammers, No. 1-AA High Spd. Riv.
Keysaeter, No. 5 Mitts & Mertill.
Keysaeter, No. 6 Mr. & Mr., cap. 34, 8
Press, No. 3 Bliss, Stiles pattern, Pwr.
Press, DNo. 2 Ferracule O. B. I. cam
action Power flywhood drive.

action Power, fly wheel drive Press, D. D. No. 2 Ferracute O. B. I. cam action Power, flywheel drive.

Press, No. 73½ Bliss sql. crank, s. s. Power, with side shear. No. 63 Consolidated sgl. crank, s. s.

Power, arr. for m. d. Press, 150 ton Elmes Hyd. Tire.
Polishing Mche., Bleveney, type "A"
Profilers, No. 12 P. & W. 2-spindle.
Profiler, No. I Garvin, 2-spindle.
Rivet Spinner, No. 80 Grant Noiseless. Shear, 61 Toledo Power Squaring,

14 gauge cap.
Shear, No. 272 Niagara 72* Power Squaring, cap. 14 ga.
Shear, 72* Kutschied Power Squaring,

12 gauge. Tapping Mchs., Nos. 1 and 2 Garvin

Auto. lers, 41/2"x12" and 6"x14" Pratt

Winfield Electric Spot, cap.
1 2 pieces ¼ material.
Winfield Automatic Electric

ap. 2 pieces of ¼ ".

Weider, Winfield Electric Butt, cap.
½ rods.

Many Others. Send Us Your Inquiries.


We also buy machinery-what have you to sell?

EASTERN MACHINERY CO. 408 E. Pearl St., or Cincinnati, Ohio

3261 Spring Grove Ave.;

Bench Drills only \$35

While They Last!



Inclosed Gear Drive—Raw Hide Pinion—Four Step Cone Bronze Bushed Split Journals Safe Working Speed 2,400 R. P. M.

FIRST COME-FIRST SERVED!

Passman Brothers

705 W. Washington Bivd.,

CHICAGO, ILL.

Bath's Guarantee

Boring Mills-Horizontal

314º P. & H. motor drive.

Boring Mills-Vertical

44⁸ Baush, 2 heads, belt drive. 48⁷ Colburn, 2 heads, arr. m. d. 51⁸ Niles-Bement-Pond, sgl. pul. 72⁸ Cincinnati, 2 heads, motor dr. 84⁸ Niles-Bernt-Pond, 2 heads. 100⁸ Niles, 2 heads, gear feed. 10' Betts, 2 hds., hvy. duty, m. d. 10'-16' Bement-Miles with extension head. 10'-16' Niles, 2 hds., friction fd. 16'-24' Niles, with central bor. hd.

Drills

4' Hammond sensitive radials with tapping attachment. 4' Prentice radial, motor drive. 6' Pond radial, belt drive. 8' Cleveland wall radials. No. 310 Baker, hvy. duty. 3' cap.

No. 25 Foote-Burt heavy duty 3°, capacity. 16-spindle Fox, No. 1 taper. 2-spindle Foote-Burt, hvy. duty. 4-spindle Foote-Burt. 4-spindle Moline, 2° capacity.

Forging Machines and Bulldozers

2" Ajax geared, cast iron bed.
4" Ajax geared, steel bed.
No. 2 Ajax high speed bulldozer.
4" Waterbury cold nut machine roller feed.

% Waterbury Farrell D. S. O. D. cold header.
% Waterbury Farrell trimmer with hopper feed.
% Thread Roller.

Grinders

84° Diamond face, motor drive. 26° horiz. disc grinder, belt drive.

Grinder stands and drill grinders. 12x72 Norton arr. M. D.

Keyseaters

No. 2 Baker Bros., power feed, belt drive.

Lathes

16°x6' Pratt & Whitney, tool room, taper attachment. 30°x14' Schumacher & Boye, cone drive. 36°x14' Schumacher & Boye, triple geared.

Milling Machines

Type B Briggs Lincoln millers. 20°x7°x18° Osetrelein, belt drive. No. 0 Rockford, plain, belt drive. No. 2-B Heavy Brown & Sharpe, M. D. No. 4 Cincinnati hi power, vertical. 24°x24°x20' Ingersoll, 3 heads.

CYRIL J. BATH & CO., E. 70th &

Cleveland Stock

Planers-Openside

48"x60"x16' Detrick & Harvey, 3 heads.

Planers and Shapers

36*x36*x18' Cincinnati heavy duty, 4 heads. 60*x60*x20' Cincinnati, 3 heads, Motor Drive. 96*x96*x16' Pond, 4 heads, belt drive. 14'x10'x24' Bement, 4 heads, Motor Drive. 60* Morton draw cut shaper. 24* Queen City Shaper. Cone Drive.

Punches and Shears

48" throat Bement-Miles, arch. jaw, 1½"x1".
No. 90 Amplex triple combination punch, plate shear, bar, T and angle cutter.
Garrison steel bed alligator shear, 2" capacity.
Niagara circle shear, ½" capacity.
½" cap. Lennox rotary shear.
44" cap. Lennox rotary bevel shear.

Riveters and Saws

36"x20"x10" Allen riveter, cap. 34" rivets. 9A Racine power hack saw, cap. 12"x15".

Slotters

20° Bement crank, cone drive. 48° Niles-Bement-Pond, m. d. 36° Bement crank.

Tumbling Barrels

18"x30"x48" steel lined, in pairs. Roller bearings, with dust exhaust, quick acting. Double cover plates. Mounted so that one may be loaded while the other idles.

Turret Lathes and Screw Machines

24° Gisholt, cone drive. No. 1-B Foster universal turret lathe. 3°x36° Jones & Lamson, geared head.

MISCELLANEOUS

Bolt cutter, 1¼ Landis, dbl. hd. Blowers, No. 4 Root, positive pressure, also Nos. 1 and 2, Buffalo Forge. Hammers, 100 lb. Bradley horizontal helve. Hoist, 5-ton Euclid electric, A. C. Pipe Machine, Merrill, 8° cap.

Machinery Av., N. E., Cleveland, O.

Exceptional Offers In Good Used

These are not worr

HORIZONTAL DRILLING AND **BORING MACHINES**

1-2-spindle Rockford, spindle att. to each end of 2"x6' table practically

CHUCKING MACHINES

2-No. 6-A semi-auto, with equipment,

CUTTING-OFF MACHINES

-6" accelerated speed, H. & R., \$250. 2-Cold metal circular saws No. 14, 18" saw, Higley, ea. #176.

DIE SINKING MACHINES

-No. 2 Cooper...

1-No.2 with swivel vise, P. & W. \$325. MULTIPLE SPINDLE DRILLING

MACHINES 1-Type 32, 42-spindle, little used, Nat Auto motor drive.......\$2,800.

Nat. Auto, motor drive......\$2,800. 1-Type 32, 60-spindle, little used, Nat. Auto, motor drive.....\$2,900.

1-2-spindle Foote - Burt adjustable cylinder bor, and ream, mche. 550. 1-4-spdle. Moline adjustable cylinder boring and reaming machine.. 1,000.

SENSITIVE DRILL PRESSES

3-20" Friction dr., W. F. & J. Barnes,

TOOLS-(NEW AND USED)

Arbors Chasers Chucks Collets Clamps

Die Heads Dogs Drills Reamers

UPRIGHT DRILL PRESSES

3-20" swing, heavy duty style F., Baker Bros \$150. 1-24" heavy duty, Foote-Burt \$150.

GEAR CUTTING MACHINES

1-15" bevel gear generating machine,

CUTTER GRINDERS

1-Chaser and die grinder, Geometric, .. \$60. 1-Ingersoll cutter grinder ... 150. 1-Sellers drill grinder, cap 1" to 2"60.

PLAIN AND CYLINDRICAL GRINDERS

thoroughly overhanled Norton \$800. 1-10"x72" plain with cam-shaft att., 14"x72" plain, thoroughly hauled, Norton. 1-No. 11 plain, Brown & S \$175. 1-No. 14 plain, Brown & Sharpe excellent condition ...

SNAGGING GRINDERS

4-2 wheel, Model E, 2x2x24" wheel, Norton, ca.....

SURFACE GRINDERS

UNIVERSAL GRINDER

1-No. 2, 10"x30" Taft-Pierce ____\$500,

Cutters (milling and hobbing) Snap gauges-(adjust. & non-adjust). Grinding wheels Precision measuring tools

Being offered for sale direct to

sto

R

Inspection invited by OLD ESTABLISHED

Correspond with H. E. Behn, 2 Main Street,

rge and Machine Shop Equipment

t or discarded Tools

HAMMERS-DROP FORGED

-2000-lb. ex. cond.. Chamb.,..\$1,600. -1200-lb. Waterbury-Farrell....\$275. -800-lb. Waterbury-Farrell....\$275.

ENGINE LATHES

-20"x12' Blaisdell, compound rest, cone head 100. -24"x12' Reed, comp. rest, cone hd., large 4-jaw chuck 200.

HIGH PRODUCTION LATHES

SPEED LATHES

Several ranging from, ea...... \$5 to \$50.

TURRET LATHES

-3"x36", Jones & Lamson, ea ... \$400. -2\frac{1}{2}x26", Pratt & Whitney \$550. -1\frac{1}{2}" cap. Fox, Warner & S...... \$350.

MANUFACTURING MILLERS

VERTICAL MILLING MCHS.

Pratt & W. precision hoke blocks Screw plate sets Line shafting, pulleys and hangers

Line shafting, pulleys and hangers Lubricating pumps and tanks

stomer AS IS on factory floor.

RM (Not a Machinery Dealer)

ridgeport, Connecticut, Phone, Barnum 3900

OIL WASTE EXTRACTORS & OIL PURIFYING EQUIPMENT

POLISHING EQUIPMENT

2-No. 7 polishing jacks, Diamond,

HOT TRIM PRESSES

PROFILING MACHINES

1-No. 12 Pratt & Whitney \$225.

AUTOMATIC SCREW MCHS.

TESTING MACHINES

1—Dynamic crankshaft balancing machine, Akimoff Instrument Co. 380.

THREADING MACHINES

MISCELLANEOUS

Many other Machine Tools too numerous to mention—Ask for catalog — Special prices on large orders.

Tanks and pumps
Root Blowers
Miscellaneous electrical equipment 220 volts D. C.

High Gra OUR GUARAN



Lathes	1-4" Bar Gisholt.
1-48"x50' Pond.	3-No. 1 Barrett.
1-45"x24' Pond.	3-Rockford.
1-42"x50' Putnam Grd. Hd.	Auto. Screw Machines
1-42"x50' American Grd Hd	7-No. 6-A Potter & Johnston, 5.
1-36"x71' American Gid. Ho. 1-27"x14' Reed-Prentice Grd. Hd.	2-No. 5-A Potter & Johnston,
1-27"x14' Reed-Prentice Grd. Hd.	2-5 "Cleveland,
5-26"x16' Niles-Bement-Pond.	1-No. 56 National Acme.
10-26"x16' Bridgeford.	1-1"x5" New Britain. 0.
5-26"x14' Niles-Bement-Pond.	Turret Lathes
5-26"x12' Bridgeford.	10-24" Steinle: 2-24" Gisholt M
13-26"x11' Wickes. 10-26"x10' Niles-Bement-Pond.	3-21" Gisholt.
10-26"x10" Niles-Bement-Pond. 21-26"x10" Canada.	3-20"x8' American.
15-26"x10" Canada. 15-26"x10" Whitcomb-Blaisdell.	1-No. 7 Foster, Geared Head. 0.
14-26 'x10' Whitcomb-Biaisden.	7-2-spindle lones & Lamson 2"
9-25"x12 LeRland	1-18" Acme.
9-25"x12' LeBlond 1-24"x18' L. & S. Sel. Grd. Hd.	3-16" Cincinnati-Acme-Fox.
1-24"x16" L. & S. Sel. Grd, Hd.	Vertical Boring Mills
1-24" x20' Reed-Prentice, Grd. Hd.	1-10' Niles, 0.
9-24"x10' Ciaco.	1-72" Gisholt. 2-42" Gisholt.
5-20"x22"x16' American.	1-60" Pittsburg.
1-20"x10' Hamilton, M. D.	1-48" Colburn.
10-20-22"x8' American.	1-42" Colburn.
1-18"x8' Greaves-Klusman.	1-42" Bullard, New Era.
1-18"x8' Lodge & Shipley.	1-36" Bullard, New Era.
1-16"x14' Reed-Prentice, G. H	1-36" Bullard, Rapid Production 1-36" Gisholt.
1-16"x12' Sundstrand Mfg.	1-38" Gisholt. 1-32" King.
1-16"x10' Sundstrand Mfg. 2-4"x60" Loswing.	1-32 King. 1-30" Flather.
5-34" Fitchburg Loswing.	Pa 11 1 Pa 111
Horizontal Boring Machines	Radial Drills ct
1-No. 12 P. & H.	1-4' Western Heavy.
1-No. 12 P. & H. 1-No. 0 Fosdick.	1-5' Reed-Prentice. 1-4' Reed 1E

HAYmarket HILL, CLARKE & CO. O'et,

conomical-Ready to Produce

four money back if you return a machine vithin thirty days. No excuses necessary.

Below, a small section of our stock



a' Western.

3' Gang Sensitive. 3' American Sensitive.

Drill Presses

No. 4 4-spindle Foote-Burt. No. 3 6-spindle Foote-Burt. No. 17 4-spindle Foote-Burt. 2" Barnes, Self Oiling.

s" Superior.

ar Cutters and Hobbers No. 5 60" Brown & Sharpe.

No. 18 Brown & Sharpe. No. 18 Brown & Sharpe. No. 36BM G. & E. No. 6 Fellows. 18" Gleason.

Milling Machines

No. 4 Cincinnati, Hi-Power, No. 3 Kempsmith, No. 3 Brown & Sharpe, No. 0 Brown & Sharpe, No. 0 Rockford,

No. 25 Becker.

No. 1 Kempsmith.
No. 2-Y Brown & Sharpe.
No. 2 Hendey Universal.
No. 2 Kempsmith Universal.

-No. 14 Garvin Duplex. -No. 1 Van Norman, Hand. -Type B Briggs.

Vertical Millers

Model ACS 2-spindle Becker. -Model SD Becker.

No. 6 Becker. No. 5-B Becker.

No. 4 Cincinnati No. 3-B Milwaukee. 1-No. 2-B Milwaukee. 1-No. 4-B Becker. -No. 3 Cincinnati.

-Model CS Becker.

Planers

Planers
--72"x84"x12" Gray,
--42"x48"x12" Gray,
--42"x36"x14" Cincinnati,
--36"x36"x14" Cincinnati,
--36"x36"x18" Cincinnati,
--36"x36"x16" Rocklord,
--36"x36"x16" Ohio,
--36"x30"x20" Whittomb-Blaisdell,
--36"x30"x2" B' Niles- Bement-Pond,
--36"x30"x2" Gray,
--36"x30"x2" Gray,
--36"x30"x2" Gray,

Grinders

-26-37\(\frac{1}{2}\)"x96" Norton Gap. -24"x96" Norton. -18"x96" Norton.

-16"x50" Norton. -14"x72" Norton. -14"x50" Norton. -12"x120" Landis.

-12"x120" Landis. -10"x120" Norton. -10"x72" Norton. -10"x72" Landis.

-10",552" Landis. -10",550" Norton, -No. 14. 10"x30" B. & S. -10"x36" Norton. -10"x24" Norton. -6"x32" Norton. -6"x18" Landis. -12"x36" Cincinnati Universal.

No. 2 Landis Universal.

-No. 21 Universal. -No. 60 Heald. 1-No. 70 Heald

HICAGO Washington CHICAGO, ILL. Cable Address Remand

161

Machines of Quality

MACHINES OF THIS TYPE ARE HARD TO FIND

24" Bullard Vertical Turret Lathe, New Era Type 42" Bullard Vertical Turret Lathe, New Era Type 3A Warner & Swasey Turret Lathe.

48" Colburn Vertical Boring Mill, one plain head one turret head, arranged for A. C. motor de

52" Niles Boring Mill, 2 swivel heads,

60" Brown & Sharpe Spur Gear Cutter. 24"x18' American Geared Head Lathe, A. (motor drive, motor included.

36"x28' Lodge & Shipley Grd. Hd. Lathe, t. 48"x48"x12' Cleveland Open Side Planer, 2 re heads, 1 side head.

6"x32" Norton Plain Grinder. 10"x50" Norton Plain Grinder.

No. 14 Brown & Sharpe Plain Grinder.

14" Pratt & Whitney Vertical Surface Grinde' No 4. 16"x72" Cincinnati Universal Grinder.

61 American Triple Purpose Radial, close head type, A. C. motor drive.

No. 2 Baker Keyseater.

No. 3 Cincinnati Plain High Power Milling Ma chine, single pulley.

214" Acme Bolt Cutter.

THE MOTCH & MERRYWEATHER MACHINERY [O 10 CLEVELAND

DETROIT CINCINNATI

et,

— Mean Satisfactory SERVICE

Mechanics appreciate our Rebuilt Machines.

Purchasers are protected by our guarantee.

We Have a Large Selected Stock and Solicit Your Inquiry.

Warehouse and Shop Located at 388 East 70th St., CLEVELAND, OHIO The Motch & Merryweather Machinery Co.

Machines of Quality

MACHINES OF THIS TYPE ARE HARD TO FIND

24" Bullard Vertical Turret Lathe, New Era Type 42" Bullard Vertical Turret Lathe, New Era Type

3A Warner & Swasey Turret Lathe.

48" Colburn Vertical Boring Mill, one plain head one turret head, arranged for A. C. motor d

52" Niles Boring Mill, 2 swivel heads.

60" Brown & Sharpe Spur Gear Cutter.

24"x18' American Geared Head Lathe, A. (motor drive, motor included.

36"x28' Lodge & Shipley Grd. Hd. Lathe, t. 48"x48"x12' Cleveland Open Side Planer, 2 raheads, 1 side head.

6"x32" Norton Plain Grinder. 10"x50" Norton Plain Grinder.

No. 14 Brown & Sharpe Plain Grinder.

14" Pratt & Whitney Vertical Surface Grinde
No. 4, 16"x/2" Cincinnati Universal Grinder.

6 American Triple Purpose Radial, close head type, A. C. motor drive.

No. 2 Baker Keyseater.

No. 3 Cincinnati Plain High Power Milling Ma chine, single pulley.

21/4" Acme Bolt Cutter.

THE MOTCH & MERRYWEATHER MACHINERY [D

CLEVELAND

DETROIT CINCINNATI PITTSBURGE

— Mean Satisfactory SERVICE

Mechanics appreciate our Rebuilt Machines.

Purchasers are protected by our **guarantee**.

We Have a Large Selected Stock and Solicit Your Inquiry.

Warehouse and Shop Located at 888 East 70th St., CLEVELAND, OHIO The Motch & Merryweather Machinery Co.

Midland Equipment Co.

LATHES

20"x81 Monarch, Q. C. G. 18"x81 American, Q. C. G. 18"x141 Draper. 18"x8' Prentiss, Q. C. G. 16"x8' Monarch, Q. C. G. 160x81 Hendey, Q. C. G., Taper and 10°x5' Hendey, Q. C. G., Back-Off Attachment. 16°x6' Walcott, S. Q. C. 14°x6' Von Wyck. 14°x6' Illinois. with Turret. 14°x6' Goddard. 10°x5' Seneca Falls.

SHAPERS

30" Cincinnati, Triple Geared. 22º Walcott. 21 American, Back Geared. 20 Gould & Eberhardt, Back Geared.

20° Kelly. 16° Juengst. 15° Potter & Johnston, Universal.

PUNCH PRESSES

No. 3 R. & K. Straight. No. 3 Stiles O. B. I. No. 0 V. & O. Punch Press. No. 2 American Can Kick Press. No. 2 Wahh Kick Press. No. I American Can Kick Press.

MILLING MCHES.

No. 5 Becker Vertical. No. 2 Owen Universal. No. 2 American Plain. No. 11/2 Brown & Sharpe Plain. No. 11/2 American Plain.

GRINDERS

2-No. 11 Brown & Sharpe Plain. No. 12 Modern Tool Grinder, Plain. No. 2 Brown & Sharpe Surface. Plain with Magnetic Chuck. No. 2 Brown & Sharpe Cutter Grinder.
No. 1 Gardner Disc and Surface.
No. 1 Marvel, SKF Ball Bearing.
No. 2 Marvel, SKF Ball Bearing.

DRILL PRESSES

26" Superior Geared. 24" Foodick Radial Drill. 22½" Sibley All Geared. 20" Buffalo Back Geared. 16" Henry & Wright, H. S. B. B. 14" Henry & Wright, H. S. B. B. Motor Driven.

14º U. S. Drill. 14º Enley.

12* Sterling-Elliott.

MISCELLANEOUS

Southwark Punch & Shear, 36th Throat, Arranged for Motor Drive. Hillis & Jones, Horizontal Punch, Capacity 11/4" through 11/4". No. 440 American Single Surfacer, D. C. 15 H. P., A. C. Motor. No. 60 Heald Cylinder Grinder, Full Automatic Feeds.

6º Beloit Punch & Shear. No. 5 Root Vertical Blower. Springfield Straightening Press.

Bushel Oil Separator.

Burke Cold Saw. No. 1 Marvel Hack Saw. No. 2 Marvel Hack Saw.

20 Ton Weaver Screw Press. 7½ x6 C. P. T. Air Compressor. 34 St. Louis Tapper. 11/2" Cap , Putnam Bolt Cutter. 2 Ton Peerless Chain Hoist. 4 Ton Peerless Chain Hoist. No. 2 Davis Keyseater.

We specialize in belting, ball and roller bearing transmission-

400 So. Clinton St.,

Chicago, Ill.



The 'BB" Machine Vise

For Use on Miller, Shaper, Planer or Drill

Repeat orders are showing that this Vise has proved its worth a hundred times over.

No well equipped shop is complete without this modern Vise. Opens 6 inches, weighs 37 pounds.

Price Only \$18.00

4-Sp. 16* H. S., B. B. Demco Drill Press; power feed on each spindle, nearly new. A bargain at	\$ 800.
	850.
No. 6 Fellows Gear Shaper, in extra fine cond	
6x48 Brown & Sharpe Gear Cutter; fine condition	1250.
25" Brown & Sharpe Spur Gear Cutter; very good cond.	550.
No. 3 Adams-Farwell Gear Hobber, like new, used	
less than 8 months	1075.
No. 4 LaPointe Broach; good condition	650.
10" Niles Slotter; circular table, good condition	875.
22* Walcott Shaper; fine condition	575.
18* Cincinnati Auto. Miller, equal to new	675.
30" Bullard Vert. Boring Mill; excellent condition	750.
Waterbury-Farrell triple geared, straight side Press;	
6" shaft; 250 ton; good condition	1000.
16" Reed-Prentice B. B. Vert. Surf. Grinder, like new	1750.
20x121 Hendey Lathe, equal to new	1250.
20x10' late type Boye & Emmes Lathe; double apron double back gears; taper attachment; like new	1000.

A. R. Marsh Machinery Company 4900 West 73rd Street, Cleveland, Ohio

65

Surplus Plant Equipment

Many Modern Machines. Some practically as good as new. All Motor Driven Equipment 220 volt D. C.

Conmunicate with our nearest office for prices.

All items at Ridgway, Pa., except those marked "H" which are at Hamilton, Ohio.

Lather

13"x5' Blount Speed Lathe, Belt. H-27"x12' Pond Time Saver, arr. for d. c. var. speed motor.

Turret Lathes

3"x36" P. & W., belt.

Planers

42"x42"x26' Poud, 4 hds. rey, m. d. H-46"x48"x20' Poud, 4 hds. rev, m. d. 48"x48"x27' Poud, 4 hds. rev, m. d. H-36"x38"x10' Poud, 3 hds., r. m. d. H-36"x38"x12' Poud, 4 hds., r. m. d. H-36"x38"x12' Poud, 4 hds., r. m. d. H-42"x42"x14' Poud, 4 heads, belt-ed, m. d.

H-42"x18"x20' Pond, Extra Heavy Frog and Switch, 2 heads, r. m. d.

Upright and Radial Drills

No. I Bement Vert. Cotter, Belt. 5' Right Line Full Universal motor. H—P. & W. No. I 3 Adjustable Is-Spindle. belt. H—No. I 14" Barr I-sp. Sens., Belt. H—16" Le Blond I-sp. Sens., Belt. H—20" Aurora W. & L. Feed, Belt.

Millers

Whitney Hand, belt. 6"x133" P. & W. Thrd. Miller, Belt.

Woodworking Equipment

20"x12' Clement Lathe, Belt. 24"x12' Clement Lathe, Belt.

Gear Cutters

24" Gleason Bevel Planer, belt. 36" No. 4 B. & S. Spur Cutter, belt.

Emery Wheel Stands

No. 6 Blount Grinder, Belt. 18" Grinder and Polisher, belt. 30" Grindstone Frame, belt.

Grinders-Cylindrical and Tool

LeBlond No. 1 Cutter, belt. No. 2 Sellers Tool, belt.

Horizontal and Vertical Boring Mills

3½" Sp. Ridgway Hor., motor. 5" Sp. Betts Horiz., belt. 5½" Sp. 80" Bement Horiz., belt. H-44" Niles, with r. h. tur. hd.,mtr.

Niles Electric Traveling Cranes

5 ton, 3 motor, 34' 8" span, 5-ton, 3-motor, 35' 7" span, 10-ton, 3-motor, 34' 8" span, 5-ton aux, 30-ton, 4-motor, 34' 8" span, 5-ton aux, 40-ton, 4-mtr., 71' 11" span, 5-ton aux, 2-ton, 2-motor, wali crane, 19' arm

Miscellaneous

Y & T 3-ton Hand Crane, 35'6" span 4" capacity Espen-Lucas Cold Saw Williamsport No. 190 Ry. Cut-Off Saw Belt. 100-Card Dey Time Regis. Clocks. H-H-"3" Cap. 12" Throat, L. & A. Hor. Punch Motor. H-185-1b. Motor Driven Air Ham.

Also Foundry and Woodworking Equipment

The Niles Tool Works Company

Division Niles - Bement - Pond Company

Hamilton, Ohio

New York, Birmingham, Baston, Chicago, Cincinnati, Cleveland, Detroit, Los Angeles, 454 E. Third St. Philadelphia, Pittsburgh Rochester, St. Louis, San Francisco, 917 linward St.

SPECIAL LIST

Iron and Sheet Metal Working Machines

Presses

No. 56 Toledo S. S.B. G. 4" Stroke. Wt. 14000 lbs. No. 57-Toledo S. S. B. G. 8" Stroke

Wt. 18000 lbs. No. 1 Walsh O. B. I., wt. 900 lbs.,

stroke 12"
2-No. 21 Bliss O. B. I., wt. 3800 lb.

each, stroke 2

each, stroke 24".

No. 2 Robinson Plain S. S. Press, wt. 3300 bbs., 2" stroke.

No. 3 Bliss Stiff Back Press, wt. 3000 bbs., stroke 19".

No. 15 Waierbury Pl. S. S. 24" bet. Housing 3" Stroke Wt. 6000 lbs.

4—Plain Fly Wheel Presses, wt. 2000 bbs. each, 14" stroke.

No. 83A Waterbury Farrell S.B.G. 6" and 8", Stroke 21" Bet. Housing Wt. 9000 lbs.

Punches

No. 4 Long & Alistatter Single End Back Geared, capacity \(\frac{4}{1} \) thru \(\frac{4}{1} \). No. 6 Whiting Single End, Back Geared, capacity \(\frac{4}{1} \) thru \(\frac{4}{1} \). 1—Bertsch Kapid Production Punch 18" throat, archt, jaw, wt. 3500 lbs.

Press Brake

1-10' Streine (POORMAN type) Power Press Brake, 3/16" capacity, arranged for mtr. dr., wt. 40000 lbs.

Shapers

24" G. & E. Back Geared Crank. 24" Kelley Back Geared Crank. 16" Smith & Mills Back Geared Cr.
16" Smith & Mills Plain Crank.
16" Steptoe Plain Crank.
16" Ohio Plain Crank.

12" Steptoe Plain Crank.

Bolt Cutters

" Landis single head (with dies). 2" Acme Model B. (without dies).

Millers

No. 1 Kempsmith Universal. No. 1 Cincinnati Universal.

No. 17 Cincinnati Universal, No. 2 B. & S. Universal, No. 3 B. & S. Plain, Motor Drive, No. 3 B-B. & S. Plain, Motor Dr. No. 4 Becker Brainard Plain,

No. 4 Cincinnati Plain.

No. 2 Becker Vertical.

Square Shears

2-24" Foot Power Square Shears. 3-30" Foot Power Square Shears. 1-Whitcomb Power Slitting Shears. 1-8' Power Square Shear, cap 20 ga. 1-8' Excelsior Power Square Shear, overhead drive, 15" gap and 16 ga. 1-10' Bertsch Power Square Shear, overhead drive, 14 gauge capacity. 12' Streine Power Square Shear, under-drive type, 18 gauge cap.

Welders (Spot and Arc)

140 ampere Detroit Spot Welder, 18" arm for 110 volt, 60 cycle \$220. Can furnish 220 v. transformer 7 k.w. Taylor-Winfield Spot Welder 3 ph., 60 cy., motor gener set, \$475.

Hack Saws

6x6 Racine High Speed S. P. Drive. 8x8 Racine High Speed S. P. Drive. 7x7 Atkins Quick Cut S. P. Drive. 12x15 Racine High Speed with 3 speed transmission drive. 13x15 Racine High Speed with 3 speed transmission drive.

We are in the market to purchase first class machinery: What have you for sale?

The Jones Machine Tool Co. Front & Pike Sts., Cincinnati, Ohio

A MESSAGE TO OUR FRIENDS

The past year with its many new customers has shown a gratifying increase in our business, and now as we pass another mile post, another year is confronting us with its hopes and opportunities to serve you. We come to you prepared, carrying an enormous stock of guaranteed tool room machinery. We assure you that our company is a source of supply on which you can depend as our many customers will testify.

We Offer

LATHES

20°x10' Boye & Emmes q. c. g. 15°x8' Hendey q. c. g., t. a. 14°x6' Lodge & Shipley grd. hd. 14°x6' Rockford q. c. g., new. 7°x3' Flather, brand new.

GRINDERS

No. 1 W. & M. univ. tool & cut. No. 2 Oesterlein univ. tool & cut. No. 1 W. & M. surface, b. b. No. 5 Landis internal cylinder.

DRILL PRESSES

4º Ryerion radial, s. p. d.
4-spdl. Henry & W. Hi-Speed, b. b.
No. I Avey Hi-Speed, b. b.
No. I Avey Hi-Spd. 800 rtype.
No. I Avey Hi-Spd. 800 rtype.
No. I Avey Hi-Spd. 800 rtype.
21º Champion b. g., p. I., new.
21º Canedy-Otto b. g., new.
20º Hoefer b. g., power feed.
14º Canedy-Otto direct m. d.

MILLERS

No. 3 Cincinnati univ., v. head, No. 1½ Brown & S. univ., v. h. No. 1 Cincinnati univ., complete. No. 3 B. & S. plain, div. hd. No. 2½ LeBlond plain, complete. No. 2 LeBlond plain, b. g. No. 2 Oesterlein plain, s-e. dr., No. 1 Rockford plain, complete. No. 3 Rockford hand, p. f. to tbl. No. 3½ Fox hand, p. f. like new.

SHAPERS

16⁸ American s. p. d., univ. tbl. 16⁸ Gould & Eberhardt b. g. 16⁸ Cincinnati b. g. swivel table. 16⁸ Cincinnati b. g. 16¹ Lodge & Davis friction type. 20⁸ Smith & Mills d. b. g. 20⁸ Walcott b. g., p. f. to head.

SCREW MACHINES

7º Rhodes complete.

No. 2 Wood Turret Lathe, new. No. 3 Foster pl. head, complete. No. 7 Foster friction geared head.

Also a Large Unlisted Stock

"Tool Room Machinery Our Specialty"

Central States Machinery Co.

134 South Clinton Street
CHICAGO

High Grade Machine Tools

Lathes

44"x40" Pond, cone drive, L. C. 42"x20" L. & S., Q. C. D. C. M. D. 24"x22" American Geared Head. 60"x18" New Haven. 60°x 18' New Haven.
36°x 16' Fay & Scott, L. C.
25°x 10' LeBlend, Q. C. late type.
24°x 12' LeBlond Lathe.
21°x 10' LeBlond, Q. C. late type.
24°x 10' LeBlond, Q. C. late type.
24°x 10' Schumacher, Boye & Emmes,
3 S. C. Q. C.
20°x 8' Hendey, yoke head, t. a.
18°x 8' American, Q. C. Cone drive.
18°x 8' Rahn-Larmon Q. C. late type.
14°s 6' Hendey, Yoke Head, t. a. 14"x 6' Hendey, Yoke Head.

Radial and Upright Drills

4^t Bickford, Gear Box, S. P. D. 5^t American, T. G. G. B. D. 5^t Cincinnati Bickford Full Universal, G. B. D 6' Dreses Gear Box Drive. 26" Cincinnati Upright, C. D. 26" Rockford Upright, C. D. 25" Barnes Upright, C. D.

25" Superior Upright, C. D. 21" Canedy-Otto, B. G. P. F.

Gear Cutters

36-H G. & E. Gear Hobber. 36" Whiton Bevel & Spur Gr. Cutter. 18" Schuchardt & Schutte Hobbers. 6º Gleason Generator.

Boring Mills

No. 1 Rockford, 2[®] bar, 30[®] Colburn, Vertical. 24[®] Bullard Rapid Prod., latest type. 42" Gisholt, two heads, late type. 51" Bullard Vertical, 2 heads.

Milling Machines

No. 4 Brown & Sharpe Universal. No. 3 Cincinnati, Plain, Cone. No. 3 LeBlond Heavy, Cone. No. 3½ Fox Hand and Power. No. 2 Kempamith Plain, cone drive. No. 11/2 Valley City. No. 1 Kempumith, Universal.

Write for Complete Catalogue-We Buy, Sell and Exchange

Grinders

No. 60 Heald, \$275.00 each, 12"x72" Cincinnati, 95% new 10"x20" Landis. 10°x20° Landia, self contained. 10°x36° Landia, self contained. No. 3 Brown & Sharpe Universal. 12° Pratt & Whitney Vert. Surface. 14° Pratt & Whitney Vert. Surface. No. 1 LeBlond Tool Grinder. Modern Chaser Grinder. Yankee Drill amd Tool Grinder.

Shapers

15" Springfield, cone drive. 16" Barker. 20° Barker, cone, B. G. 20" Hendy. 20[®] Cincinnati, cone, B. G. 20° Smith & Mills, cone, B. G. 24° Barker, cone, P. G. 24° Cincinuati. B. G. cone, 28° Queen City, S. P. D.

Planers

12"x12"x24" Hendey Bench Planer. 24"x24"x12" Chandler, 2 heads. 26"x26"x12" Blaisdell, 2 heads. 32"x32"x16' American, 2 heads. 48"x48"x16' D. & H. Opens. 2 hds.

Miscellaneous

1º National Bolt Cutter, complete. 11/2" Acme double spindle Stay Bolt Cutter, with Landis Heads, No. 3 Woods Tilted Turret. No. 195 American Can Punch Press. No. 4 McDonald Punch Press. No. 2 Kane & Roach Multiple P. & S. 100 lb. Little Giant Hammer. 50 lb. Little Giant Hammer. Whiting Punch & Shear, No. 8, 36" throat, 114"x114".
Wickes Punch & Shear, 48" throat, 114"x11/2".
No. 8 Long & A. Punch & Shear. No. I Badger State Alligator Shear. 10¹ Bertsch Power Squaring Shear, 14 gauge. Toledo Spot Welder, 12 K. W.

Cincinnati Machinery & Supply Co. 28 West Second St., CINCINNATI, OHIO

Unusual Opportunities

No. 3-B Milwaukee Miller No. 2-B Milwaukee Miller 14" Bullard Multi-Matic

Drilla

7-Aurora 21-24" S. S. 2-American 21-25" S. S. 6-Cincinnati 24-36" S. S. 3-Superior 20-26 S. S. 6-Barnes 20-25" S. S.

Drills-Radial

3-American 36" Sensitive. 2-Carlton Sen. Motorized 36.

Drills - Multiple

1-Foote-Burt No. 3-6-spindle. 2-Gardam mult. 10 and 34-spdl. 1-Barnes 4-spindle.

Gear Shapers

8-Fellows No. 6 and 36".

Grinding Machines

1-Cincinnati 12x36 Pl. External. 12-Heald Internal Nos. 60-65-75. 11—Norton Plain External 6x32, 10x50, 10x72, 14x72. 1—Landis No. 3 Universal.

Lathes - Engine - Miscellaneous

3—American 14x6, B. G., Q. C.
3—Carroll & I. 14x6, B. G., Q. C.
4—Chard 24x11 B. G., Q. C.
4—Fitchburg Lo-Swing 3/2x60*
6—Greave & Kluman 18x6, 18x8, 30x8 B. G., Q. C.
5—LeBlond 17x12,21x10,21x12, B. G., Q. C. Mfg.

5-Lodge & Shipley 18x8 16x6.

BC

BC

1-

DE

16-

4-

DE

-1-

GI

2-4-

i-

3-4-1-1-3-10-

GI

5-4-9-

5-

1-3-

1-

3-

12-

B. G., Q. C. 2—Lodge & Shipley Duplex 24x12 Crank Pin

5-Sidney 17x8, B. G., Loose Change Gears, 1-South Bend 16x6, Loose

Change Gears.

Turret Lathes and Screw Mchs.

3-Acme 21/4x11-26". 7-Bardons & Oliver No. 4. 2-Dreses 20^s 2-Dreses ZU".

1-Warner & Swasey 18°,

1-Warner & Swasey No. 2.

2-Warner & Swasey No. 6.

Milling Machines-Horizontal

I-U. S. Hand. I - Bilton No. 25. 3-Pratt & W. Nos. 6-10 Hand. I - Brown & S. 2B Cone Type.

Punch Presses

2-Toledo No. I Inclinable.
I-Consolidated No. 3 Inclinable. 1-Maxim No. 124 Inclinable.

Screw Machines-Automatic

1—Cleveland 2" Single Spindle. 2—Gridley 214" Single Spindle. 2—Gridley 34" Multiple Spindle.

Shapers

I-American 20°. I-Lodge & Davis 16°. 2-Steptoe 16".

The Indianapolis Machinery & Supply Co. 2141 Yandes Street, Indianapolis, Indiana

Morey Tools are Service Guaranteed!

BOLT CUTTERS
1-Landis 1½" single head.
1-Acme 4" single head.
3-Acme ½" 2-spindle.
1-Acme 2" double head.

3-National 14", 2-spindle.

BORING MILLS

Baush 42" vertical, 2-heads. Niles 42" vertical, 2-heads.

-Niles 42" vertical, 2-heads.
-Betts 10' vertical, 2-heads.
-Pond 10-24' vertical, 2-heads.
-N-B-P 10-16' vertical, 2-heads.
-Bement-Miles horizontal.
-Cleveland 22" bur, horizontal.

1-Rockford No. 2 horizontal. DRILLS-Multiple Spindle

-Baush Nos. 1, 2 and 3. -Detroit 5-spindle. -Natco Nos. 11, 12, 13, -P. & W. Nos. 12, 13,

DRILLS - Upright and Radial

—Allen 1, 2, 3, 4 and 6-spindle,
—Baker No. 310.

—H. & W. 4-spindle,
—P. & W. No. 2 gun barrel,
—New Turner No. 3 vertical,
—Cin. Bickford 6' plain radial,
—Baush 6' radial.

1-Cincinnati 6' univ. radial.

1—Dreses 5' plain radial. 1—American 4' plain radial. 1—N.B.-P. 96" plain radial.

GEAR CUTTERS 7-B. & S. 3x26, 3x36, 4x36, 2-B. & S. No. 6, 60" cap. 4-Barber Colman No. 3.

1-G. & E. No. 18-H. -Cincinnati 16" spur and spiral

gear hobber.
3-Fellows Nos. 61.
4-Gleason 6", 11", 18".
1-Gleason 24" bevel gear planer.
1-Lees-Bradner No. 5-A.

3-Fellows Gear Grinders. 18-Cross gear tooth rounders. GRINDERS 5-B. & S. Nos. 10, 11, 12, 13, 14.

-Cincinnati No 2,12x36, plain. 9-Landis 6x18, 10x24, 10x36, 12x36, 12x96 plain.

-Norton 3x18, 6x32, 10x24, 10x36, 10x50, plain.

1-Queen City 16x72 plain. Landis 10x52 cam; 16x48 crank.

Persons-Arter 8" rotary surface.

-B. & S. No. 1 univ.

-Thompson univ.

-Abrasive No. 33 surface.
-Diamond No. 2 surface.

12-Heald Nos. 65, 60, 70.

7-Van Norman No. 34. HAMMERS

-Bradley 100 lb., upright helve. -Bradley 60 lb. helve.

6-Bradley 80 lb. helve.

Chambersburg 800 lb, bd, drop, Chambersburg 600 lb, bd, drop, Chambersburg 400 lb, bd, drop,

-B. & S. 800 lb. drop. -New Bradley 30 lb. helve. -Toledo 1500 lb. bd. drop.

LATHES -American 16"x8', s. p. d.

-Sundstrand 9x12 mfg.

15—New Star IIx5, 13x6, 1—Hendey I4"x6' tie bar head, 4—LeBlond 14"x6' grd, hd, 2—P. & W. 14"x6'; 14"x8', 5—South Bend 15"x5'.

-South Bend 13 x3...
-L. & S. 16"x6'; 16"x8'.
-Boye & Emmes 18"x8'.
-Fay & Scott 20-42", gap.
-Walcott 28"x10' d. b. g.

-Bridgeford 26x12', q. c. g. -Greaves-Klusman 26x12'.

- Whitcomb-Blaisdell 26"x12'.
- Whitcomb-Blaisdell 26"x12'.
- Le Blond 26"x10' duplex crank.
- Johnson 30"x12'; m. d.
- Hendey 24"x12'.
- Bridgeford 32"x26'; pat. grd.
- Bridgeford 42"x38'; grd. hd.

-LoSwing 51x84, 2 carriage.

TURRET AND SCREW MCHS. 6-Foster Nos. 2, 4, 6. 4-Greenlee 2 x26

16— I. & L. 24×24, 3×36, 1—Libby 26', 44" hole, 3—W. & S. Nos. 4 and 6, 2—W. & S. No. 2-A.

2—W. & S. No. 2-A. S SCREW MACHINES—Automatic 2—B. & S. Nos. 0, 00 cut-off. 4—Cleveland #, "f, "d," "d," "A'. 4—Cleveland #, "f, "f," lp" "B". 1—Gridley 9/16", 4", 11", 11", 24", 4-spindle. 10—Gridley 37, 48" single. 6—New Britain Nos. 23, 24, 45, 4. 4—National A. Nos. 82, 54, 56, 515, 11—P. & J. No. 5-A. No. 5-A.

MILLING MACHINES -B. & S. Nos. 2, 2B, 3, 4, plain.

-Cincinnati Nos. 3, 4 plain. Garvin No. 13 plain.

2—Garvin No. 13 plain.

1—Hendey Norton No. 3 plain.

2—Garvin No. 13 univ.

1—B. & S. No. 3 vertical.

1—P. & J. No. 2-V vert., s. p. d.

13—Becker Nos. 3H, 4B, AB, 5C,

6, C1, vertical. 15-P. & W. 5" and 8" automatic.

Send for latest illustrated catalog-just off the press

MOREY AND CO. INC. 408 Broome St., NEW YORK, N. Y.

Bargains In New Tools

Used No. 2 B. & S. Automatic Surface Grinder. Used No. 2 Brown & Sharpe Universal Miller. Used No. 33 Kempsmith Manufacturing Millers, single pulley drive.

MILLING MACHINES

Used No. 2 B. & S. univ., cone. h. Used No. 2 Kempsmith universal. Used No. 2 Cinti univ., cone head. Used No. 2B B. & S. plain, g. h. Used No. 3 Brown & Sharpe, plain. Used No. 28 Ohio plain.

LATHES

Used 12"x5' Hendey, q. c. Used 14"x6' Hendey, geared head. Used 14"x6' American, quick chge. Used 14"x8' Hendey, q. c., cone. Used 14"x8' Flather quick change. New 16"x7' Chard Mfg. type. Used 16"x8' Advance q. c., chucks. Used 16"x8' Lodge & Shipley, q. c.

Used 18"x8" Lehman, quick change. Used 18"x8" Reed quick change. Used 20"x10" American quick chg. New 20"x8" Boye & Emmes, q. c. New 24"x10" Boye & Emmes, q. c. Used 24"x12" Boye & Emmes, q. c. Used 24"x16" Boye & Emmes, pl. c. Used 24"x12" Paratt & Whitney bench SENSITIVE DRILLING MACHINES

New Allen Drills, I, 2, 3 & 4 spdls. Used I-spindle Allen Drill. Used 2 and 3 spindle Allen. Used 4-spindle Allen Drills. Used 2-spindle Avey, ball bearing. Used 3-spindle Avey ball bearing.

Used 6-spindle Allen. Used 1-spindle Leland-Gifford, light

and heavy duty. Used 2-spindle Leland-Gifford, light and heavy duty. Used 3-spindle Leland-Gifford.

UPRIGHT AND MULTIPLE DRILLS

Used 20" Barnes all grd. Used 24" Superior sliding head.

Used 25" Barnes, stationary head. Used No. 11 Pratt & W., 16-sp. SHAPERS AND PLANERS

Used 14" and 16" Smith & Mills. Used 16" Kelly shaper. Used 16" Gould & Eberhardt. Used 15" American. Used 20" Columbia, back gear.

Used 24" Gould & Eberhardt, b. g. Used 25" Smith & Mills. Used 26"x26"x86 Flather, 1 head. Used 30"x30"x10" Putnam, 2 heads. New 36"x36"x12' W. & P., 2-heads.

grinder, belt or motor drive.

GRINDERS New No. 9 Cincinnati internal. Used Bridgeport No. 110 knife

New Morse No. 3 plain, 8"x40". Used N 10 B. & S. plain, 6"x20". Used G. volt tool grinder. New Churchill internal.

TURRET LATHES AND SCREW MACHINES

Used 24" and 3" J. & L., motor dr. Used No. 3 Superior Screw Mche. Used Acme 12"x9", power feed. Used No. 4 Warner & Swasey. Used No. 4 B. & O., p. f. to turret. New No. 4 Wood Turret Lathe.

MISCELLANEOUS

New 4" Standard pipe machine. Used 4", 8" and 12" Bignall & Keeler New No. 3-B LaPointe broach, New Nos. 1, 2, 3, 4 and 5 Federal presses o. b. i. pipe machines. Used Napier Band Saw Used No. 3 Reynolds screw driver.

Manning, Maxwell & Moore, Inc. 27 N. Jefferson St., Chicago, Ill. A FEW 'Old Type' Cheap Tools which we will practically give away at little more than scrap prices in order to get them out of the way of our stock of slightly used and reconditioned guaranteed equipment.

14"x 8' Lathe 16"x12' Lathe 25"x14' Lathe 30"x40' Lathe 32"x12' Lathe 48"x18' Lathe 60"x20' Lathe

Typical selection from the "Old Tool Bunch"

McCabe 32/54" Double Spindle Lathe \$475.00

50⁸ Boring Mill 48⁸ Planer 72⁸ Planer

12"x24" Gear Cutters

Cold Saws-Cutting Off Machines 42* Punch 1000 lb. Hammer Turret Lathes Milling Machines Grinders 18* Gap Riveter

The List of High Grade Tools available will be mailed on separate list.

Address:

J. J. McCabe Lathe & Machinery Corp.
Singer Bldg., 149 Broadway, NEW YORK CITY

Attractive Prices To Move Stock

BORING MILLS: D. & H. Horizontal Floor Borer 5" bar. Niles Knee Type Horiz Boring & Mill. Mche. 7" bar. Horizontal Table Type 3/8" bar—\$475. Barrett Hor. Boring Mills, 7" bar and 5" bar. 36" American; 48" Colburn; 72" Niles. 30° American; 40° Colburn; 72° Nitea.
7° Langelier Sensitive; 14° Rockford.
20° – 22° and 30° Aurora.
20° 20° Sibley B. G., 20° Snyder.
21° Foadick-Holloway Radial, tapping attachment.
4½° Western Radial, 8' Pond.
5° Baush Radial, box table 5' N. B. P. DRILLS: ...

5' Baush Radial, box table 5' N. B. P.
Moline 10-prindle, No. 5 Morse taper.
Baush Multiple Drill, 12-spindle.
10"x5' Reed; 18"x6' Prentius.
16"x8' 7" American, h. s., t. a.
24"x 12" Rockford, taper att.
24"x 15' Schumacher-Boye cone head.
26"x16' Prentice, taper attachment.
26"x24" putnam, p. c.,
27"x11' Wicker Semi-quick change gear.
18"-12" Rad Tunions.

16*x12* Roll Tuning.

1*x15* Pratt & Whitney Turret Lathe.

No. 4 Wood Turret Lathes, cap. 1*.

No. 1 Cincinnati Universal, No. 2 Plain.

B. & S. No. 3 Plain. MILLING MCHES .: ..

PUNCH & SHEAR: ... Canedy-Otto, hand power, 1/2"x1/2"

GRINDERS: Bridgeport Knife & Drill.

Besly No. 3 Disc, Gardner No. 7 Disc. -- 14^a, 24^a, 30^a Gould & Eberhardt, b. g. SHAPERS: MISCELLANEOUS: __Air Compressor, 3"x4" vertical Duplex-with tank.

Air Compressor, 7-x4 vertical Jupiex—witt tank. Band Savs, C. Foxer, 22 and 36° Bending Rolls, hand power, cap. 5'x½s *. Clock, Simplex Time Recording. Furnace, S. C. H., Cas 3-Door Heating & Tempering. Planers, Cincinnati 46'x44'x12'.

Planer, Gray 48"x48"x10". Planer, Flather 48"x48"x16' heavy duty. Planer, Cincinnati 42"x40"x10" neavy duty. Planer, Cincinnati 42"x36"x12", 2 heads. Planer, Detrick & H. Openside, 96"x72"x26'. Planer, Detrick & H. 72"x72"x18' openside.

Press, equal Solies No. 42 x 2 x 10 openmen. Presses, Arbor, 20 ton Weaver; No. 3½ Greenerd. Profiler, P. & W. table 12 x 15", double spindle. Saw, No. 2 Ryerson Friction. Saw, 18" Higley Cold. Screw Machine, 2½ x 11 Acme. Screw Machine, Cone 1½ Multiple Soindle. Screw machine, Meriden, 6 hole turres. Straightening Mch., Abramsen, ½ to 1½ cap.

RUSSELL MACHINE COMPANY

1447 Oliver Building,

PITTSBURGH, PA.

1", 11/2" 2", 21/2", 3", 4", 5", 6" Ajax Upsetters. 34", 1", 11/2", 21/2", 3", 4" and 5" Acme Upsetters. Nos. 2, 3, 4, 5 and 9 Williams-White Bulldozers. 50, 75, 100, 150 and 200 lb. Bradley Upright Hammers. 40, 60, 80, 100 and 200 lb. Bradley Cushioned Helve Hammers. No. 2B and No. 5N Nazel Air Forging Hammers. No. 2 Billings & Spencer Trimming Press, side shear. No. 21/2 Billings & Spencer Trimming Press, geared, side shear. No. 741/2 Bliss SS Press. No. 56 Toledo Geared Trimming Press, M. D., No. 55 Geared. No. 512 Niagara Press, side shear, weight 31,000 lbs. No. 45 Consolidated Press, permanently inclinable; No. 17 Stoll Press, plain and geared. No. 5 Stiles Solid Back, Single Geared Press, Motor Drive. Long & Allstatter Multiple Punch, ram 84", weight 25,000 lbs. L, & A. Size B Dbl. End Punch, 18" throats, 214" thru 114". Rock River Sgl. End Punch, 16" thrt., arch. jaw, cap. 1" thru 1". Williams White SE Punch, 36" thrt., arch. jaw, M. D., 144" thru 1". Kling Bros. SE Punch, 1" thru 1", 48" throat, arch. jaw. Ryerson Quadruple Combination Punch, Bar and Angle Shears. Toledo Geared Gate Shear, cap. 60" of No. 11 gauge. Bertsch Gate Shear, cap. 60"x1/4", 20" throat. New Doty Guillotine Shear, cap. 4" sq. Hilles & Jones cap. 3" sq. Williams-White Dbl. Angle Shear, 6x6x1", M. D., on turn table. Alligator Shears, various capacities. Guillotine Shears 11/2", 4". No. 3 Ryerson High Speed Friction Saw, cap. 24" beams. No. 2 Ryerson High Speed Friction Saw. 121 Wall Radial Drill for Structural Work, M. D. Detroit 5-spindle Semi-Automatic Drills. Threading Machines: I and 2-sp. Acme & Landis I* to 4*. Baker, R. & L., Elwell-P. & Auto. Elec. Elevating Platform Trucks. Baker R. & L. Yale & Towne Hy-Lift or Tiering Trucks. Wire Straighteners, 3/16", 1/4", 5/16" and 5/4". No. 1A Am. Carbonizing Furnace, Nichrome Retort & Heat Contr. No. 65 American Gas Heating Machines. General Electric Centrifugal Compressors. 3A and 4A High Speed Riveting Hammers, M. D. Thread Rollers, Cold Headers, Bolt Trimmers, Nut Tappers. Cold and Hot Pressed Nut Machines. Abbott Double Compartment, water tight, Burnishing Barrel. 2 Ton Alfred Box Electric Hoist. Williams Chip Crusher or Shredder.

Donahue Steel Products Co.

Nine Inclinable Punch Presses, various capacities and makes.

Forging and Spring Tapering Rolls.

Specialists in Forging, Bolt, Nat and Rivet Machinery
74th and Ashland Ave., Chicago, Ill.

175

If It Is From Riverside

It Is Guaranteed and Good

Our New Stock List is Just Off The Press-send for it.

LATHES 3-12"x5' Hendey Q. C.
2-14"x6' Hendey Q. C.
1-14x6' American all geared
2-16"x6' Hendey Q. C.
3-16"x6' Monarch Q. C.
2-16"x5' Reed Standard.
1-16"x7' Hendey relieving att.
2-18"x8' Monarch Q. C. We have over 65 lathes in stock.

SHAPERS 2-12" Hendey pillar type.
1-16" Gould & Eberhardt.
1-16" Smith & Mills.
1-16" Kelly.
1-20" Gould & Eberhardt.
1-20" Kelly.
1-24" Gould & Eberhardt.
1-24" Kelly motor drive.
1-24" Kelly motor drive.
1-24" Selly motor drive. We have 24 shapers of all sizes.

MILLING MACHINES
3-No. 2 Cincinnati plain.
2-No. 2H Brown & Sharpe plain.

2-No. 2H Brown & Sharpe plain.
1-No. 1g LeBlond plain.
1-No. 1g American plain.
2-No. 3 Cincinnati plain.
2-No. 4 LeBlond plain.
1-No. 4 Cincinnati vertical.
1-No. 2 Fart & Whitney vertical.
1-No. 2 Knight vertical.
1-No. 2 Recker vertical.

1-No. 4B Becker vertical.
1-No. 4B Becker vertical.
1-24" Cincinnati automatic.
1-12" Cincinnati mfg. type.
We have 36 milling mchs. in stock.

DRILLS 3-No. 314 Baker Bros. S. P. D. 4-No. 310 Baker Bros. S. P. D. 4-No. 310 Baker Bros. S. F. D.

1-Minister H. D. A. G.

1-Rockford H. D. No. 4 taper.

1-8' Bickford radial S. P. D.

1-4' Mueller radial S. P. D.

1-4 spindle Leiand & Gifford H. S.

2-2sp. Fosdick H. S. ball bearing.

1-2-sp. Henry & Wright ball bear.

1-Henry & W. with No. 3 taper. We have over 100 drills in stock.

GRINDERS 1-No. 11 Brown & Sharpe plain. 2-6x32 Norton plain. 1-10x36 Landis plain.

1-12x36 Queen City plain. -6x15 Fitchburg plain. -No. 65 Heald cylinder. -No. 22 Heald rotary.
-No. 14 P. & W. vertical.
-Reed Prentiss vertical.
-No. 6 Gardner disc. 3-No. 4 Gardner disc.
1-10"x36" Thompson univ.
2-No. 2 Bath universal.
1-10x36 Morse universal.
6-No. 2 Brown & Sharpe surface.

We have 64 grinders in stock. PRESSES 1-No. 59 Toledo s. s.
1-No. 55 Toledo;s. s.
1-No. 55 Toledo;s. s.
1-No. 85 Toledo, rack & pinion.
1-No. 165 Toledo toggle.
1-No. 60 Bliss cam drawing. 1-Perkins cam drawing. 1—No.DDG-4 Ferracute cam draw. 3-No. 3 Rockford o. b. i. 4-No. 22 Rockford, horning. We have 39 presses in stock. MISCELLANEOUS

Magee sheet metal machine m. d. -24x16 Bury air compressor, -12x12 C. P. air compressor, -28" Bullard S.H. vert. bor, mill. Niles 4" bar horiz, boring mill. No. 3 La Pointe broach. -No, 3 La Pointe broach.
-No, 3 A - 2 sp. La Pointe broach.
-4" H. & R. cutting off mche.
-No, 3 - 26 B. & S. gear cutter.
-No, 3 - 26 Newark gear cutter.
-No, 4" cap. Etna swedg, mche.
-No, 6 Biss spinning lathe.
-Le Blond crankshaft lathes. No. 6A Potter & Johnson lathes.

44" Gridley s. s. m. d.

14" Cleveland Model B.

18" Springfield Fox Monitor lathes 2-J. & L. 2 spindle turret lathes, 1-No. 1 Craftsman milling mche. 1-30"x30"x8' Wilson planer.

1-36"x36"x10' Bickett planer. 1-9" Newton crank slotter. 2-No. 1 Garvin tappers. 3-No. 2 Garvin tappers.

We carry a stock of over 3000 machine tools of every and all kinds. A full description together with price will be sent for the asking, and places you under no obligation.

RIVERSIDE MACHINERY DEPOT

The used Machinery House

251 St. Aubin Ave., Detroit, Mich.

SPECIAL BARGAINS USED MACHINE TOOLS

MILLING MACHINES

P-1621-No. 4 Cincinnati Plain, 4-step cone, single back gear.

B-2556-No. 3 Cincinnati Plain, 3-step cone, double back gear.

B-2542-No. 2 Cleveland Single Pulley Drive Plain.

B-1926-Chicago Plain, 3-step cone, without back gears.

B-1825-No. 2 Pratt & Whitney Hand.

B-243 -No. 11/2 Am. Milling Mche. Co. Pl., 3-step cone, S. B. G.

B-2359-Pratt & W. "Lincoln Type" Pl., gear dr. thru 3-step cone.

B-1931-Garvin Plain, with hand feed only. B-1828-Owen Plain, single back gear.

B-1928-No. 6 Whitney Lever, 3-step cone.

B-1823—Pratt & Whitney Thread Milling Machine.
B-2109—Barber-Colman Vertical Spdl. Circular Milling Machine. B-2170-No. 1 Knight Drilling and Milling Machine.

GRINDING MACHINES

B-2093-No. 26 Brown & Sharpe self-contained plain cylindrical.

B-1801-Norton Plain Cylindrical, swing 12"x50". B-845 - Modern 12"x48" Plain Cylindrical.

B-2583-No. 14 Brown & Sharpe Plain.

B-2584-No. 14 Brown & Sharpe Plain.

B-2234-No. 3 Brown & Sharpe Surface. B-2255-LeBlond Universal Tool and Cutter Grinder.

B-2423-Cincinnati Cutter Grinder.

B-2092-Gardner No. 4 Plain Bearing Double End Disc Grinder.

B-1960-No. 8 Besly Plain Bearing Disc Grinder.

B-1275-Wm, Sellers & Co. Drill Grinder, Serial 2668.

B-1923-Wilmarth & Marmon "Yankee" Single End Drill Grinder.

B-1653-20" Barnes Wet Tool Grinder. B-385 -20" Rockford Wet Tool Grinder.

B-2003-24" Barnes Single Wet Tool Grinder.

We have all sizes of Engine Lathes, Radial and Upright Drilling Machines, Punches, Shears and miscellaneous tools. Write for list and prices.

The E. A. Kinsey Company

331-335 West Fourth St.,

Cincinnati, O.

BRANCHES: INDIANAPOLIS, IND. HAMILTON, OHIO, DAYTON, OHIO,

Press, Forge & Structural Equipment

BOLT CUTTER, Landis, 1* dbl., 1½* and 2* single. BOLT THREADERS, (8) Economy Auto. ½* cap. BULLDOZERS, W. & W., Nos. 3, 4 and 29-U. DRILL, Colburn D-3 H. D., 3* capacity. GEAR HOBBER. Barber-Coleman No. 12. HAMMERS, Bradley 40, 80-100 & 300-lb. Helve. HAMMER, Beaudy No. 7, 200-lb. Power, cap. 3½*. HAMMERS, High Speed Riveting Nos. 1½-B & 5-A. PLANER, Detrick & Harvey Openside, 45x49x20*. PLANERS, 30* and 36*310* American. PRESS, Bliss No. 73%-10* American. PRESS, Ferracute SRG-101 Double Crank, geared. PRESS, Ferracute SRG-101 American. PRESS, Ferracute SRG-101 A

D. C. Oviatt & Company 2160 Lakeside Ave., Cleveland, Ohio

Brand New Tools

at 25% to 50% of New Cost

- 1-Pipe Machine, Standard Wieland, 1* to 4* inclusive, single pulley drive, geared head.
- I-Adams No. 2 Gear Hobber, capacity 22"x12".
- 1-36"x36"x12' Woodward & Powell Planer, belt drive, with two heads on the cross-rail.
- 3-Plain Grinders, Morse Twist Drill & Mche., 8*x40*, belt dr.
- 6-Churchill Inter. Grinders, swing 15", grind holes 10" deep

N. C. Failor Company

Incorporated

30 Church St., New York, N. Y.

17

America's Lowest Prices

E-57 Ferracute double-geared Coining Press 2½* stroke. 24x24x12 Ingerall horizontal spindle alab Milling Machine. Oesterlein 25x10x18 horiz Univ. Miller—No. 3B. & S. vert. Miller. 30' American plain Radial Drill tapping attachment. 24x24x6 and 30x30x10 Cincinnati Planers—I head. Acme 4 spindle vertical nut Tapping Machine. Gridley 3½* single spindle auto. Screw Machines. 10' Putnam, 16' Betts and 20' Niles vertical Slotters, Newton horiz. Boring Mill 2½* bas, table 28'x8'. Pond 48'x40' triple geared Engine Lathe, blocks swing 68'. 36' Cleveland single end Punch, arch; jaws 1' thru 1''. 1½* Ajax Forging Machine, flowheel 37x6, drive gear 42x6, 6 ft. Niles type plate Bending Roll, cap. ½* plate. 6 inch Globe Cutting-off Machines. 66' Allen jaw Riveter 13' gap. 12' cylinder. 500 lb. Beaudry power Hammer, 6 inch capacity. 24x12 American double back geared q. c. g. Lathe, chuck. 10% Bradford double back geared q. c. g. Lathe, chuck. 12x36 Fitchburg cylindrical plain Grinders. 10x60 Landis univ. Grinder. 10x60 Landis univ. Grinder. 10x60 Landis univ. Grinder. 10x60 Landis univ. Grinder. 10x60 Landis crankshaft Grinder. 10x 26 Landis crankshaft Grinde

HARRIS BROTHERS COMPANY 35th and Iron Streets :: CHICAGO

BARGAINS

12"x6' Hendey Lathe, complete with taper attachment	350. 350.
No. 2 Walsh O. B. I. Press with bolster plate and counter	200.
No. 10 Torrise & Wold O. B. I., with bolster plate	170.
12° Springfield Crank Shaper with vise and countershaft.	140.
Obermayer Sprue Cutter, power, 3/4 capacity	100.
Acme Bolt Header, I capacity	350.
15 x6 Sebastian Lathe, L. C. G. complete with chuck and c s	125.
12°x5' Fairbanks Lathe, L. C. G. complete with chuck and c/s	100.
No. 3A High Speed Riveter	100.
No. 21/2 Garvin Screw Machine, bk. gr., friction hd., air ck. & c/a	100.
6x8 Air Compressor, horizontal, water cooled	125.

ELECTRIC DRILLS

Full Ball Bearing—Heavy Duty, Fully guaranteed, portable electric drills, at less than half the price of new, complete with heavy rubber cord, 3 jaw Jacobs chuck and wrench, in the well known "Thor" make.

1/4" capacity, 110 Volt Universal current \$15.75 Ea. 3/8" capacity, 110 Volt Universal current 22.50

Discount of 5% on orders of six or more.

We will return your money after ten days trial if the drills are not as represented.

MIDWEST EQUIPMENT CO., 1719 VanBuren St., Chicago, Ill.

ESSLEY

Bolt Cutters, 1½°, 4° Landis Sgl. Hd. Bolt Cutters, 2° 2½° Landis D.L.S, Boring Mill, 54° Colbum Vertical. Boring Mills, Bullard 36° and 42°. Drill, No. 1½° Avey, 4 *Spaidle. Drill, No. 310 Baker. Gear Cutter, No. 3 Adams. Grinder, 30° Gardner Double Disc. Grinders, 10° 36°. 10050° Notton Pl. Grinder, 10° 36°, 10x30° Notton Pl. Grinders, 10x36°, 10x30° Notton Pl. Grinder, 12°x30° Landis Plain. Grinder, 16°x22° Notton Crk. Shaft. Grinder, 20°x96° Notton Plain. Grinder, No. 2 B. & S. Surface. Grinder, Heald Rotary Surface. Grinder, Modern No. 3 Universal. Hammer, 500 lb. Beaudry. Hammer, 600 lb. Billings & Spencer. Hammer, 1100 lb. Niles Steam. Hobbers, Barber-Colman Nos. 3 & 12. Keyseaters, No. 1 Baker, No.1 Davis, Lathe, 15 x 10 South Bend.

Lathe, 17 x81 Sidney H. P.
Lathe, 16 x61 LeBlood.
Lathe, 18 x10 Lodge & Shipley.
Lathe, 21 x81 LeBlond H. P.
Lathe, 24 x12 L. & S. Crankshaft.
Miler, Whitney hand.
Miler, K. & T. No. 2 Plain.
Miler, K. & T. No. 1 x2 Vertical.
Miller, K. Carnon, No. 2 Plain.
Miller, K. Carnon, No. 2 Plain.
Miller, K. Carnon, No. 2 Plain.
Miller, Kempsmith No. 2 Plain.
Miller, Cincipnati No. 4 Plain. Miller, Kempsmith No. Ž Plain.
Miller, Cincinnati No. 4 Plain.
Miller, Cincinnati No. 3 Universal.
Miller, Thead 6*8;30*9. & W.
Pipe Machine, 6* Landit.
Planer, Rotary 30* Expen Lucas.
Planer, 30*8;36*s;12* Cleveland O. S.
Planer, 30*8;48*s;10* Cleveland O. S.
Press, No. 21B Bliss O. B. I. Geared.
Press, No. 6 Rockford.
Press, No. 6 Toleclo O. B. I.
Radial, 4* C ncinnati-Bickford.
Shapers, 16* G. & E.; 24* Rockford.

Also Large Unlisted Stock

THE E. L. ESSLEY . MACHINERY . Cº

551 W. Washington Blvd., Chicago.

78-80 W. Water St., Milwaukee

Power Presses and Squaring Shears EXCLUSIVELY

EMBOSSING PRESSES 1-No. 664 Toledo, 600 tons, K. J. 3-Bliss Cleveland, 600 tons K. J. 4-No.EG 52 Ferracute, 150 tonsK.J.

STRAIGHT SIDE PRESSES

STRAIGHT SIDE PRESSES 4—No. 75½ Blins geared. 3—No. 75½ Blins By wheel. 1—No. 74½ Blins, geared. 1—No. 74½ Blins, geared. 1—No. 58 Toledo, geared. 1—No. 58 Toledo, geared. 1—No. 62 V. & O. geared.

TOGGLE PRESSES 2-No. 1½ Bliss, friction clutch. 1-No. 1 Bliss, grd., draw 3¼ deep.

SQUARING SHEARS 1-No. 330 Bliss 31x12 ga. 15" gap. 1-Niagara 51x3/16" cap., 15" gap.

POWER BRAKE 1-Geo. A. Ohl 10'x 16 gauge cap. **DOUBLE CRANK PRESSES**

DUBLE CRANK PRESSES
2-No. 93B T-ledo, grd. 42" bet ups.
1-No. 44B Bliss, grd. 38" bet. ups.
1-No. 3 Bliss, By, 34" bed. aps.
1-No. SG8 Ferracute, 84" bet ups.
4-No. 551 Ferracute, 28" bet. up.
1-No. 55 V. &C. geared, 44" bet. up.

DEEP THROATED PRESSES.
1 - No. 17 Toledo, flywheel, 20⁸ thrt.
1 - No.2½ Henderson, flywh., 20⁸ thrt.

SOLID BACK PRESSES Bliss-Stiles all sizes, flywheel and geared 3-No. 23 V. & O. combination.

Inclinable and open back Presses, all makes and sizes.

100 Bench Presses various makes and sizes Over 1200 Presses in Stock. Write for New Catalogue.

HYMAJoseph Tioga and Almond Sts., Philadelphia, Pa.

WAYNE Greater Values

22"x22"x6' Gray Planer, one head\$	400.
32"x32"x10' Gray Planer, one head	650.
48"x48"x14' Niles Planer, two heads	650.
51 Niles Radial Drill, full universal, single pulley, gear box drive	600.
61 Niles Radial Drill, full universal, motor drive through gear box	700.
42 ^a Throat Lennox Splitting Shear, ¾ ^a capacity, motor driven with motor	500.
28 x 191 Fay & Scott Lathe	500.

Photostats on all the above

Wayne Machinery Company FORT WAYNE, INDIANA

Wood-Working Machinery

For a large list of new and used wood-working machinery and allied equipment, consult Wood-Working Machinery—a publication similar to this but devoted to the advertising of saw-mill and wood-working machines. A copy may be had free on application to the publisher.

Hitchcock Publishing Co., 508 So. Dearborn St., Chicago, III.

Exceptional Tools

VERTICAL BORING AND TURNING MILLS

%º Cincinnati, Repid Production Massive Pattern Type, Power Rapid Traverse, two swivel heads, motor drive.

72º Cincinnati, Rapid Production Massive Pattern Type, Power Rapid Traverse, two swivel heads, motor drive. 60º Bullard, two swivel heads, belt drive.

53" Niles-Bement Pond, Power Rapid Traverse, two swivel heads, motor drive.

42" Bullard, two swivel heads, single pulley drive.

MILLING MACHINES

No. 1 Kempsmith Universal, cone drive, complete equipt. No. 3 B. & S. Universal, cone drive, complete equipment.

TURRET LATHES AND SCREW MACHINES 18th Libby (2). No. 6 Brown & S. Wire Fd.

GUARANTEED CONDITION

Sun Machinery Company, Inc. 39 Hamilton St., Newark, N. J.

Used and Rebuilt Equipment

Our rebuilt equipment is sold on the customary 30-Day Guarantee.

Our rebuilding is done with the greatest of care, so that operating condition is made equal to that of new equipment.

Turret Lathes

Libby 18" Type A-31/2" spindle hole. Acme 31/4"x36" Geared Head.

Gear Cutter

Cincinnati No. 3-26".

Grinders

Cincinnati No. 1½ Plain Cutter. Landis No. 11 Plain Cutter. Heald No. 75 Internal.

Send for complete list

The Seifreat-Elstad Machinery Co.

Machines That Are Hard To Find

3# Cincinnati Bickford Radial Drill, gear box. Morris Radial Drill, motor drive thru gear box. 3' Morris Radial Drill, motor drive turu gear box.
3' American Radial Drill, gear box.
26' Gould & Eberhardt Shaper, Universal table.
4'' & H'' Model F Gridleys.
No. 3 & No. 12 Barber Colman Gear Hobbers.
Cincinnati siding head Drill, T. A., 24'', 26'', 23'',
3, 4, & Spindle Drills, high speed, B. B. No. 2 M. T.
No. 73 Bliss Press, side shear.
15' total trace Exercing Press.

No. 73# Bliss Press, side shear.

15 ton Lucas Forcing Press.

16", 20", 24" G. & E. & Potter & Johnston Shapers.

No. 4 Warner & Swasey Universal Screw Machines.

No. 4 Warner & Swasey Universal Screw Machines.

No. 4 Warner & Swasey Screw Machine, P. F. T. arranged motor drive.

18"x6" Le Blood Lathe.

18"x6" A merican Lathe, cone drive.

National Double Head Lathes.

5- A High Speed Riveting Hammer.

5- A High Speed Riveting Hammer.

5- Blings & Swasey Strew Machines.

18" Cincinnati Mfg. Miller B. G.

32"x32"x12' Cincinnati Planer. 30"x30"x10' American Planer.D. C. motor drive.

30" 30" 110" American Flanet-D. C. motor crive.
4" Pratt & Whitney Soline Miller.
No. 6 Jackson Die Sinking Machine, cherrying attachment.
No. 2 Pratt & Whitney Die Sinker.
Hooster Heavy Duty Drill 3" capacity in steel.

International Machinery Co., 140 East Larned St., Detroit, Michigan

Surface Grinder

1-Automatic Open Side Surface Grinder. Mfd. by the Safety Emery Wheel Co. No. 130-50"x16" table, hand and power feeds. Excellent condition.

Arc Welders

1-300 Ampere Gibbs Electric Arc Welder, 220 volts, 60 cycle.

1-400 Ampere Gibbs Electric Arc Welder, 220 volts, 60 cycle.

Guaranteed 95% New.

Geo. M. Bernstein & Co. 549 W. Washington Blvd., Chicago, Ill.

The Eincinnati

Line Of

Abbo Alto Ame Ame Ame Ande

Arm

Ashe Atlan Auro

Ave

Bake Bath Behr

Bick

Bost

Brad Brev

Bros

Brov

Buri

Can Carl Carl Car Car Car Car

Cen Cha Chi Cin Cin Cin Cin Cin Cin



Electric Drills Grinders Buffers

Will Stand the Gaff!

No matter how "tough" the job that confronts them—you will find that these tools come through with flying colors. They will prove up to any demand you can put on them—speed—economy of operation—dependability—EVERYTHING!

A card will bring you our complete catalog

The Cincinnati Electrical Tool Co.

2710 Madison Rd., Cincinnati, Ohio



Tool Post Grinder



Floor Grinder

Index of Advertisers

Abbott Ball Co 40	Danly Machine Specialties, Inc. 49
Allen, F. H 127	Danly Machine Specialties, Inc 49 Davis Keyseater Co
Alto Manufacturing Co 79	Davis Machinery Exchange 137
American Hollow Boring Co 72	Defiance Machine Works
American Tool Works Co 2	Detroit Stamping Co. 113
American Tool Works, Inc 103	Detroit Stamping Co
American Tool Works, Inc	Dreses Machine Tool Co
Armstrong Bros. Tool Co 85	
Armstrong-Blum Mfg. Co	E
Arnold Co., Inc., H. H.,	Eastern Machinery Co152-153-154
Asher Machinery Co 127	Eastern Tube & Tool Co., Inc 107
Atlas Press Co 99	Eberle Tanning Co
Aurora Tool Works	Economy Engineering Co 90-91
Aurora Tool Works	Eberle Tanning Co. 142 Economy Engineering Co. 90-91 Edgemont Machine Co. 77
,	Essley Machinery Co., E. L 180
В	Excelsior Tool & Machine Co 36
Badger Metal Products Co., A.C. 135	
Baker Brothers, Inc 4	Failor Co., Inc., N. C
Bath & Co., Cyril J	Fall River Grinding & Mehe. Co. 99
Behn, H. E158-159	Fay & Scott 70
Bennett Machinery Co 136	Fay & Scott
Bennett Machinery Co	Fitchburg Grinding Mche. Corp.
Bicknell-Thomas Co 104	96-130
Bleser Manufacturing Co., J 138	Foote Bros. Gear & Machine Co. 75
Blum & Co., Julius 64	Foote-Burt Co 16
Borgeson Manufacturing Co	Foster Machinery Co 132
Boston Gear Works Sales Co 76	Frew Machine Co
Bradford Machine Tool Co 9	Fulflo Specialties Co 54
	C
Brewster Co., Wm., Inc. 67 Brown Machinery Co. 140	
Brown & Sharpe Min Co 5	Gairing Tool Co 106
Brown & Sharpe Mfg. Co. 5 Brownell Machinery Co. 141 Buffalo Forge Co. 110 Burke Machine Tool Co. 78	Gallmeyer & Livingston Co 31
Drownell Wachinery Co	General Machinery Corporation 127
Dulla Markin Tral Co. 78	Genesee Manufacturing Co 62
Durke Machine 1 doi Co	Gits Bros. Mfg. Co 114
Burr & Son, John T 102	Glenzer Co., J. C.
•	Grant Mfg. & Machine Co 103
-	Greene, Tweed & Co 66
Canedy-Otto Mfg. Co22-23	н
Canton Foundry & Mche. Co 98 Carlson Machinery Co 134 Carroll Machine Tool Co., A.V. 72 Carroll Manufacturing Co., L.W. 72 Carroll & Jameson Mch. Tool Co. 73 Central Distributing Co 107	Hamilton Tool Co
Carlson Machinery Co. 134	Plantinon 1001 Co
Carroll Machine Tool Co. A V 72	riammond Manufacturing Co 25
Carroll Manufacturing Co. L. W. 77	Flardinge Drothers, Inc
Carroll & Jamieson Mch Tool Co. 73	Harris Dros. Co 1/9
Central Distribution Co 107	
Central States Machinery Co. 168	Hendley & Whittemore Co 37
Central States Machinery Co 168 Chattanooga Machinery Co 57 Chicago Stock Gear Works 74	Hill, Clarke & Co., of Chicago 160-161
Thisana Stock Coas Works 74	Hill-Curtis Co
Chicago Wire Chair Co 116	Hisey-Wolf Machine Co
Cincinnati Automatic Mch. Co 149	Hobbs Supply Co., W. H 127
Cincinnati Bickford Tool Co 3	Hobbs Supply Co., W. H 127
incinnati Electrical Tool Co 184	Hunt & Son, C. B. 98 Huther Bros. Saw Mfg. Co., Inc. 42
incinnan Electrical Look Co 104	Huther Bros. Saw Mfg. Co., Inc. 42
Cincinnnati Lathe & Tool Co 7	Hyman & Sons, Joseph 180
incinnati Mchy. & Supply Co 169	Hyro Manufacturing Co 118
incinnati Planer Co	1
incinnati Specialty Mfg. Co 101 Jeveland Planer Co 12	Illinois Markins & Mile Co. 22
Peretand Planer Co	Illinois Machine & Mfg. Co 33
Jeveland I wait Drill Co	Indianapolis Machinery & Sup-
olven, James M 70	
	ply Co 170
ceway Clutch Co 8	ply Co
Cenway Clutch Co 6	International Machinery Co 183

Index of Advertisers-Continued

Stoe Stow Straf Straf Stro

Sun Sun Supe Syra

Tay
Tay
Tay
Tho
Toli
Tor
Tra
Tri
Tuc

Uni Uni Uni

01 114101	
J. & H. Electric Co., Inc	Nicholson & Co., W. H
Jones Ingacinate 1 out Continue 100	
Keamey & Trecker Corporation. 147 Keller Mechanical Engineering Corporation. 67 Kinney Co., E. A	O'Birien Machinery Co. 138 Centerlein Machine Co. 15 Oliver Instrument Co. 71 Osborne & Sexton Mehy. Co. 146 Oviatt & Co., D. C. 178
L	
Lambert Mche, & Engineering Co. 78 LaPorte Machine & Tool Co. 43 LeBlond Mch. Tool Co., R.K. 94-95 Lee Machinery Co., Inc. 135 Lees Bradner Co. Front Cover Leland-Gifford Co. 17 Lewthwaite Machine Co., T. H. 88 Linley Brothers Co. 113	Pasiman Brothers 155 Pedrick Tool & Machine Co. 34 Peerleas Machine Co. 83 Peerleas Surfacing Miche. Co., Inc. 35 Pioneer Castee & Mig. Co. 100 Porter-Cable Machine Co. 82 Procunier Safety Chuck Co. 79
Little Co., W. P. 142	R
Little Co., W. P. 142 Lobee Pump & Mchy. Co. 114 Lourie Manufacturing Co. 89 Lucas & Son, Inc., J. L. 139 Luma Electric Equipment Co. 68	Racine Tool & Machine Co
McCabe Lathe & Mch.Corp., J.J. 173 McDonald Machinery Company. 132 McMullen Machinery Co	Remance Meny, Saise Co. 174 e Reynolds Machine Company, 41 e Rhodes Manufacturing Co. 39 – Rickert-Shafer Co. 40 ! Riverside Machinery Depot. 176 Rockford Iron Works 88 Rogers & Co., Samuel C. 97 'g Rosenfeld Machinery Co. 137 Russell Machine Co. 174 Rushelm Machinery Co. 55
Midwest Equipment Co	8
Mid-West Machine Tool & Sup- ply Co. 137	Schellenbach-Hunt Tool Co 126 0
Miles Machinery Co	Schwerdtle Stamp Co
Molitor Machinery Co , Chas	Scully-Jones & Co
Moten of Merry Weather Michy, Co.	Seifreat-Elstad Machinery Co 182
Muehlmatt, Adolph	Severin Machinery Corp. 143 Sheldon Machine Co. 63 Sidney Machine Tool Co. 63
N	Inside Front Court
National Automatic Tool Co	Sigourney Tool Co
46	

Index of Advertisers-Continued

Stock Machinery Co., A. M	United States Drill Head Co
Sun Machinery Co. 182 Sundatrand Machine Tool Co. 117 Superior Machine & Eng. Co. 28 Syracuse Supply Company	Victor Saw Works, Inc
Taylor-Hall Welding Corporation 42	Waito Co. Wardwell Manufacturing Co. 44 Wayne Machinery Co. M. A. 140 Wat Penn Machinery Co. 133 Western I Tool & Mig. Co. 26-27 White Machinery Co. A. D. 145 Wilson Machinery Co. A. D. 145 Wilson Maculen Co. Inc. 46 Wintere, Herman L. 129 Winterhoff Tool & Machiner Co. 61 Wittek Manufacturing Co. 61
U	Wodack Electric Tool Corp 85
Unishear Co., Inc. The	Y Yohe Supply Co., Wm. S 117

10 Plants Wanted

A SYNDICATE will buy for cash a chain of Manufacturing Plants and Machine Shops in the Middle West, exclusive of leases and real estate. Must have modern equipment.


YOUR PLANT may be one that will suit us. Send full particulars in first letter, or a copy of inventory of what you have. All information treated strictly confidential. For further particulars address

Box 52, c/o Hitchcock Publishing Co.

508 So. Dearborn Street, Chicago

Jones

Worm Gear Speed Reducers



-TIMKEN Equipped-

The "Jones" Heavy Duty Worm Gear Reducer, an enclosed selfcontained reduction unit, makes an ideal right angle drive; occupies small floor space, simple in construction, positive in transmission of power, extreme quietness of operation, has a smooth, even torque, efficiency improves with age, has long life and a great adaptability and is the last word in Safety First.

Also made in a medium or lighter type for services not quite so heavy.

Catalog No. 41 on request

W. A. Jones Foundry & Machine Co.

Baldwin Locomotive Works Choose ~



Heavy Duty

Several hundred Hisey Grinders have been in daily use at the Baldwin Locomotive Works during the past nine years. They are doing more than giving "just satisfactory service." This fact is eviservice. This fact is evi-denced by the recent purchase of 115 additional Hisey Heavy Duty Grinders.

HISEY Electric Grinders are made in a very complete range of styles and sizes from 1/4 to 10 H. P.

Write for New Catalog No. 40

THE HISEY-WOLF MACHINE COMPANY HARRY OF HIGH CRADE ELECTRIC DAILLS, GRINDERS AND BUFFERS CINCINNATI, OHIO
Authorized Distributors Everywhere

NEW BRITAIN Smooth Top STEEL BENCHES



A Smooth Top Steel Bench!

The last word in Steel Benching

Among the many features are-

Perfectly smooth top.

No bolt or screw heads protruding.

No danger from splinters.

No fire hazard-no oil soaked top.

No warping or twisting.

Made in following standard lengths: 3', 41/2', 6' and 9'.

These benches can be made continuous in any multiples of above lengths.

New Britain Smooth Top Steel Benches are in keeping with modern trends.

Send for new bulletin just issued.

Shop Furniture Division

The New Britain Machine Co.

New Britain, Conn.

